

INDEX OF BIRD PHOTOS - NICK ATHANAS / ANTPITTA.COM

All photos are currently hosted on Flickr, and these links will take you to my Flickr site (<https://www.flickr.com/antpitta/>). I do not block downloads, so you can download anything by clicking the down arrow icon in the lower right part of the screen. Use the "find" function to quickly locate what you are looking for, or just scroll down if you prefer. CTRL-F (or CMD-F) is a shortcut for the find function in most English-language apps. The taxonomy follows the October 2025 version of the Clements/eBird list. The first column is the number of photos. The second column is a subjective quality rating for the photo (or the best photo if there are more than one), from A (best) to E (worst). These ratings often reflect my personal tastes, so you may not agree with all of them. I frequently reevaluate photos, and some of my earlier shots were rated too high - I am working on updating them. For the most part, all photos are at their maximum useable resolution. If you would like the original, unprocessed file, please email me at nick_athanas@hotmail.com.

Note: I recommend shift-clicking these links to open them up into new browser tabs.

Totals: 8716 photos/4303 bird species. Recently added photos may not be in the index yet. Updated 19 February 2026.

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|--|------------------------------------|---------------------------------------|
| | OSTRICHES | STRUTHIONIDAE | |
| 2 | B Common Ostrich | <i>Struthio camelus</i> | |
| | CASSOWARIES AND EMU | CASUARIIDAE | |
| 1 | B Southern Cassowary | <i>Casuarius casuarius</i> | |
| 2 | B Emu | <i>Dromaius novaehollandiae</i> | |
| | KIWIS | APTERYGIDAE | |
| 1 | D Southern Brown Kiwi | <i>Apteryx australis</i> | |
| 1 | D North Island Brown Kiwi | <i>Apteryx mantelli</i> | |
| | RHEAS | RHEIDAE | |
| 2 | B Greater Rhea | <i>Rhea americana</i> | |
| 5 | B Lesser Rhea | <i>Rhea pennata</i> | Darwin's Rhea, Puna Rhea |
| | TINAMOUS | TINAMIDAE | |
| 1 | C Quebracho Crested-Tinamou | <i>Eudromia formosa</i> | |
| 1 | A Elegant Crested-Tinamou | <i>Eudromia elegans</i> | |
| 1 | B Spotted Nothura | <i>Nothura maculosa</i> | |
| 1 | C Andean Tinamou | <i>Nothoprocta pentlandii</i> | |
| 1 | E Curve-billed Tinamou | <i>Nothoprocta curvirostris</i> | |
| 1 | B Ornate Tinamou | <i>Nothoprocta ornata</i> | |
| 4 | B Great Tinamou | <i>Tinamus major</i> | |
| 4 | B Solitary Tinamou | <i>Tinamus solitarius</i> | |
| 6 | B Gray Tinamou | <i>Tinamus tao</i> | Grey Tinamou |
| 3 | A Cinereous Tinamou | <i>Crypturellus cinereus</i> | |
| 2 | B Brown Tinamou | <i>Crypturellus obsoletus</i> | |
| 4 | B Undulated Tinamou | <i>Crypturellus obsoletus</i> | |
| 5 | A Little Tinamou | <i>Crypturellus soui</i> | |
| 2 | A Pale-browed Tinamou | <i>Crypturellus transfasciatus</i> | |
| | SCREAMERS | ANHIMIDAE | |
| 2 | B Horned Screamer | <i>Anhima cornuta</i> | |
| 2 | B Southern Screamer | <i>Chauna torquata</i> | |
| 1 | C Northern Screamer | <i>Chauna chavaria</i> | |
| | MAGPIE GOOSE | ANSERANATIDAE | |
| 2 | B Magpie Goose | <i>Anseranas semipalmata</i> | |
| | DUCKS, GEESE, AND WATERFOWL | ANATIDAE | |
| 2 | B Plumed Whistling-Duck | <i>Dendrocygna eytoni</i> | |
| 3 | B White-faced Whistling-Duck | <i>Dendrocygna viduata</i> | |
| 6 | B Black-bellied Whistling-Duck | <i>Dendrocygna autumnalis</i> | |
| 1 | C Wandering Whistling-Duck | <i>Dendrocygna arcuata</i> | |
| 1 | B Lesser Whistling-Duck | <i>Dendrocygna javanica</i> | |
| 1 | C Ross's Goose | <i>Anser rossii</i> | |
| 3 | B Greater White-fronted Goose | <i>Anser albifrons</i> | |
| 2 | B Brant | <i>Branta bernicla</i> | Black Brant, Brent Goose, Brant Goose |
| 2 | B Cackling Goose | <i>Branta hutchinsii</i> | |
| 2 | B Canada Goose | <i>Branta canadensis</i> | |
| 1 | D Freckled Duck | <i>Stictonetta naevosa</i> | |
| 1 | B Blue-winged Goose | <i>Cyanochen cyanoptera</i> | |
| 1 | C Mute Swan | <i>Cygnus olor</i> | |
| 1 | B Black-necked Swan | <i>Cygnus melancoryphus</i> | |
| 3 | B Trumpeter Swan | <i>Cygnus buccinator</i> | |
| 3 | B Tundra Swan | <i>Cygnus columbianus</i> | |
| 1 | C Whooper Swan | <i>Cygnus cygnus</i> | |
| 3 | B Coscoroba Swan | <i>Coscoroba coscoroba</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|----------|---|------------------------------------|-----------------------------------|
| 6 | B Comb Duck | <i>Sarkidiornis sylvicola</i> | American Comb-Duck |
| 4 | A Orinoco Goose | <i>Oressochen jubatus</i> | |
| 1 | B Andean Goose | <i>Oressochen melanopterus</i> | |
| 3 | A Upland Goose | <i>Chloephaga picta</i> | |
| 4 | B Kelp Goose | <i>Chloephaga hybrida</i> | |
| 1 | D Ashy-headed Goose | <i>Chloephaga poliocephala</i> | |
| 1 | D Ruddy-headed Goose | <i>Chloephaga rubidiceps</i> | |
| 1 | B Radjah Shelduck | <i>Radjah radjah</i> | |
| 1 | B Paradise Shelduck | <i>Tadorna variegata</i> | |
| 4 | B Flying Steamer-Duck | <i>Tachyeres patachonicus</i> | |
| 2 | B Flightless Steamer-Duck | <i>Tachyeres pteneres</i> | |
| 3 | B Falkland Steamer-Duck | <i>Tachyeres brachypterus</i> | |
| 3 | B Crested Duck | <i>Lophonetta specularioides</i> | |
| 1 | D Spectacled Duck | <i>Speculanas specularis</i> | Bronze-winged Duck |
| 5 | B Muscovy Duck | <i>Cairina moschata</i> | |
| 4 | B Brazilian Teal | <i>Amazonetta brasiliensis</i> | |
| 3 | B Blue Duck | <i>Hymenolaimus malacorhynchos</i> | |
| 4 | B Torrent Duck | <i>Merganetta armata</i> | |
| 1 | C Blue-billed Teal | <i>Spatula hottentota</i> | Hottentot Teal |
| 1 | C Silver Teal | <i>Spatula versicolor</i> | |
| 1 | D Puna Teal | <i>Spatula puna</i> | |
| 4 | C Blue-winged Teal | <i>Spatula discors</i> | |
| 1 | C Cinnamon Teal | <i>Spatula cyanoptera</i> | |
| 4 | B Red Shoveler | <i>Spatula platalea</i> | |
| 3 | B Northern Shoveler | <i>Spatula clypeata</i> | |
| 3 | C Gadwall | <i>Mareca strepera</i> | |
| 1 | C Eurasian Wigeon | <i>Mareca penelope</i> | |
| 1 | B American Wigeon | <i>Mareca americana</i> | |
| 2 | B Chiloe Wigeon | <i>Mareca sibilatrix</i> | |
| 1 | B Yellow-billed Duck | <i>Anas undulata</i> | |
| 2 | C Pacific Black Duck | <i>Anas superciliosa</i> | |
| 1 | C Philippine Duck | <i>Anas luzonica</i> | |
| 3 | C Indian Spot-billed Duck | <i>Anas poecilorhyncha</i> | |
| 1 | C Mallard | <i>Anas platyrhynchos</i> | |
| 2 | A Mexican Duck | <i>Anas diazi</i> | |
| 1 | B Cape Teal | <i>Anas capensis</i> | |
| 2 | B White-cheeked Pintail | <i>Anas bahamensis</i> | |
| 1 | A Red-billed Duck | <i>Anas erythrorhyncha</i> | Red-billed Teal |
| 1 | C Northern Pintail | <i>Anas acuta</i> | |
| 3 | B Yellow-billed Pintail | <i>Anas georgica</i> | |
| 2 | C Green-winged Teal | <i>Anas crecca</i> | |
| 1 | D Andean Teal | <i>Anas andium</i> | Speckled Teal |
| 3 | B Yellow-billed Teal | <i>Anas flavirostris</i> | Speckled Teal |
| 1 | C Sunda Teal | <i>Anas gibberifrons</i> | |
| 1 | C Brown Teal | <i>Anas chlorotis</i> | |
| 2 | C Marbled Teal | <i>Marmaronetta angustirostris</i> | Marbled Teal |
| 2 | A Rosy-billed Pochard | <i>Netta peposaca</i> | |
| 1 | C Common Pochard | <i>Aythya ferina</i> | |
| 1 | C New Zealand Scaup | <i>Aythya novaeseelandiae</i> | |
| 2 | A Greater Scaup | <i>Aythya marila</i> | |
| 1 | A Lesser Scaup | <i>Aythya affinis</i> | |
| 4 | B Steller's Eider | <i>Polysticta stelleri</i> | |
| 4 | A Spectacled Eider | <i>Somateria fischeri</i> | |
| 3 | B King Eider | <i>Somateria spectabilis</i> | |
| 2 | B Harlequin Duck | <i>Histrionicus histrionicus</i> | |
| 2 | B Long-tailed Duck | <i>Clangula hyemalis</i> | Oldsquaw |
| 3 | B Barrow's Goldeneye | <i>Bucephala islandica</i> | |
| 1 | C Common Merganser | <i>Mergus merganser</i> | |
| 3 | B Brazilian Merganser | <i>Mergus octosetaceus</i> | |
| 1 | B Masked Duck | <i>Nomonyx dominicus</i> | |
| 1 | B Ruddy Duck | <i>Oxyura jamaicensis</i> | |
| 1 | C Andean Duck | <i>Oxyura ferruginea</i> | Andean Ruddy-Duck, Ruddy Duck |
| 3 | B Lake Duck | <i>Oxyura vittata</i> | Argentine Ruddy-Duck |
| | MEGAPODES | MEGAPODIIDAE | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|--|---------------------------------|----------------------------|
| 2 | B Australian Brushturkey | <i>Alectura lathamii</i> | |
| 1 | C Maleo | <i>Macrocephalon maleo</i> | |
| 1 | B Orange-footed Megapode | <i>Megapodius reinwardti</i> | Orange-footed Scrubfowl |
| | GUANS, CHACHALACAS, AND CURASSOWS | CRACIDAE | |
| 1 | C Highland Guan | <i>Penelopina nigra</i> | |
| 1 | B Black Guan | <i>Chamaepetes unicolor</i> | |
| 5 | B Sickle-winged Guan | <i>Chamaepetes goudotii</i> | |
| 1 | B Black-fronted Piping-Guan | <i>Pipile jacutinga</i> | |
| 1 | D Blue-throated Piping-Guan | <i>Pipile cumanensis</i> | |
| 4 | B White-throated Piping-Guan | <i>Pipile grayi</i> | Blue-throated Piping-Guan |
| 3 | A Red-throated Piping-Guan | <i>Pipile cunjubi</i> | |
| 1 | B Band-tailed Guan | <i>Penelope argyrotis</i> | |
| 4 | B Dusky-legged Guan | <i>Penelope obscura</i> | |
| 1 | B White-crested Guan | <i>Penelope pileata</i> | |
| 1 | C Chestnut-bellied Guan | <i>Penelope ochrogaster</i> | |
| 1 | B White-browed Guan | <i>Penelope jacucaca</i> | |
| 2 | B Bearded Guan | <i>Penelope barbata</i> | |
| 2 | C Crested Guan | <i>Penelope purpurascens</i> | |
| 1 | C Rusty-margined Guan | <i>Penelope superciliaris</i> | |
| 2 | B White-winged Guan | <i>Penelope albipennis</i> | |
| 4 | B Andean Guan | <i>Penelope montagnii</i> | |
| 1 | C Red-faced Guan | <i>Penelope dabbeni</i> | |
| 2 | B Spix's Guan | <i>Penelope jacquacu</i> | |
| 3 | A Cauca Guan | <i>Penelope perspicax</i> | |
| 1 | C Crestless Curassow | <i>Mitu tomentosum</i> | |
| 4 | B Razor-billed Curassow | <i>Mitu tuberosum</i> | |
| 2 | B Great Curassow | <i>Crax rubra</i> | |
| 3 | B Black Curassow | <i>Crax alector</i> | |
| 5 | A Bare-faced Curassow | <i>Crax fasciolata</i> | |
| 2 | C Plain Chachalaca | <i>Ortalis vetula</i> | |
| 1 | D White-bellied Chachalaca | <i>Ortalis leucogastra</i> | |
| 3 | B Gray-headed Chachalaca | <i>Ortalis cinereiceps</i> | Grey-headed Chachalaca |
| 7 | B Rufous-headed Chachalaca | <i>Ortalis erythroptera</i> | |
| 2 | C Chaco Chachalaca | <i>Ortalis canicollis</i> | |
| 3 | B Colombian Chachalaca | <i>Ortalis columbiana</i> | |
| 3 | B Speckled Chachalaca | <i>Ortalis guttata</i> | |
| 1 | D East Brazilian Chachalaca | <i>Ortalis araucuan</i> | |
| 1 | D Scaled Chachalaca | <i>Ortalis squamata</i> | |
| 1 | D Chestnut-winged Chachalaca | <i>Ortalis garrula</i> | |
| 2 | B Rufous-vented Chachalaca | <i>Ortalis ruficauda</i> | |
| | GUINEAFOWL | NUMIDIDAE | |
| 2 | A Helmeted Guineafowl | <i>Numida meleagris</i> | |
| 1 | B Vulturine Guineafowl | <i>Acryllium vulturinum</i> | |
| | NEW WORLD QUAIL | ODONTOPHORIDAE | |
| 2 | B Mountain Quail | <i>Oreortyx pictus</i> | |
| 2 | B Long-tailed Wood-Partridge | <i>Dendrortyx macroura</i> | |
| 1 | D Spot-bellied Bobwhite | <i>Colinus leucopogon</i> | |
| 2 | B Crested Bobwhite | <i>Colinus cristatus</i> | Spot-bellied Bobwhite |
| 2 | C Scaled Quail | <i>Callipepla squamata</i> | |
| 2 | B California Quail | <i>Callipepla californica</i> | |
| 2 | B Gambel's Quail | <i>Callipepla gambelii</i> | |
| 1 | C Montezuma Quail | <i>Cyrtonyx montezumae</i> | |
| 1 | D Ocellated Quail | <i>Cyrtonyx ocellatus</i> | |
| 3 | C Singing Quail | <i>Dactylortyx thoracicus</i> | |
| 5 | B Spot-winged Wood-Quail | <i>Odontophorus capueira</i> | |
| 2 | B Black-fronted Wood-Quail | <i>Odontophorus atrifrons</i> | |
| 1 | E Rufous-fronted Wood-Quail | <i>Odontophorus erythrops</i> | |
| 3 | A Chestnut Wood-Quail | <i>Odontophorus hyperythrus</i> | |
| 1 | B Dark-backed Wood-Quail | <i>Odontophorus melanonotus</i> | |
| 1 | C Rufous-breasted Wood-Quail | <i>Odontophorus speciosus</i> | |
| | PHEASANTS, GROUSE, AND ALLIES | PHASIANIDAE | |
| 2 | A Taiwan Partridge | <i>Arborophila crudigularis</i> | |
| 3 | B Wild Turkey | <i>Meleagris gallopavo</i> | |
| 3 | B Ocellated Turkey | <i>Meleagris ocellata</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|--|-----------------------------------|------------------------------|
| 4 | A Greater Sage-Grouse | <i>Centrocercus urophasianus</i> | Sage Grouse |
| 2 | B Sharp-tailed Grouse | <i>Tympanuchus phasianellus</i> | |
| 2 | A Greater Prairie-Chicken | <i>Tympanuchus cupido</i> | |
| 1 | C Lesser Prairie-Chicken | <i>Tympanuchus pallidicinctus</i> | |
| 1 | A White-tailed Ptarmigan | <i>Lagopus leucura</i> | |
| 3 | A Willow Ptarmigan | <i>Lagopus lagopus</i> | Willow Grouse |
| 1 | C Rock Ptarmigan | <i>Lagopus muta</i> | |
| 3 | A Spruce Grouse | <i>Canachites canadensis</i> | |
| 1 | C Gray Partridge | <i>Perdix perdix</i> | Grey Partridge |
| 1 | D Mrs. Hume's Pheasant | <i>Syrnaticus humiae</i> | |
| 5 | B Swinhoe's Pheasant | <i>Lophura swinhoii</i> | |
| 1 | A Kalij Pheasant | <i>Lophura leucomelanos</i> | |
| 2 | B Palawan Peacock-Pheasant | <i>Argusianus argus</i> | |
| 1 | B Indian Peafowl | <i>Pavo cristatus</i> | |
| 2 | B Scaly-breasted Partridge | <i>Tropicoperdix chloropus</i> | Green-legged Partridge |
| 1 | C Sabah Partridge | <i>Tropicoperdix graydoni</i> | Chestnut-necklaced Partridge |
| 2 | B Red Spurfowl | <i>Galloperdix spadicea</i> | |
| 1 | C Sri Lanka Spurfowl | <i>Galloperdix bicalcarata</i> | |
| 1 | B Palawan Peacock-Pheasant | <i>Polyplectron napoleonis</i> | |
| 2 | B Red Junglefowl | <i>Gallus gallus</i> | |
| 1 | B Gray Junglefowl | <i>Gallus sonneratii</i> | Grey Junglefowl |
| 1 | C Sri Lanka Junglefowl | <i>Gallus lafayettii</i> | |
| 3 | A Crested Francolin | <i>Ortygornis sephaena</i> | |
| 2 | A Coqui Francolin | <i>Campocolinus coqui</i> | Mahoro Francolin |
| 1 | B Brown Quail | <i>Synoicus ypsilophorus</i> | |
| 1 | B Madagascar Partridge | <i>Margaroperdix madagarensis</i> | |
| 1 | D Harlequin Quail | <i>Coturnix delegorguei</i> | |
| 1 | C Barbary Partridge | <i>Alectoris barbara</i> | |
| 1 | B Painted Bush-Quail | <i>Perdica erythrorhyncha</i> | |
| 2 | B Jackson's Spurfowl | <i>Pternistis jacksoni</i> | Jackson's Francolin |
| 1 | B Natal Spurfowl | <i>Pternistis natalensis</i> | Natal Francolin |
| 1 | B Scaly Spurfowl | <i>Pternistis squamatus</i> | Scaly Francolin |
| 1 | A Swainson's Spurfowl | <i>Pternistis swainsonii</i> | Swainson's Francolin |
| 1 | A Yellow-necked Spurfowl | <i>Pternistis leucoscepus</i> | Yellow-necked Francolin |
| 2 | B Red-necked Spurfowl | <i>Pternistis afer</i> | Red-necked Francolin |
| | PIGEONS AND DOVES | COLUMBIDAE | |
| 1 | A Speckled Pigeon | <i>Columba guinea</i> | |
| 1 | D Common Wood-Pigeon | <i>Columba palumbus</i> | |
| 1 | C Speckled Wood-Pigeon | <i>Columba hodgsonii</i> | |
| 1 | C Nilgiri Wood-Pigeon | <i>Columba elphinstonii</i> | |
| 1 | B Sri Lanka Wood-Pigeon | <i>Columba torringtoniae</i> | |
| 1 | D Metallic Pigeon | <i>Columba vitiensis</i> | |
| 3 | A Pale-vented Pigeon | <i>Patagioenas cayennensis</i> | |
| 1 | C Scaled Pigeon | <i>Patagioenas speciosa</i> | |
| 2 | B Picazuro Pigeon | <i>Patagioenas picazuro</i> | |
| 1 | C Bare-eyed Pigeon | <i>Patagioenas corensis</i> | |
| 1 | C Spot-winged Pigeon | <i>Patagioenas maculosa</i> | |
| 2 | C White-crowned Pigeon | <i>Patagioenas leucocephala</i> | |
| 3 | B Band-tailed Pigeon | <i>Patagioenas fasciata</i> | |
| 1 | C Chilean Pigeon | <i>Patagioenas araucana</i> | |
| 2 | B Ring-tailed Pigeon | <i>Patagioenas caribaea</i> | |
| 1 | C Peruvian Pigeon | <i>Patagioenas oenops</i> | Marañon Pigeon |
| 1 | C Plumbeous Pigeon | <i>Patagioenas plumbea</i> | |
| 1 | C Ruddy Pigeon | <i>Patagioenas subvinacea</i> | |
| 1 | C Short-billed Pigeon | <i>Patagioenas nigrirostris</i> | |
| 2 | B Dusky Pigeon | <i>Patagioenas goodsoni</i> | |
| 2 | C Malagasy Turtle-Dove | <i>Nesoenas picturatus</i> | Madagascar Turtle-Dove |
| 2 | B European Turtle-Dove | <i>Streptopelia turtur</i> | |
| 1 | C Dusky Turtle-Dove | <i>Streptopelia lugens</i> | |
| 1 | B Oriental Turtle-Dove | <i>Streptopelia orientalis</i> | |
| 1 | C Eurasian Collared-Dove | <i>Streptopelia decaocto</i> | |
| 1 | B Burmese Collared-Dove | <i>Streptopelia xanthocyclus</i> | Eurasian Collared-Dove |
| 2 | B Mourning Collared-Dove | <i>Streptopelia decipiens</i> | African Mourning Dove |
| 1 | A Ring-necked Dove | <i>Streptopelia capicola</i> | Cape Turtle-Dove |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|--|-------------------------------------|----------------------------|
| 2 | A Vinaceous Dove | <i>Streptopelia vinacea</i> | |
| 2 | B Spotted Dove | <i>Spilopelia chinensis</i> | |
| 2 | B Laughing Dove | <i>Spilopelia senegalensis</i> | |
| 3 | A Sultan's Cuckoo-Dove | <i>Macropygia doreya</i> | |
| 1 | C Emerald-spotted Wood-Dove | <i>Turtur chalcospilos</i> | |
| 2 | B Namaqua Dove | <i>Oena capensis</i> | |
| 1 | B Asian Emerald Dove | <i>Chalcophaps indica</i> | |
| 1 | B Pacific Emerald Dove | <i>Chalcophaps longirostris</i> | |
| 2 | C Crested Pigeon | <i>Ocyphaps lophotes</i> | |
| 1 | B Spinifex Pigeon | <i>Geophaps plumifera</i> | |
| 2 | B Partridge Pigeon | <i>Geophaps smithii</i> | |
| 2 | A Chestnut-quilled Rock-Pigeon | <i>Petrophassa rufipennis</i> | |
| 1 | B White-quilled Rock-Pigeon | <i>Petrophassa albipennis</i> | |
| 1 | A Peaceful Dove | <i>Geopelia placida</i> | |
| 2 | C Bar-shouldered Dove | <i>Geopelia humeralis</i> | |
| 1 | B Inca Dove | <i>Columbina inca</i> | |
| 3 | A Common Ground Dove | <i>Columbina passerina</i> | |
| 1 | C Plain-breasted Ground Dove | <i>Columbina minuta</i> | |
| 4 | B Ruddy Ground Dove | <i>Columbina talpacoti</i> | |
| 2 | C Ecuadorian Ground Dove | <i>Columbina buckleyi</i> | |
| 4 | B Scaled Dove | <i>Columbina squammata</i> | |
| 2 | C Picui Ground Dove | <i>Columbina picui</i> | |
| 2 | B Croaking Ground Dove | <i>Columbina cruziana</i> | |
| 3 | B Blue Ground Dove | <i>Claravis pretiosa</i> | |
| 2 | C Bare-faced Ground Dove | <i>Metriopelia ceciliae</i> | |
| 2 | B Bare-eyed Ground Dove | <i>Metriopelia morenoi</i> | Moreno's Ground Dove |
| 4 | A Black-winged Ground Dove | <i>Metriopelia melanoptera</i> | |
| 1 | B Golden-spotted Ground Dove | <i>Metriopelia aymara</i> | |
| 2 | B Long-tailed Ground Dove | <i>Uropelia campestris</i> | |
| 3 | A Crested Quail-Dove | <i>Geotrygon versicolor</i> | |
| 1 | C Ruddy Quail-Dove | <i>Geotrygon montana</i> | |
| 4 | B White-tipped Dove | <i>Leptotila verreauxi</i> | |
| 1 | B Caribbean Dove | <i>Leptotila jamaicensis</i> | |
| 1 | C Gray-chested Dove | <i>Leptotila cassinii</i> | Grey-chested Dove |
| 1 | C Tolima Dove | <i>Leptotila conoveri</i> | |
| 6 | A Gray-fronted Dove | <i>Leptotila rufaxilla</i> | Grey-fronted Dove |
| 1 | B Pallid Dove | <i>Leptotila pallida</i> | |
| 1 | B Buff-fronted Quail-Dove | <i>Zentrygon costaricensis</i> | |
| 3 | B White-throated Quail-Dove | <i>Zentrygon frenata</i> | |
| 1 | D Lined Quail-Dove | <i>Zentrygon linearis</i> | |
| 1 | D Chiriqui Quail-Dove | <i>Zentrygon chiriquensis</i> | |
| 1 | B West Peruvian Dove | <i>Zenaida meloda</i> | |
| 3 | A White-winged Dove | <i>Zenaida asiatica</i> | |
| 1 | B Zenaida Dove | <i>Zenaida aurita</i> | |
| 1 | B Galapagos Dove | <i>Zenaida galapagoensis</i> | |
| 5 | A Eared Dove | <i>Zenaida auriculata</i> | |
| 2 | A Mourning Dove | <i>Zenaida macroura</i> | |
| 1 | C Sclater's Crowned-Pigeon | <i>Goura sclaterii</i> | Southern Crowned-Pigeon |
| 1 | D White-eared Brown-Dove | <i>Phapitreron leucotis</i> | White-eared Dove |
| 1 | B Madagascar Green-Pigeon | <i>Treron australis</i> | |
| 1 | C African Green-Pigeon | <i>Treron calvus</i> | |
| 1 | D White-bellied Green-Pigeon | <i>Treron sieboldii</i> | White-bellied Pigeon |
| 1 | D Scarlet-breasted Fruit-Dove | <i>Megaloprepia formosa</i> | |
| 1 | C Wompoo Fruit-Dove | <i>Megaloprepia magnifica</i> | |
| 1 | C Red-eared Fruit-Dove | <i>Ramphiculus fischeri</i> | |
| 1 | E Black-chinned Fruit-Dove | <i>Ramphiculus leclancheri</i> | |
| 2 | C Maroon-chinned Fruit-Dove | <i>Ramphiculus gularis</i> | |
| 2 | B Madagascar Blue-Pigeon | <i>Alectroenas madagascariensis</i> | |
| 1 | C Black-banded Fruit-Dove | <i>Ptilinopus alligator</i> | |
| 2 | B Superb Fruit-Dove | <i>Ptilinopus superbus</i> | |
| 2 | B Gray-headed Fruit-Dove | <i>Ptilinopus hyogastrus</i> | |
| 1 | C Beautiful Fruit-Dove | <i>Ptilinopus pulchellus</i> | |
| 1 | A Blue-capped Fruit-Dove | <i>Ptilinopus monacha</i> | |
| 1 | C Rose-crowned Fruit-Dove | <i>Ptilinopus regina</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|--|--------------------------------------|----------------------------|
| 1 | C Gray-headed Imperial-Pigeon | <i>Ducula radiata</i> | |
| 1 | C Green Imperial-Pigeon | <i>Ducula aenea</i> | |
| 1 | D Cinnamon-bellied Imperial-Pigeon | <i>Ducula basilica</i> | |
| 1 | B New Zealand Pigeon | <i>Hemiphaga novaeseelandiae</i> | |
| | MESITES | MESITORNITHIDAE | |
| 2 | C Subdesert Mesite | <i>Monias benschi</i> | |
| | SANDGROUSE | PTEROCLIDAE | |
| 2 | B Spotted Sandgrouse | <i>Pterocles senegallus</i> | |
| 2 | C Black-bellied Sandgrouse | <i>Pterocles orientalis</i> | |
| 2 | B Yellow-throated Sandgrouse | <i>Pterocles gutturalis</i> | |
| 2 | B Crowned Sandgrouse | <i>Pterocles coronatus</i> | |
| 2 | B Black-faced Sandgrouse | <i>Pterocles decoratus</i> | |
| 1 | B Madagascar Sandgrouse | <i>Pterocles personatus</i> | |
| | BUSTARDS | OTIDIDAE | |
| 1 | B Kori Bustard | <i>Ardeotis kori</i> | |
| 6 | A Australian Bustard | <i>Ardeotis australis</i> | |
| 2 | B White-bellied Bustard | <i>Eupodotis senegalensis</i> | |
| 1 | A Buff-crested Bustard | <i>Lophotis gindiana</i> | |
| 2 | B Red-crested Bustard | <i>Lophotis ruficrista</i> | Red-crested Korhaan |
| | TURACOS | MUSOPHAGIDAE | |
| 1 | B Gray Go-away-bird | <i>Crinifer concolor</i> | Grey Go-away-bird |
| 1 | D White-cheeked Turaco | <i>Menelikornis leucotis</i> | |
| 1 | C Ross's Turaco | <i>Tauraco rossae</i> | |
| 1 | D Fischer's Turaco | <i>Tauraco fischeri</i> | |
| | CUCKOOS | CUCULIDAE | |
| 1 | A Guira Cuckoo | <i>Guira guira</i> | |
| 2 | B Greater Ani | <i>Crotophaga major</i> | |
| 3 | B Smooth-billed Ani | <i>Crotophaga ani</i> | |
| 1 | C Groove-billed Ani | <i>Crotophaga sulcirostris</i> | |
| 2 | C Striped Cuckoo | <i>Tapera naevia</i> | |
| 2 | C Pheasant Cuckoo | <i>Dromococcyx phasianellus</i> | |
| 1 | C Pavonine Cuckoo | <i>Dromococcyx pavoninus</i> | |
| 3 | B Lesser Ground-Cuckoo | <i>Morococcyx erythropygus</i> | |
| 1 | E Lesser Roadrunner | <i>Geococcyx velox</i> | |
| 4 | B Greater Roadrunner | <i>Geococcyx californianus</i> | |
| 2 | B Crested Coua | <i>Coua cristata</i> | |
| 1 | D Blue Coua | <i>Coua caerulea</i> | |
| 1 | C Red-capped Coua | <i>Coua ruficeps</i> | Green-capped Coua |
| 2 | B Olive-capped Coua | <i>Coua olivaceiceps</i> | |
| 1 | D Red-fronted Coua | <i>Coua reynaudii</i> | |
| 1 | D Coquerel's Coua | <i>Coua coquereli</i> | |
| 1 | B Running Coua | <i>Coua cursor</i> | |
| 2 | D Giant Coua | <i>Coua gigas</i> | |
| 1 | D Red-breasted Coua | <i>Coua serriana</i> | |
| 2 | B Green-billed Coucal | <i>Centropus chlororhynchos</i> | |
| 1 | C Bay Coucal | <i>Centropus celebensis</i> | |
| 1 | C White-browed Coucal | <i>Centropus superciliosus</i> | |
| 1 | D Goliath Coucal | <i>Centropus goliath</i> | |
| 1 | C Malagasy Coucal | <i>Centropus toulou</i> | Madagascar Coucal |
| 1 | B Lesser Coucal | <i>Centropus bengalensis</i> | |
| 1 | B Pheasant Coucal | <i>Centropus phasianinus</i> | |
| 1 | B Red-faced Malkoha | <i>Phaenicophaeus pyrrhocephalus</i> | |
| 1 | C Yellow-billed Malkoha | <i>Rhamphococcyx calyrorhynchus</i> | |
| 1 | B Great Spotted Cuckoo | <i>Clamator glandarius</i> | |
| 2 | B Little Cuckoo | <i>Coccyzua minuta</i> | |
| 4 | B Dwarf Cuckoo | <i>Coccyzua pumila</i> | |
| 1 | B Common Squirrel-Cuckoo | <i>Piaya cayana</i> | Squirrel Cuckoo |
| 1 | C Dark-billed Cuckoo | <i>Coccyzus melacoryphus</i> | |
| 3 | A Yellow-billed Cuckoo | <i>Coccyzus americanus</i> | |
| 2 | C Mangrove Cuckoo | <i>Coccyzus minor</i> | |
| 1 | E Gray-capped Cuckoo | <i>Coccyzus lansbergi</i> | Grey-capped Cuckoo |
| 1 | D Chestnut-bellied Cuckoo | <i>Coccyzus pluvialis</i> | |
| 1 | B Jamaican Lizard-Cuckoo | <i>Coccyzus vetula</i> | |
| 1 | D Violet Cuckoo | <i>Chrysococcyx xanthorhynchus</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|---|-------------------------------------|----------------------------|
| 1 | C Dideric Cuckoo | <i>Chrysococcyx caprius</i> | Diederik Cuckoo |
| 1 | B Pallid Cuckoo | <i>Heteroscenes pallidus</i> | |
| 1 | B Sulawesi Brush Cuckoo | <i>Cacomantis virescens</i> | Brush Cuckoo |
| 1 | B Fork-tailed Drongo-Cuckoo | <i>Surniculus dicruroides</i> | |
| 1 | C Large Hawk-Cuckoo | <i>Hierococcyx sparverioides</i> | |
| 3 | B Red-chested Cuckoo | <i>Cuculus solitarius</i> | |
| 1 | C Madagascar Cuckoo | <i>Cuculus rochii</i> | |
| 1 | D Oriental Cuckoo | <i>Cuculus optatus</i> | |
| | NIGHTJARS AND ALLIES | CAPRIMULGIDAE | |
| 3 | B Diabolical Nightjar | <i>Eurostopodus diabolicus</i> | Satanic Nightjar |
| 2 | B Collared Nightjar | <i>Gactornis enarratus</i> | |
| 5 | A Nacunda Nighthawk | <i>Chordeiles nacunda</i> | |
| 1 | C Sand-colored Nighthawk | <i>Chordeiles rupestris</i> | |
| 3 | B Lesser Nighthawk | <i>Chordeiles acutipennis</i> | |
| 2 | D Common Nighthawk | <i>Chordeiles minor</i> | |
| 1 | D Band-tailed Nighthawk | <i>Nyctiprogne leucopyga</i> | |
| 3 | A Blackish Nightjar | <i>Nyctipolus nigrescens</i> | |
| 3 | A Pygmy Nightjar | <i>Nyctipolus hirundinaceus</i> | |
| 1 | C Common Pauraque | <i>Nyctidromus albicollis</i> | Pauraque |
| 3 | B Lyre-tailed Nightjar | <i>Uropsalis lyra</i> | |
| 2 | B Tschudi's Nightjar | <i>Quechuavis decussata</i> | |
| 1 | C Little Nightjar | <i>Setopagis parvula</i> | |
| 1 | D Spot-tailed Nightjar | <i>Antius maculicaudus</i> | |
| 1 | B Band-winged Nightjar | <i>Systellura longirostris</i> | |
| 2 | B Ladder-tailed Nightjar | <i>Hydropsalis climacocerca</i> | |
| 1 | E Scissor-tailed Nightjar | <i>Hydropsalis torquata</i> | |
| 2 | B Long-trained Nightjar | <i>Hydropsalis forcipata</i> | |
| 1 | B Yucatan Poorwill | <i>Nyctiphrynus yucatanicus</i> | |
| 1 | C Rufous Nightjar | <i>Antrostomus rufus</i> | |
| 1 | C Dusky Nightjar | <i>Antrostomus saturatus</i> | |
| 1 | C Jungle Nightjar | <i>Caprimulgus indicus</i> | |
| 1 | D Egyptian Nightjar | <i>Caprimulgus aegyptius</i> | |
| 1 | A Golden Nightjar | <i>Caprimulgus eximius</i> | |
| 1 | C Jerdon's Nightjar | <i>Caprimulgus atripennis</i> | |
| 3 | C Madagascar Nightjar | <i>Caprimulgus madagascariensis</i> | |
| 2 | B Long-tailed Nightjar | <i>Caprimulgus climacurus</i> | |
| 1 | B Slender-tailed Nightjar | <i>Caprimulgus clarus</i> | |
| | POTOOS | NYCTIBIIDAE | |
| 2 | B Rufous Potoo | <i>Phyllaemulor bracteatus</i> | |
| 5 | B Great Potoo | <i>Nyctibius grandis</i> | |
| 1 | D Long-tailed Potoo | <i>Nyctibius aethereus</i> | |
| 5 | B Common Potoo | <i>Nyctibius griseus</i> | |
| 1 | D Northern Potoo | <i>Nyctibius jamaicensis</i> | |
| 1 | B Andean Potoo | <i>Nyctibius maculosus</i> | |
| 1 | E White-winged Potoo | <i>Nyctibius leucopterus</i> | |
| | OILBIRD | STEATORNITHIDAE | |
| 5 | B Oilbird | <i>Steatornis caripensis</i> | |
| | FROGMOUTHS | PODARGIDAE | |
| 2 | B Tawny Frogmouth | <i>Podargus strigoides</i> | |
| 2 | B Papuan Frogmouth | <i>Podargus papuensis</i> | |
| 1 | C Philippine Frogmouth | <i>Batrachostomus septimus</i> | |
| 2 | B Sri Lanka Frogmouth | <i>Batrachostomus moniliger</i> | |
| | OWLET-NIGHTJARS | AEGOTHELIDAE | |
| 1 | B Mountain Owlet-Nightjar | <i>Aegotheles albertisi</i> | |
| 2 | B Moluccan Owlet-nightjar | <i>Aegotheles crinifrons</i> | |
| | SWIFTS | APODIDAE | |
| 1 | D White-chested Swift | <i>Cypseloides lemosi</i> | |
| 1 | E Great Dusky Swift | <i>Cypseloides senex</i> | |
| 2 | C Chestnut-collared Swift | <i>Streptoprocne rutila</i> | |
| 1 | B White-collared Swift | <i>Streptoprocne zonaris</i> | |
| 1 | B Biscutate Swift | <i>Streptoprocne biscutata</i> | |
| 1 | E Gray-rumped Swift | <i>Chaetura cinereiventris</i> | Grey-rumped Swift |
| 2 | E Band-rumped Swift | <i>Chaetura spinicaudus</i> | |
| 1 | C Chimney Swift | <i>Chaetura pelagica</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|--|------------------------------------|--|
| 2 | D Vaux's Swift | <i>Chaetura vauxi</i> | |
| 1 | C Sick's Swift | <i>Chaetura meridionalis</i> | |
| 2 | C Moluccan Swiftlet | <i>Aerodramus infuscatus</i> | Sulawesi Swiftlet |
| 1 | C Himalayan Swiftlet | <i>Aerodramus brevirostris</i> | |
| 1 | D Mossy-nest Swiftlet | <i>Aerodramus salangana</i> | |
| 1 | D Black-nest Swiftlet | <i>Aerodramus maximus</i> | |
| 1 | C Nyanza Swift | <i>Apus niansae</i> | |
| 1 | B Cook's Swift | <i>Apus cooki</i> | |
| 1 | C Little Swift | <i>Apus affinis</i> | |
| | TREESWIFTS | HEMIPROCENIDAE | |
| 1 | A Whiskered Treeswift | <i>Hemiprocne comata</i> | |
| | HUMMINGBIRDS | TROCHILIDAE | |
| 1 | B Crimson Topaz | <i>Topaza pella</i> | |
| 7 | A White-necked Jacobin | <i>Florisuga mellivora</i> | |
| 2 | B Black Jacobin | <i>Florisuga fusca</i> | |
| 1 | A White-tipped Sicklebill | <i>Eutoxeres aquila</i> | |
| 5 | A Saw-billed Hermit | <i>Ramphodon naevius</i> | |
| 2 | B Rufous-breasted Hermit | <i>Glaucis hirsutus</i> | Hairy Hermit |
| 1 | C Band-tailed Barbthroat | <i>Threnetes ruckeri</i> | |
| 2 | B Pale-tailed Barbthroat | <i>Threnetes leucurus</i> | |
| 2 | B White-whiskered Hermit | <i>Phaethornis yaruqui</i> | |
| 3 | B Green Hermit | <i>Phaethornis guy</i> | |
| 1 | B Tawny-bellied Hermit | <i>Phaethornis syrmatophorus</i> | |
| 1 | C Koepcke's Hermit | <i>Phaethornis koepckeae</i> | |
| 2 | A Long-billed Hermit | <i>Phaethornis longirostris</i> | Western Long-tailed Hermit |
| 1 | C Long-tailed Hermit | <i>Phaethornis superciliosus</i> | Eastern Long-tailed Hermit |
| 2 | C Pale-bellied Hermit | <i>Phaethornis anthophilus</i> | |
| 1 | C Dusky-throated Hermit | <i>Phaethornis squalidus</i> | |
| 2 | B Black-throated Hermit | <i>Phaethornis atrimentalis</i> | |
| 2 | A Stripe-throated Hermit | <i>Phaethornis striigularis</i> | |
| 2 | C Reddish Hermit | <i>Phaethornis ruber</i> | |
| 1 | D Buff-bellied Hermit | <i>Phaethornis subochraceus</i> | |
| 1 | B Scale-throated Hermit | <i>Phaethornis eurynome</i> | |
| 2 | B Green-fronted Lancebill | <i>Doryfera ludovicae</i> | |
| 2 | B Blue-fronted Lancebill | <i>Doryfera johannae</i> | |
| 1 | C White-throated Daggerbill | <i>Schistes albogularis</i> | Wedge-billed Hummingbird, White-throated Wedgebill |
| 5 | A Hyacinth Visorbearer | <i>Augastes scutatus</i> | |
| 2 | B Hooded Visorbearer | <i>Augastes lumachella</i> | |
| 1 | C White-vented Violetear | <i>Colibri serrirostris</i> | |
| 2 | B Sparkling Violetear | <i>Colibri coruscans</i> | |
| 3 | A Brown Violetear | <i>Colibri delphinae</i> | |
| 2 | B Lesser Violetear | <i>Colibri cyanotus</i> | Green Violetear |
| 2 | B Horned Sungem | <i>Heliactin bilophus</i> | |
| 2 | A Tooth-billed Hummingbird | <i>Androdon aequatorialis</i> | |
| 2 | C Black-eared Fairy | <i>Heliathryx auritus</i> | |
| 1 | B Green-tailed Goldenthrroat | <i>Polytmus theresiae</i> | |
| 1 | C Ruby-topaz Hummingbird | <i>Chrysolampis mosquitus</i> | |
| 2 | B Jamaican Mango | <i>Anthracothorax mango</i> | |
| 3 | B Black-throated Mango | <i>Anthracothorax nigricollis</i> | |
| 1 | D Orange-throated Sunangel | <i>Heliangelus mavors</i> | |
| 2 | B Amethyst-throated Sunangel | <i>Heliangelus amethysticollis</i> | |
| 1 | C Gorgeted Sunangel | <i>Heliangelus strophianus</i> | |
| 3 | B Tourmaline Sunangel | <i>Heliangelus exortis</i> | |
| 4 | B Little Sunangel | <i>Heliangelus micraster</i> | Flame-throated Sunangel |
| 3 | B Purple-throated Sunangel | <i>Heliangelus viola</i> | Brilliant Sunangel |
| 4 | A Royal Sunangel | <i>Heliangelus regalis</i> | |
| 1 | C Green-backed Firecrown | <i>Sephanoides sephaniodes</i> | |
| 3 | A Wire-crested Thorntail | <i>Discosura popelairii</i> | |
| 1 | B Black-bellied Thorntail | <i>Discosura langsdorffi</i> | |
| 3 | A Green Thorntail | <i>Discosura conversii</i> | |
| 3 | B Racket-tipped Thorntail | <i>Discosura longicaudus</i> | |
| 2 | B Tufted Coquette | <i>Lophornis ornatus</i> | |
| 5 | A Frisled Coquette | <i>Lophornis magnificus</i> | |
| 8 | A Rufous-crested Coquette | <i>Lophornis delattrei</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|----|--|-----------------------------------|----------------------------|
| 5 | A Spangled Coquette | <i>Lophornis stictolophus</i> | |
| 1 | C Butterfly Coquette | <i>Lophornis verreauxii</i> | Festive Coquette |
| 11 | A Festive Coquette | <i>Lophornis chalybeus</i> | |
| 1 | C Black-crested Coquette | <i>Lophornis helenae</i> | |
| 1 | C Ecuadorian Piedtail | <i>Phlogophilus hemileucurus</i> | |
| 4 | B Speckled Hummingbird | <i>Adelomyia melanogenys</i> | |
| 2 | A Long-tailed Sylph | <i>Agelaiocercus kingii</i> | |
| 4 | B Violet-tailed Sylph | <i>Agelaiocercus coelestis</i> | |
| 1 | C Venezuelan Sylph | <i>Agelaiocercus berlepschi</i> | |
| 3 | B Red-tailed Comet | <i>Sappho sparganurus</i> | |
| 4 | B Gray-bellied Comet | <i>Taphrolesbia griseiventris</i> | Grey-bellied Comet |
| 2 | C Ecuadorian Hillstar | <i>Oreotrochilus chimborazo</i> | Chimborazo Hillstar |
| 2 | B Blue-throated Hillstar | <i>Oreotrochilus cyanolaemus</i> | |
| 1 | B White-sided Hillstar | <i>Oreotrochilus leucopleurus</i> | |
| 1 | B Wedge-tailed Hillstar | <i>Oreotrochilus adela</i> | |
| 2 | B Black-tailed Trainbearer | <i>Lesbia victoriae</i> | |
| 3 | B Green-tailed Trainbearer | <i>Lesbia nuna</i> | |
| 1 | B Black-backed Thornbill | <i>Ramphomicron dorsale</i> | |
| 3 | A Purple-backed Thornbill | <i>Ramphomicron microrhynchum</i> | |
| 1 | A Rufous-capped Thornbill | <i>Chalcostigma ruficeps</i> | |
| 3 | C Blue-mantled Thornbill | <i>Chalcostigma stanleyi</i> | |
| 1 | E Bronze-tailed Thornbill | <i>Chalcostigma heteropogon</i> | |
| 2 | A Rainbow-bearded Thornbill | <i>Chalcostigma herrani</i> | |
| 7 | B Buffy Helmetcrest | <i>Oxygogon stuebelii</i> | Bearded Helmetcrest |
| 8 | B Tyrian Metaltail | <i>Metallura tyrianthina</i> | |
| 6 | B Viridian Metaltail | <i>Metallura williami</i> | |
| 4 | B Violet-throated Metaltail | <i>Metallura baroni</i> | |
| 1 | C Neblina Metaltail | <i>Metallura odomae</i> | |
| 1 | C Coppery Metaltail | <i>Metallura theresiae</i> | |
| 2 | B Black Metaltail | <i>Metallura phoebe</i> | |
| 3 | C Greenish Puffleg | <i>Haplophaedia aureliae</i> | |
| 1 | C Buff-thighed Puffleg | <i>Haplophaedia assimilis</i> | |
| 3 | B Glowing Puffleg | <i>Eriocnemis vestita</i> | |
| 3 | B Black-thighed Puffleg | <i>Eriocnemis derbyi</i> | |
| 2 | B Coppery-bellied Puffleg | <i>Eriocnemis cupreiventris</i> | |
| 1 | B Sapphire-vented Puffleg | <i>Eriocnemis luciani</i> | |
| 3 | B Golden-breasted Puffleg | <i>Eriocnemis mosquera</i> | |
| 3 | B Blue-capped Puffleg | <i>Eriocnemis glaucopoides</i> | |
| 2 | B Emerald-bellied Puffleg | <i>Eriocnemis aline</i> | |
| 4 | B Marvelous Spatuletail | <i>Loddigesia mirabilis</i> | |
| 7 | A Shining Sunbeam | <i>Aglaeactis cupripennis</i> | |
| 4 | B Bronzy Inca | <i>Coeligena coeligena</i> | |
| 2 | B Brown Inca | <i>Coeligena wilsoni</i> | |
| 1 | B Black Inca | <i>Coeligena prunellei</i> | |
| 5 | A Collared Inca | <i>Coeligena torquata</i> | |
| 1 | B Gould's Inca | <i>Coeligena inca</i> | |
| 1 | C Violet-throated Starfrontlet | <i>Coeligena violifer</i> | |
| 2 | B Rainbow Starfrontlet | <i>Coeligena iris</i> | |
| 2 | A White-tailed Starfrontlet | <i>Coeligena phalerata</i> | |
| 1 | D Dusky Starfrontlet | <i>Coeligena orina</i> | |
| 4 | A Buff-winged Starfrontlet | <i>Coeligena lutetiae</i> | |
| 2 | B Golden-bellied Starfrontlet | <i>Coeligena bonapartei</i> | |
| 4 | C Blue-throated Starfrontlet | <i>Coeligena helianthea</i> | |
| 5 | A Mountain Velvetbreast | <i>Lafresnaya lafresnayi</i> | |
| 6 | A Sword-billed Hummingbird | <i>Ensifera ensifera</i> | |
| 4 | C Great Sapphirewing | <i>Pterophanes cyanopterus</i> | |
| 6 | A Buff-tailed Coronet | <i>Boissonneaua flavescens</i> | |
| 2 | A Chestnut-breasted Coronet | <i>Boissonneaua matthewsii</i> | |
| 5 | A Velvet-purple Coronet | <i>Boissonneaua jardini</i> | |
| 3 | B White-booted Racket-tail | <i>Ocreatus underwoodii</i> | Booted Racket-tail |
| 5 | A Peruvian Racket-tail | <i>Ocreatus peruanus</i> | Booted Racket-tail |
| 6 | A Rufous-gaped Hillstar | <i>Urochroa bougeri</i> | White-tailed Hillstar |
| 1 | B Green-backed Hillstar | <i>Urochroa leucura</i> | White-tailed Hillstar |
| 5 | B Purple-bibbed Whitetip | <i>Urosticte benjamini</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|--|-------------------------------------|----------------------------|
| 1 | B Rufous-vented Whitetip | <i>Urosticte ruficrissa</i> | |
| 1 | E Velvet-browed Brilliant | <i>Heliodoxa xanthogonyx</i> | |
| 2 | B Black-throated Brilliant | <i>Heliodoxa schreibersii</i> | |
| 3 | C Gould's Jewelfront | <i>Heliodoxa aurescens</i> | |
| 4 | A Fawn-breasted Brilliant | <i>Heliodoxa rubinoides</i> | |
| 3 | A Green-crowned Brilliant | <i>Heliodoxa jacula</i> | |
| 4 | B Empress Brilliant | <i>Heliodoxa imperatrix</i> | |
| 5 | A Violet-fronted Brilliant | <i>Heliodoxa leadbeateri</i> | |
| 5 | A Brazilian Ruby | <i>Heliodoxa rubricauda</i> | |
| 2 | B Giant Hummingbird | <i>Patagona gigas</i> | |
| 1 | B Rivoli's Hummingbird | <i>Eugenes fulgens</i> | Magnificent Hummingbird |
| 3 | B Talamanca Hummingbird | <i>Eugenes spectabilis</i> | Magnificent Hummingbird |
| 3 | B Long-billed Starthroat | <i>Helio-master longirostris</i> | |
| 2 | C Plain-capped Starthroat | <i>Helio-master constantii</i> | |
| 2 | B Stripe-breasted Starthroat | <i>Helio-master squamosus</i> | |
| 1 | D Blue-tufted Starthroat | <i>Helio-master furcifer</i> | |
| 1 | B Fiery-throated Hummingbird | <i>Panterpe insignis</i> | |
| 1 | B Green-throated Mountain-gem | <i>Lampornis viridipallens</i> | |
| 2 | C Amethyst-throated Mountain-gem | <i>Lampornis amethystinus</i> | |
| 1 | B White-bellied Mountain-gem | <i>Lampornis hemileucus</i> | |
| 2 | B Purple-throated Mountain-gem | <i>Lampornis calolaemus</i> | |
| 2 | B White-throated Mountain-gem | <i>Lampornis castaneiventris</i> | Gray-tailed Mountain-gem |
| 1 | C Garnet-throated Hummingbird | <i>Lamprolaima rhami</i> | |
| 5 | A Amethyst Woodstar | <i>Calliphlox amethystina</i> | |
| 2 | C Peruvian Sheartail | <i>Thaumastura cora</i> | |
| 4 | A Short-tailed Woodstar | <i>Myrmia micrura</i> | |
| 4 | A Purple-collared Woodstar | <i>Myrtis fanny</i> | |
| 1 | D Oasis Hummingbird | <i>Rhodopis vesper</i> | |
| 3 | B White-bellied Woodstar | <i>Chaetocercus mulsant</i> | |
| 4 | C Little Woodstar | <i>Chaetocercus bombus</i> | |
| 4 | B Gorgeted Woodstar | <i>Chaetocercus heliodor</i> | |
| 2 | C Santa Marta Woodstar | <i>Chaetocercus astreans</i> | |
| 4 | A Esmeraldas Woodstar | <i>Chaetocercus berlepschi</i> | |
| 1 | E Rufous-shafted Woodstar | <i>Chaetocercus jourdanii</i> | |
| 3 | B Purple-throated Woodstar | <i>Philodice mitchellii</i> | |
| 1 | C Mexican Sheartail | <i>Doricha eliza</i> | |
| 4 | A Lucifer Hummingbird | <i>Calothorax lucifer</i> | Lucifer Sheartail |
| 1 | B Black-chinned Hummingbird | <i>Archilochus alexandri</i> | |
| 4 | B Anna's Hummingbird | <i>Calypte anna</i> | |
| 3 | A Costa's Hummingbird | <i>Calypte costae</i> | |
| 1 | E Calliope Hummingbird | <i>Selasphorus calliope</i> | |
| 1 | C Rufous Hummingbird | <i>Selasphorus rufus</i> | |
| 1 | C Broad-tailed Hummingbird | <i>Selasphorus platycercus</i> | |
| 1 | B Bumblebee Hummingbird | <i>Selasphorus heloisa</i> | |
| 3 | B Volcano Hummingbird | <i>Selasphorus flammula</i> | |
| 3 | B Scintillant Hummingbird | <i>Selasphorus scintilla</i> | |
| 2 | B Broad-billed Hummingbird | <i>Cynanthus latirostris</i> | |
| 1 | A Turquoise-crowned Hummingbird | <i>Cynanthus doubledayi</i> | Doubleday's Hummingbird |
| 2 | C Canivet's Emerald | <i>Cynanthus canivetii</i> | |
| 1 | B Blue-tailed Emerald | <i>Chlorostilbon mellisugus</i> | |
| 2 | B Red-billed Emerald | <i>Chlorostilbon gibsoni</i> | |
| 2 | C Glittering-bellied Emerald | <i>Chlorostilbon lucidus</i> | |
| 1 | C Green-tailed Emerald | <i>Chlorostilbon alicae</i> | |
| 1 | B Coppery Emerald | <i>Chlorostilbon russatus</i> | |
| 2 | B Western Emerald | <i>Chlorostilbon melanorhynchus</i> | |
| 1 | B White-eared Hummingbird | <i>Basilinna leucotis</i> | |
| 3 | C Wedge-tailed Sabrewing | <i>Pampa curvipennis</i> | Long-tailed Sabrewing |
| 1 | C Rufous Sabrewing | <i>Pampa rufa</i> | |
| 3 | A Violet-headed Hummingbird | <i>Klais guimeti</i> | |
| 2 | B Green-crowned Plovercrest | <i>Stephanoxis lalandi</i> | |
| 3 | B Purple-crowned Plovercrest | <i>Stephanoxis loddigesii</i> | Violet-crowned Plovercrest |
| 2 | C Santa Marta Blossomcrown | <i>Anthocephala floriceps</i> | |
| 1 | D Tolima Blossomcrown | <i>Anthocephala berlepschi</i> | |
| 2 | B Gray-breasted Sabrewing | <i>Campylopterus largipennis</i> | Grey-breasted Sabrewing |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|---|-------------------------------------|--|
| 1 | B Diamantina Sabrewing | <i>Campylopterus diamantinensis</i> | |
| 2 | B Violet Sabrewing | <i>Campylopterus hemileucurus</i> | |
| 1 | C Rufous-breasted Sabrewing | <i>Campylopterus hyperythrus</i> | |
| 2 | B Napo Sabrewing | <i>Campylopterus villaviscensio</i> | |
| 1 | D Lazuline Sabrewing | <i>Campylopterus falcatus</i> | |
| 2 | A Bronze-tailed Plumeleteer | <i>Chalybura urochrysis</i> | |
| 4 | B White-vented Plumeleteer | <i>Chalybura buffonii</i> | Ecuadorian Plumeleteer |
| 4 | A Violet-capped Woodnymph | <i>Thalurania glaucopis</i> | |
| 1 | E Long-tailed Woodnymph | <i>Thalurania watertonii</i> | |
| 7 | A Crowned Woodnymph | <i>Thalurania colombica</i> | Violet-crowned Woodnymph, Green-crowned Woodnymph, Emerald-bellied Woodnymph |
| 1 | B Fork-tailed Woodnymph | <i>Thalurania furcata</i> | |
| 2 | A Snowcap | <i>Microchera albocoronata</i> | |
| 3 | B Coppery-headed Emerald | <i>Microchera cupreiceps</i> | |
| 1 | C White-tailed Emerald | <i>Microchera chionura</i> | |
| 3 | B Violet-capped Hummingbird | <i>Goldmania violiceps</i> | |
| 2 | C Blue-capped Hummingbird | <i>Eupherusa cyanophrys</i> | Oaxaca Hummingbird |
| 3 | A Stripe-tailed Hummingbird | <i>Eupherusa eximia</i> | |
| 1 | B Black-bellied Hummingbird | <i>Eupherusa nigriventris</i> | |
| 3 | B Scaly-breasted Hummingbird | <i>Phaeochroa cuvierii</i> | |
| 2 | B Buffy Hummingbird | <i>Leucippus fallax</i> | |
| 4 | A Tumbes Hummingbird | <i>Thaumasius baeri</i> | |
| 2 | B Spot-throated Hummingbird | <i>Thaumasius taczanowskii</i> | |
| 2 | B Many-spotted Hummingbird | <i>Taphrospilus hypostictus</i> | |
| 2 | A Swallow-tailed Hummingbird | <i>Eupetomena macroura</i> | |
| 3 | A Sombre Hummingbird | <i>Eupetomena cirrochloris</i> | |
| 3 | A Red-billed Streamertail | <i>Trochilus polytmus</i> | Streamertail |
| 1 | C Black-billed Streamertail | <i>Trochilus scitulus</i> | Streamertail |
| 4 | B Green-fronted Hummingbird | <i>Ramosomyia viridifrons</i> | Cinnamon-sided Hummingbird |
| 3 | B Berylline Hummingbird | <i>Saucerotia beryllina</i> | |
| 1 | B Snowy-bellied Hummingbird | <i>Saucerotia edward</i> | Snowy-breasted Hummingbird |
| 2 | B Steely-vented Hummingbird | <i>Saucerotia saucerottei</i> | |
| 2 | B Indigo-capped Hummingbird | <i>Saucerotia cyanifrons</i> | |
| 1 | D Copper-tailed Hummingbird | <i>Saucerotia cupreicauda</i> | Green-bellied Hummingbird |
| 2 | B Copper-rumped Hummingbird | <i>Saucerotia tobaci</i> | |
| 1 | B Cinnamon Hummingbird | <i>Amazilia rutila</i> | |
| 3 | A Rufous-tailed Hummingbird | <i>Amazilia tzacatl</i> | |
| 4 | B Amazilia Hummingbird | <i>Amazilia amazilia</i> | |
| 3 | A Andean Emerald | <i>Uranomitra franciae</i> | |
| 4 | B Versicolored Emerald | <i>Chrysuronia versicolor</i> | |
| 1 | C Shining-green Hummingbird | <i>Chrysuronia goudoti</i> | |
| 3 | A Golden-tailed Sapphire | <i>Chrysuronia oenone</i> | |
| 2 | B Sapphire-throated Hummingbird | <i>Chrysuronia coeruleogularis</i> | |
| 2 | E Sapphire-bellied Hummingbird | <i>Chrysuronia lilliae</i> | |
| 3 | B Blue-headed Sapphire | <i>Chrysuronia grayi</i> | |
| 3 | B White-chested Emerald | <i>Chrysuronia brevirostris</i> | |
| 1 | B Plain-bellied Emerald | <i>Chrysuronia leucogaster</i> | |
| 3 | B White-throated Hummingbird | <i>Leucochloris albicollis</i> | |
| 2 | A Glittering-throated Emerald | <i>Chionomesa fimbriata</i> | |
| 2 | A Sapphire-spangled Emerald | <i>Chionomesa lactea</i> | |
| 1 | C Rufous-throated Sapphire | <i>Hylocharis sapphirina</i> | |
| 1 | D Gilded Hummingbird | <i>Hylocharis chrysura</i> | Gilded Sapphire |
| 2 | B White-bellied Hummingbird | <i>Elliotomyia chionogaster</i> | |
| 1 | B Green-and-white Hummingbird | <i>Elliotomyia viridicauda</i> | |
| 2 | A Purple-chested Hummingbird | <i>Polyerata rosenbergi</i> | |
| 1 | B Blue-chested Hummingbird | <i>Polyerata amabilis</i> | |
| 1 | D Charming Hummingbird | <i>Polyerata decora</i> | |
| 2 | C White-bellied Emerald | <i>Chlorestes candida</i> | |
| 4 | A White-chinned Sapphire | <i>Chlorestes cyanus</i> | |
| 2 | B Violet-bellied Hummingbird | <i>Chlorestes julie</i> | |
| 3 | A Blue-chinned Sapphire | <i>Chlorestes notata</i> | |
| | RAILS, GALLINULES, AND COOTS | RALLIDAE | |
| 2 | B Ridgway's Rail | <i>Rallus obsoletus</i> | |
| 1 | C Mangrove Rail | <i>Rallus longirostris</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|--|-----------------------------------|----------------------------|
| 1 | B Clapper Rail | <i>Rallus crepitans</i> | |
| 1 | C Ecuadorian Rail | <i>Rallus aequatorialis</i> | Virginia Rail |
| 1 | B Bogota Rail | <i>Rallus semiplumbeus</i> | |
| 1 | B White-throated Rail | <i>Dryolimnas cuvieri</i> | |
| 1 | D Corn Crane | <i>Crex crex</i> | |
| 4 | B Weka | <i>Gallirallus australis</i> | |
| 1 | C Buff-banded Rail | <i>Gallirallus philippensis</i> | |
| 2 | B Barred Rail | <i>Gallirallus torquatus</i> | |
| 2 | A Spotted Rail | <i>Pardirallus maculatus</i> | |
| 1 | C Blackish Rail | <i>Pardirallus nigricans</i> | |
| 3 | B Plumbeous Rail | <i>Pardirallus sanguinolentus</i> | |
| 1 | C Ash-throated Crane | <i>Mustelirallus albicollis</i> | |
| 1 | C Giant Wood-Rail | <i>Aramides ypecaha</i> | |
| 1 | D Brown Wood-Rail | <i>Aramides wolfei</i> | |
| 3 | B Little Wood-Rail | <i>Aramides mangle</i> | |
| 1 | C Russet-naped Wood-Rail | <i>Aramides albiventris</i> | |
| 3 | B Gray-cowled Wood-Rail | <i>Aramides cajaneus</i> | Gray-necked Wood-Rail |
| 3 | A Slaty-breasted Wood-Rail | <i>Aramides saracura</i> | |
| 3 | A Spot-flanked Gallinule | <i>Porphyriops melanops</i> | |
| 1 | B Australian Crane | <i>Porzana fluminea</i> | |
| 1 | B Eurasian Moorhen | <i>Gallinula chloropus</i> | Common Moorhen |
| 1 | B Common Gallinule | <i>Gallinula galeata</i> | Common Moorhen |
| 2 | B Red-fronted Coot | <i>Fulica ruffifrons</i> | |
| 2 | B Giant Coot | <i>Fulica gigantea</i> | |
| 3 | B Red-gartered Coot | <i>Fulica armillata</i> | |
| 1 | B Eurasian Coot | <i>Fulica atra</i> | |
| 1 | B Red-knobbed Coot | <i>Fulica cristata</i> | |
| 5 | B American Coot | <i>Fulica americana</i> | Caribbean Coot |
| 5 | B Slate-colored Coot | <i>Fulica ardesiaca</i> | Andean Coot |
| 2 | B White-winged Coot | <i>Fulica leucoptera</i> | |
| 4 | B Purple Gallinule | <i>Porphyrio martinica</i> | |
| 2 | B South Island Takahē | <i>Porphyrio hochstetteri</i> | |
| 2 | C Australasian Swamphen | <i>Porphyrio melanotus</i> | Purple Swamphen |
| 1 | B Gray-headed Swamphen | <i>Porphyrio poliocephalus</i> | |
| 1 | C White-browed Crane | <i>Poliolimnas cinereus</i> | |
| 1 | B Isabelline Bush-hen | <i>Amaurornis isabellina</i> | |
| 2 | B White-breasted Waterhen | <i>Amaurornis phoenicurus</i> | |
| 1 | B Slaty-legged Crane | <i>Rallina eurizonoides</i> | |
| 2 | B Black Crane | <i>Zapornia flavirostra</i> | |
| 2 | A Baillon's Crane | <i>Zapornia pusilla</i> | |
| 4 | A Red-and-white Crane | <i>Rufirallus leucopyrrhus</i> | |
| 3 | A Rufous-sided Crane | <i>Laterallus melanophaeus</i> | |
| 1 | B Ruddy Crane | <i>Laterallus ruber</i> | |
| 1 | D White-throated Crane | <i>Laterallus albigularis</i> | |
| 1 | D Gray-breasted Crane | <i>Laterallus exilis</i> | Grey-breasted Crane |
| 2 | B Black Rail | <i>Laterallus jamaicensis</i> | |
| | FINFOOTS | HELIORNITHIDAE | |
| 1 | C African Finfoot | <i>Podica senegalensis</i> | |
| 3 | C Sungrebe | <i>Heliornis fulica</i> | |
| | LIMPKIN | ARAMIDAE | |
| 2 | B Limpkin | <i>Aramus guarauna</i> | |
| | TRUMPETERS | PSOPHIIDAE | |
| 5 | A Gray-winged Trumpeter | <i>Psophia crepitans</i> | Grey-winged Trumpeter |
| 1 | D Pale-winged Trumpeter | <i>Psophia leucoptera</i> | |
| 2 | C Dark-winged Trumpeter | <i>Psophia viridis</i> | |
| | CRANES | GRUIDAE | |
| 1 | B Gray Crowned-Crane | <i>Balearica regulorum</i> | Grey Crowned Crane |
| 1 | C Black Crowned-Crane | <i>Balearica pavonina</i> | |
| 6 | B Sandhill Crane | <i>Antigone canadensis</i> | |
| 1 | B Brolga | <i>Antigone rubicunda</i> | |
| 1 | B Sarus Crane | <i>Antigone antigone</i> | |
| 1 | D Wattled Crane | <i>Grus carunculatus</i> | |
| 1 | B Whooping Crane | <i>Grus americana</i> | |
| 2 | C Black-necked Crane | <i>Grus nigricollis</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|--|--------------------------------------|----------------------------|
| | MAGELLANIC PLOVER | PLUVIANELLIDAE | |
| 2 | B Magellanic Plover | <i>Pluvianellus socialis</i> | |
| | SHEATHBILLS | CHIONIDAE | |
| 2 | B Snowy Sheathbill | <i>Chionis albus</i> | |
| | THICK-KNEES | BURHINIDAE | |
| 6 | A Double-striped Thick-knee | <i>Hesperoburhinus bistriatus</i> | |
| 2 | A Peruvian Thick-knee | <i>Hesperoburhinus superciliaris</i> | |
| 2 | A Great Thick-knee | <i>Esacus recurvirostris</i> | Great Stone-curlew |
| 1 | B Spotted Thick-knee | <i>Burhinus capensis</i> | |
| 1 | C Water Thick-knee | <i>Burhinus vermiculatus</i> | |
| | EGYPTIAN PLOVER | PLUVIANIDAE | |
| 5 | A Egyptian Plover | <i>Pluvianus aegyptius</i> | |
| | STILTS AND AVOCETS | RECURVIROSTRIDAE | |
| 2 | B Black-winged Stilt | <i>Himantopus himantopus</i> | |
| 2 | A Pied Stilt | <i>Himantopus leucocephalus</i> | |
| 1 | B Black Stilt | <i>Himantopus novaezelandiae</i> | |
| 5 | B Black-necked Stilt | <i>Himantopus mexicanus</i> | White-backed Stilt |
| 2 | C Pied Avocet | <i>Recurvirostra avosetta</i> | |
| 2 | C Andean Avocet | <i>Recurvirostra andina</i> | |
| 3 | A American Avocet | <i>Recurvirostra americana</i> | |
| | OYSTERCATCHERS | HAEMATOPODIDAE | |
| 2 | B South Island Oystercatcher | <i>Haematopus finschi</i> | |
| 1 | A Variable Oystercatcher | <i>Haematopus unicolor</i> | |
| 2 | A American Oystercatcher | <i>Haematopus palliatus</i> | |
| 3 | B Blackish Oystercatcher | <i>Haematopus ater</i> | |
| 4 | B Magellanic Oystercatcher | <i>Haematopus leucopodus</i> | |
| 1 | A Black Oystercatcher | <i>Haematopus bachmani</i> | |
| | PLOVERS AND LAPWINGS | CHARADRIIDAE | |
| 2 | A American Golden-Plover | <i>Pluvialis dominica</i> | |
| 3 | C Pacific Golden-Plover | <i>Pluvialis fulva</i> | |
| 2 | B Tawny-throated Dotterel | <i>Oreopholus ruficollis</i> | |
| 1 | A Pied Plover | <i>Hoploxypterus cayanus</i> | Pied Lapwing |
| 1 | B Diademed Sandpiper-Plover | <i>Phegornis mitchellii</i> | |
| 1 | D Rufous-chested Dotterel | <i>Zonibyx modestus</i> | |
| 5 | A Killdeer | <i>Charadrius vociferus</i> | |
| 3 | B Semipalmated Plover | <i>Charadrius semipalmatus</i> | |
| 3 | B Piping Plover | <i>Charadrius melodus</i> | |
| 1 | B Black-fronted Dotterel | <i>Thinornis melanops</i> | |
| 2 | B Three-banded Plover | <i>Thinornis tricoloris</i> | |
| 7 | C Little Ringed Plover | <i>Thinornis dubius</i> | |
| 1 | B Northern Lapwing | <i>Vanellus vanellus</i> | |
| 2 | B Blacksmith Lapwing | <i>Vanellus armatus</i> | Blacksmith Plover |
| 3 | B Spur-winged Lapwing | <i>Vanellus spinosus</i> | Spur-winged Plover |
| 1 | B River Lapwing | <i>Vanellus duvaucelii</i> | |
| 1 | B Yellow-wattled Lapwing | <i>Vanellus malabaricus</i> | |
| 1 | C White-crowned Lapwing | <i>Vanellus albiceps</i> | |
| 1 | B Black-winged Lapwing | <i>Vanellus melanopterus</i> | |
| 2 | A Crowned Lapwing | <i>Vanellus coronatus</i> | |
| 2 | B Red-wattled Lapwing | <i>Vanellus indicus</i> | |
| 1 | A Masked Lapwing | <i>Vanellus miles</i> | |
| 2 | B Sociable Lapwing | <i>Vanellus gregarius</i> | |
| 5 | B Southern Lapwing | <i>Vanellus chilensis</i> | |
| 3 | B Andean Lapwing | <i>Vanellus resplendens</i> | |
| 1 | C Oriental Plover | <i>Anarhynchus veredus</i> | |
| 1 | A Siberian Sand-Plover | <i>Anarhynchus mongolus</i> | Lesser Sand-Plover |
| 5 | A Wrybill | <i>Anarhynchus frontalis</i> | |
| 1 | A Red-breasted Dotterel | <i>Anarhynchus obscurus</i> | New Zealand Plover |
| 2 | B Wilson's Plover | <i>Anarhynchus wilsonia</i> | |
| 4 | A Collared Plover | <i>Anarhynchus collaris</i> | |
| 1 | B Mountain Plover | <i>Anarhynchus montanus</i> | |
| 1 | C Puna Plover | <i>Anarhynchus alticola</i> | |
| 2 | B Two-banded Plover | <i>Anarhynchus falklandicus</i> | |
| 3 | B Madagascar Plover | <i>Anarhynchus thoracicus</i> | |
| 1 | B Kittlitz's Plover | <i>Anarhynchus pecuarius</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|--|----------------------------------|--|
| 1 | C Snowy Plover | <i>Anarhynchus nivosus</i> | |
| 1 | D Malaysian Plover | <i>Anarhynchus peronii</i> | |
| 1 | C White-fronted Plover | <i>Anarhynchus marginatus</i> | |
| 1 | B Javan Plover | <i>Anarhynchus javanicus</i> | |
| | PLAINS-WANDERER | PEDIONOMIDAE | |
| 2 | B Plains-wanderer | <i>Pedionomus torquatus</i> | |
| | SEEDSNIPES | THINOCORIDAE | |
| 1 | B Rufous-bellied Seedsnipe | <i>Attagis gayi</i> | |
| 3 | B Gray-breasted Seedsnipe | <i>Thinocorus orbignyianus</i> | Grey-breasted Seedsnipe |
| 2 | C Least Seedsnipe | <i>Thinocorus rumicivorus</i> | |
| | JACANAS | JACANIDAE | |
| 3 | C Pheasant-tailed Jacana | <i>Hydrophasianus chirurgus</i> | |
| 1 | B Northern Jacana | <i>Jacana spinosa</i> | |
| 5 | B Wattled Jacana | <i>Jacana jacana</i> | |
| 1 | B Comb-crested Jacana | <i>Irediparra gallinacea</i> | |
| 4 | A African Jacana | <i>Actophilornis africanus</i> | |
| | SANDPIPERS AND ALLIES | SCOLOPACIDAE | |
| 1 | C Bristle-thighed Curlew | <i>Numenius tahitiensis</i> | |
| 1 | C Hudsonian Whimbrel | <i>Numenius hudsonicus</i> | Whimbrel |
| 1 | D Long-billed Curlew | <i>Numenius americanus</i> | |
| 1 | C Far Eastern Curlew | <i>Numenius madagascariensis</i> | |
| 1 | C Eurasian Curlew | <i>Numenius arquata</i> | |
| 2 | B Bar-tailed Godwit | <i>Limosa lapponica</i> | |
| 1 | D Black-tailed Godwit | <i>Limosa limosa</i> | |
| 3 | B Hudsonian Godwit | <i>Limosa haemastica</i> | |
| 2 | B Marbled Godwit | <i>Limosa fedoa</i> | |
| 2 | C Short-billed Dowitcher | <i>Limnodromus griseus</i> | |
| 3 | A Long-billed Dowitcher | <i>Limnodromus scolopaceus</i> | |
| 1 | B American Woodcock | <i>Scolopax minor</i> | |
| 3 | B Giant Snipe | <i>Gallinago undulata</i> | |
| 2 | C Pantanal Snipe | <i>Gallinago paraguayae</i> | South American Snipe, Paraguayan Snipe |
| 1 | B Magellanic Snipe | <i>Gallinago magellanica</i> | South American Snipe |
| 2 | C Wilson's Phalarope | <i>Phalaropus tricolor</i> | |
| 3 | B Red Phalarope | <i>Phalaropus fulicarius</i> | |
| 3 | A Red-necked Phalarope | <i>Phalaropus lobatus</i> | |
| 1 | C Terek Sandpiper | <i>Xenus cinereus</i> | |
| 1 | B Common Sandpiper | <i>Actitis hypoleucos</i> | |
| 1 | B Spotted Sandpiper | <i>Actitis macularius</i> | |
| 1 | B Green Sandpiper | <i>Tringa ochropus</i> | |
| 3 | B Solitary Sandpiper | <i>Tringa solitaria</i> | |
| 2 | B Wandering Tattler | <i>Tringa incana</i> | |
| 1 | D Marsh Sandpiper | <i>Tringa stagnatilis</i> | |
| 1 | A Wood Sandpiper | <i>Tringa glareola</i> | |
| 3 | C Lesser Yellowlegs | <i>Tringa flavipes</i> | |
| 1 | C Nordmann's Greenshank | <i>Tringa guttifer</i> | |
| 3 | B Willet | <i>Tringa semipalmata</i> | |
| 1 | B Spotted Redshank | <i>Tringa erythropus</i> | |
| 2 | B Common Greenshank | <i>Tringa nebularia</i> | |
| 1 | B Greater Yellowlegs | <i>Tringa melanoleuca</i> | |
| 3 | B Ruddy Turnstone | <i>Arenaria interpres</i> | |
| 2 | A Black Turnstone | <i>Arenaria melanocephala</i> | |
| 1 | C Great Knot | <i>Calidris tenuirostris</i> | |
| 1 | B Red Knot | <i>Calidris canutus</i> | |
| 4 | B Surfbird | <i>Calidris virgata</i> | |
| 1 | C Sharp-tailed Sandpiper | <i>Calidris acuminata</i> | |
| 1 | C Curlew Sandpiper | <i>Calidris ferruginea</i> | |
| 3 | C Stilt Sandpiper | <i>Calidris himantopus</i> | |
| 1 | C Temminck's Stint | <i>Calidris temminckii</i> | |
| 1 | D Long-toed Stint | <i>Calidris subminuta</i> | |
| 2 | B Red-necked Stint | <i>Calidris ruficollis</i> | |
| 4 | B Buff-breasted Sandpiper | <i>Calidris subruficollis</i> | |
| 3 | B Sanderling | <i>Calidris alba</i> | |
| 3 | B Dunlin | <i>Calidris alpina</i> | |
| 3 | B White-rumped Sandpiper | <i>Calidris fuscicollis</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|---|--|----------------------------|
| 5 | A Least Sandpiper | <i>Calidris minutilla</i> | |
| 4 | A Pectoral Sandpiper | <i>Calidris melanotos</i> | |
| 5 | A Western Sandpiper | <i>Calidris mauri</i> | |
| 3 | A Semipalmated Sandpiper | <i>Calidris pusilla</i> | |
| | BUTTONQUAIL | TURNICIDAE | |
| 1 | B Madagascar Buttonquail | <i>Turnix nigricollis</i> | |
| | PRATINCOLES AND COURSERS | GLAREOLIDAE | |
| 1 | B Three-banded Courser | <i>Rhinoptilus cinctus</i> | |
| 2 | A Temminck's Courser | <i>Cursorius temminckii</i> | |
| 1 | D Cream-colored Courser | <i>Cursorius cursor</i> | |
| 1 | D Somali Courser | <i>Cursorius somalensis</i> | |
| 1 | B Oriental Pratincole | <i>Glareola maldivarum</i> | |
| | SKUAS AND JAEGERS | STERCORARIIDAE | |
| 2 | A Long-tailed Jaeger | <i>Stercorarius longicaudus</i> | |
| 2 | C Parasitic Jaeger | <i>Stercorarius parasiticus</i> | |
| 2 | B Pomarine Jaeger | <i>Stercorarius pomarinus</i> | |
| 3 | A Chilean Skua | <i>Stercorarius chilensis</i> | |
| 4 | B Brown Skua | <i>Stercorarius antarcticus</i> | |
| 3 | B South Polar Skua | <i>Stercorarius maccormicki</i> | |
| | AUKS, MURRES, AND PUFFINS | ALCIDAE | |
| 2 | C Rhinoceros Auklet | <i>Cerorhinca monocerata</i> | |
| 3 | C Tufted Puffin | <i>Fratercula cirrhata</i> | |
| 2 | C Horned Puffin | <i>Fratercula corniculata</i> | |
| 1 | D Parakeet Auklet | <i>Aethia psittacula</i> | |
| 2 | C Kittlitz's Murrelet | <i>Brachyramphus brevirostris</i> | |
| 2 | B Black Guillemot | <i>Cephus grylle</i> | |
| 3 | C Pigeon Guillemot | <i>Cephus columba</i> | |
| 3 | B Thick-billed Murre | <i>Uria lomvia</i> | |
| 1 | C Common Murre | <i>Uria aalge</i> | |
| 1 | C Ancient Murrelet | <i>Synthliboramphus antiquus</i> | |
| | GULLS, TERNS, AND SKIMMERS | LARIDAE | |
| 3 | A Swallow-tailed Gull | <i>Creagrus furcatus</i> | |
| 1 | C Black-legged Kittiwake | <i>Rissa tridactyla</i> | |
| 4 | A Sabine's Gull | <i>Xema sabini</i> | |
| 2 | B Slender-billed Gull | <i>Chroicocephalus genei</i> | |
| 1 | C Bonaparte's Gull | <i>Chroicocephalus philadelphia</i> | |
| 3 | B Silver Gull | <i>Chroicocephalus novaehollandiae</i> | Red-billed Gull |
| 2 | A Andean Gull | <i>Chroicocephalus serranus</i> | |
| 3 | B Brown-hooded Gull | <i>Chroicocephalus maculipennis</i> | |
| 1 | C Black-headed Gull | <i>Chroicocephalus ridibundus</i> | |
| 3 | B Gray-hooded Gull | <i>Chroicocephalus cirrocephalus</i> | Grey-headed Gull |
| 5 | B Gray Gull | <i>Leucophaeus modestus</i> | Grey Gull |
| 4 | B Dolphin Gull | <i>Leucophaeus scoresbii</i> | |
| 6 | A Laughing Gull | <i>Leucophaeus atricilla</i> | |
| 6 | B Franklin's Gull | <i>Leucophaeus pipixcan</i> | |
| 1 | B Lava Gull | <i>Leucophaeus fuliginosus</i> | |
| 2 | B Belcher's Gull | <i>Larus belcheri</i> | Band-tailed Gull |
| 1 | C Black-tailed Gull | <i>Larus crassirostris</i> | |
| 1 | B Heermann's Gull | <i>Larus heermanni</i> | |
| 2 | B Short-billed Gull | <i>Larus brachyrhynchus</i> | Mew Gull |
| 2 | C Ring-billed Gull | <i>Larus delawarensis</i> | |
| 1 | B Western Gull | <i>Larus occidentalis</i> | |
| 4 | B Kelp Gull | <i>Larus dominicanus</i> | |
| 1 | B American Herring Gull | <i>Larus smithsonianus</i> | Herring Gull |
| 1 | B Yellow-legged Gull | <i>Larus michahellis</i> | |
| 1 | B Great Black-backed Gull | <i>Larus marinus</i> | |
| 2 | C Glaucous Gull | <i>Larus hyperboreus</i> | |
| 1 | C Glaucous-winged Gull | <i>Larus glaucescens</i> | |
| 8 | A Black Skimmer | <i>Rynchops niger</i> | |
| 1 | B Brown Noddy | <i>Anous stolidus</i> | |
| 2 | C Aleutian Tern | <i>Onychoprion aleuticus</i> | |
| 1 | B Sooty Tern | <i>Onychoprion fuscatus</i> | |
| 2 | A Least Tern | <i>Sternula antillarum</i> | |
| 1 | B Yellow-billed Tern | <i>Sternula superciliaris</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|----|--|------------------------------------|--|
| 1 | C Peruvian Tern | <i>Sternula lorata</i> | |
| 6 | B Large-billed Tern | <i>Phaetusa simplex</i> | |
| 1 | B Gull-billed Tern | <i>Gelochelidon nilotica</i> | |
| 3 | B Caspian Tern | <i>Hydroprogne caspia</i> | |
| 6 | B Inca Tern | <i>Larosterna inca</i> | |
| 4 | B Whiskered Tern | <i>Chlidonias hybrida</i> | |
| 4 | B Black Tern | <i>Chlidonias niger</i> | |
| 1 | B White-winged Tern | <i>Chlidonias leucopterus</i> | |
| 1 | B River Tern | <i>Sterna aurantia</i> | |
| 6 | B Forster's Tern | <i>Sterna forsteri</i> | |
| 4 | B Arctic Tern | <i>Sterna paradisaea</i> | |
| 4 | B South American Tern | <i>Sterna hirundinacea</i> | |
| 3 | B Antarctic Tern | <i>Sterna vittata</i> | |
| 1 | C Common Tern | <i>Sterna hirundo</i> | |
| 4 | A White-fronted Tern | <i>Sterna striata</i> | |
| 2 | C Sandwich Tern | <i>Thalasseus sandvicensis</i> | Cabot's Tern |
| 1 | B Elegant Tern | <i>Thalasseus elegans</i> | |
| 1 | D Lesser Crested Tern | <i>Thalasseus bengalensis</i> | |
| 2 | B West African Crested Tern | <i>Thalasseus albididorsalis</i> | |
| 4 | B Royal Tern | <i>Thalasseus maximus</i> | |
| 2 | B Great Crested Tern | <i>Thalasseus bergii</i> | Greater Crested Tern |
| | FLAMINGOS | PHOENICOPTERIDAE | |
| 1 | C Chilean Flamingo | <i>Phoenicopterus chilensis</i> | |
| 4 | A American Flamingo | <i>Phoenicopterus ruber</i> | Caribbean Flamingo |
| 3 | B Greater Flamingo | <i>Phoenicopterus roseus</i> | |
| 2 | C Andean Flamingo | <i>Phoenicoparrus andinus</i> | |
| 2 | C James's Flamingo | <i>Phoenicoparrus jamesi</i> | Puna Flamingo |
| | GREBES | PODICIPEDIDAE | |
| 3 | A White-tufted Grebe | <i>Rollandia rolland</i> | |
| 1 | C Little Grebe | <i>Tachybaptus ruficollis</i> | |
| 3 | B Australasian Grebe | <i>Tachybaptus novaehollandiae</i> | |
| 1 | B Madagascar Grebe | <i>Tachybaptus pelzelinii</i> | |
| 1 | C Least Grebe | <i>Tachybaptus dominicus</i> | |
| 3 | A Pied-billed Grebe | <i>Podilymbus podiceps</i> | |
| 1 | C New Zealand Grebe | <i>Poliiocephalus rufopectus</i> | |
| 1 | D Great Grebe | <i>Podiceps major</i> | |
| 2 | B Red-necked Grebe | <i>Podiceps grisegena</i> | |
| 4 | B Eared Grebe | <i>Podiceps nigricollis</i> | Black-necked Grebe |
| 2 | B Silvery Grebe | <i>Podiceps occipitalis</i> | Northern Silvery Grebe, Southern Silvery Grebe |
| 2 | C Western Grebe | <i>Aechmophorus occidentalis</i> | |
| | HOATZIN | OPISTHOCOMIDAE | |
| 5 | B Hoatzin | <i>Opisthocomus hoazin</i> | |
| | KAGU | RHYNOCHETIDAE | |
| 2 | B Kagu | <i>Rhynchoceros jubatus</i> | |
| | SUNBITTERN | EURYPYGIDAE | |
| 4 | A Sunbittern | <i>Eurypyga helias</i> | |
| | TROPICBIRDS | PHAETHONTIDAE | |
| 4 | A Red-billed Tropicbird | <i>Phaethon aethereus</i> | |
| 4 | B Red-tailed Tropicbird | <i>Phaethon rubricauda</i> | |
| | LOONS | GAVIIDAE | |
| 1 | B Red-throated Loon | <i>Gavia stellata</i> | |
| 4 | A Pacific Loon | <i>Gavia pacifica</i> | |
| | PENGUINS | SPHENISCIDAE | |
| 9 | A King Penguin | <i>Aptenodytes patagonicus</i> | |
| 2 | A Adelie Penguin | <i>Pygoscelis adeliae</i> | |
| 2 | A Gentoo Penguin | <i>Pygoscelis papua</i> | |
| 1 | A Chinstrap Penguin | <i>Pygoscelis antarcticus</i> | |
| 1 | D Yellow-eyed Penguin | <i>Megadyptes antipodes</i> | |
| 1 | D Humboldt Penguin | <i>Spheniscus humboldti</i> | |
| 2 | A Galapagos Penguin | <i>Spheniscus mendiculus</i> | |
| 15 | A Magellanic Penguin | <i>Spheniscus magellanicus</i> | |
| 2 | B Macaroni Penguin | <i>Eudyptes chrysolophus</i> | |
| 5 | A Western Rockhopper Penguin | <i>Eudyptes chrysolome</i> | Southern Rockhopper Penguin |
| | ALBATROSSES | DIOMEDEIDAE | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|---|--------------------------------------|---|
| 6 | B Northern Royal Albatross | <i>Diomedea sanfordi</i> | Royal Albatross |
| 2 | B Southern Royal Albatross | <i>Diomedea epomophora</i> | Royal Albatross |
| 3 | A Snowy Albatross | <i>Diomedea exulans</i> | Wandering Albatross |
| 4 | A Antipodean Albatross | <i>Diomedea antipodensis</i> | Wandering Albatross, Gibson's Albatross |
| 2 | B Waved Albatross | <i>Phoebastria irrorata</i> | |
| 1 | B Light-mantled Albatross | <i>Phoebastria palpebrata</i> | |
| 1 | B Gray-headed Albatross | <i>Thalassarche chrysostoma</i> | Grey-headed Albatross |
| 4 | A Buller's Albatross | <i>Thalassarche bulleri</i> | |
| 3 | B White-capped Albatross | <i>Thalassarche cauta</i> | Shy Albatross |
| 6 | A Salvin's Albatross | <i>Thalassarche salvini</i> | |
| 9 | A Black-browed Albatross | <i>Thalassarche melanophris</i> | |
| | SOUTHERN STORM-PETRELS | OCEANITIDAE | |
| 2 | B Wilson's Storm-Petrel | <i>Oceanites oceanicus</i> | |
| 3 | C Elliot's Storm-Petrel | <i>Oceanites gracilis</i> | White-vented Storm-Petrel |
| 2 | C Black-bellied Storm-Petrel | <i>Fregetta tropica</i> | White-vented Storm-Petrel |
| | NORTHERN STORM-PETRELS | HYDROBATIDAE | |
| 1 | D Wedge-rumped Storm-Petrel | <i>Hydrobates tethys</i> | |
| | SHEARWATERS AND PETRELS | PROCELLARIIDAE | |
| 3 | B Southern Giant-Petrel | <i>Macronectes giganteus</i> | Antarctic Giant-Petrel |
| 5 | B Northern Giant-Petrel | <i>Macronectes halli</i> | Hall's Giant-Petrel |
| 3 | A Pintado Petrel | <i>Daption capense</i> | Cape Petrel |
| 1 | B Snow Petrel | <i>Pagodroma nivea</i> | |
| 1 | C Soft-plumaged Petrel | <i>Pterodroma mollis</i> | |
| 1 | C Galapagos Petrel | <i>Pterodroma phaeopygia</i> | |
| 1 | B Cook's Petrel | <i>Pterodroma cookii</i> | |
| 1 | C Blue Petrel | <i>Halobaena caerulea</i> | |
| 2 | B Fairy Prion | <i>Pachyptila turtur</i> | |
| 4 | B Antarctic Prion | <i>Pachyptila desolata</i> | |
| 2 | B Slender-billed Prion | <i>Pachyptila belcheri</i> | |
| 1 | D Gray Petrel | <i>Procellaria cinerea</i> | Grey Petrel |
| 2 | A White-chinned Petrel | <i>Procellaria aequinoctialis</i> | |
| 3 | A Westland Petrel | <i>Procellaria westlandica</i> | |
| 2 | A Pink-footed Shearwater | <i>Ardenna creatopus</i> | |
| 2 | B Flesh-footed Shearwater | <i>Ardenna carneipes</i> | |
| 2 | B Great Shearwater | <i>Ardenna gravis</i> | Greater Shearwater |
| 2 | B Buller's Shearwater | <i>Ardenna bulleri</i> | |
| 3 | C Sooty Shearwater | <i>Ardenna grisea</i> | |
| 2 | C Galapagos Shearwater | <i>Puffinus subalaris</i> | |
| 4 | B Fluttering Shearwater | <i>Puffinus gavia</i> | |
| 3 | B Peruvian Diving-Petrel | <i>Pelecanoides garnotii</i> | |
| 1 | D Common Diving-Petrel | <i>Pelecanoides urinatrix</i> | |
| 1 | D South Georgia Diving-Petrel | <i>Pelecanoides georgicus</i> | |
| | STORKS | CICONIIDAE | |
| 8 | A Asian Openbill | <i>Anastomus oscitans</i> | |
| 2 | B Asian Woolly-necked Stork | <i>Ciconia episcopus</i> | |
| 6 | B Maguari Stork | <i>Ciconia maguari</i> | |
| 1 | B White Stork | <i>Ciconia ciconia</i> | |
| 2 | B Black-necked Stork | <i>Ephippiorhynchus asiaticus</i> | |
| 1 | B Saddle-billed Stork | <i>Ephippiorhynchus senegalensis</i> | |
| 9 | B Jabiru | <i>Jabiru mycteria</i> | |
| 1 | C Lesser Adjutant | <i>Leptoptilos javanicus</i> | |
| 1 | B Marabou Stork | <i>Leptoptilos crumenifer</i> | |
| 4 | B Wood Stork | <i>Mycteria americana</i> | |
| 2 | A Yellow-billed Stork | <i>Mycteria ibis</i> | |
| 1 | B Painted Stork | <i>Mycteria leucocephala</i> | |
| | FRIGATEBIRDS | FREGATIDAE | |
| 3 | B Magnificent Frigatebird | <i>Fregata magnificens</i> | |
| 1 | C Lesser Frigatebird | <i>Fregata ariel</i> | |
| 3 | B Great Frigatebird | <i>Fregata minor</i> | |
| | BOOBIES AND GANNETS | SULIDAE | |
| 4 | B Australasian Gannet | <i>Morus serrator</i> | |
| 4 | B Red-footed Booby | <i>Sula sula</i> | |
| 4 | B Brown Booby | <i>Sula leucogaster</i> | |
| 2 | A Cocos Booby | <i>Sula brewsteri</i> | Brown Booby |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|--|-----------------------------------|--|
| 1 | B Nazca Booby | <i>Sula granti</i> | |
| 2 | B Blue-footed Booby | <i>Sula nebouxii</i> | |
| 1 | C Peruvian Booby | <i>Sula variegata</i> | |
| | ANHINGAS | ANHINGIDAE | |
| 8 | B Anhinga | <i>Anhinga anhinga</i> | |
| 1 | C African Darter | <i>Anhinga rufa</i> | |
| 1 | C Oriental Darter | <i>Anhinga melanogaster</i> | |
| 1 | C Australasian Darter | <i>Anhinga novaehollandiae</i> | |
| | CORMORANTS AND SHAGS | PHALACROCORACIDAE | |
| 2 | A Little Pied Cormorant | <i>Microcarbo melanoleucos</i> | |
| 1 | A Reed Cormorant | <i>Microcarbo africanus</i> | Long-tailed Cormorant |
| 4 | B Little Cormorant | <i>Microcarbo niger</i> | |
| 3 | B Red-legged Cormorant | <i>Poikilocarbo gaimardi</i> | |
| 1 | C Red-faced Cormorant | <i>Urile urile</i> | |
| 5 | B Great Cormorant | <i>Phalacrocorax carbo</i> | |
| 5 | B Spotted Shag | <i>Phalacrocorax punctatus</i> | |
| 2 | B Pied Cormorant | <i>Phalacrocorax varius</i> | Australian Pied Cormorant |
| 3 | B Flightless Cormorant | <i>Nannopterum harrisi</i> | |
| 2 | B Double-crested Cormorant | <i>Nannopterum auritum</i> | |
| 3 | B Neotropic Cormorant | <i>Nannopterum brasilianum</i> | |
| 1 | B Magellanic Cormorant | <i>Leucocarbo magellanicus</i> | Rock Shag |
| 2 | C Guanay Cormorant | <i>Leucocarbo bougainvillorum</i> | |
| 2 | B New Zealand King Shag | <i>Leucocarbo carunculatus</i> | |
| 1 | D Stewart Island Shag | <i>Leucocarbo chalconotus</i> | |
| 5 | B Imperial Cormorant | <i>Leucocarbo atriceps</i> | King Cormorant, Imperial Shag, Blue-eyed Cormorant, Antarctic Shag, South Georgia Shag |
| | IBISES AND SPOONBILLS | THRESKIORNITHIDAE | |
| 3 | B White Ibis | <i>Eudocimus albus</i> | American White Ibis |
| 3 | B Scarlet Ibis | <i>Eudocimus ruber</i> | |
| 1 | B Glossy Ibis | <i>Plegadis falcinellus</i> | |
| 4 | B White-faced Ibis | <i>Plegadis chihi</i> | |
| 1 | B Puna Ibis | <i>Plegadis ridgwayi</i> | |
| 1 | C Madagascar Ibis | <i>Lophotibis cristata</i> | |
| 6 | B Green Ibis | <i>Mesembrinibis cayennensis</i> | |
| 5 | B Bare-faced Ibis | <i>Phimosus infuscatus</i> | |
| 4 | B Plumbeous Ibis | <i>Theristicus caerulescens</i> | |
| 2 | B Buff-necked Ibis | <i>Theristicus caudatus</i> | |
| 2 | B Black-faced Ibis | <i>Theristicus melanopsis</i> | |
| 1 | C Andean Ibis | <i>Theristicus branickii</i> | |
| 1 | B African Sacred Ibis | <i>Threskiornis aethiopicus</i> | |
| 1 | B Straw-necked Ibis | <i>Threskiornis spinicollis</i> | |
| 1 | B Red-naped Ibis | <i>Pseudibis papillosa</i> | |
| 4 | A Northern Bald Ibis | <i>Geronticus eremita</i> | |
| 2 | B Hadada Ibis | <i>Bostrychia hagedash</i> | |
| 1 | C Eurasian Spoonbill | <i>Platalea leucorodia</i> | |
| 1 | C Royal Spoonbill | <i>Platalea regia</i> | |
| 2 | C Black-faced Spoonbill | <i>Platalea minor</i> | |
| 3 | B Roseate Spoonbill | <i>Platalea ajaja</i> | |
| | HERONS, EGRETS, AND BITTERNS | ARDEIDAE | |
| 3 | A Rufescent Tiger-Heron | <i>Tigrisoma lineatum</i> | |
| 2 | B Bare-throated Tiger-Heron | <i>Tigrisoma mexicanum</i> | |
| 2 | B Fasciated Tiger-Heron | <i>Tigrisoma fasciatum</i> | |
| 3 | B Boat-billed Heron | <i>Cochlearius cochlearius</i> | |
| 4 | A Agami Heron | <i>Agamia agami</i> | |
| 1 | B Pinnated Bittern | <i>Botaurus pinnatus</i> | |
| 1 | B Stripe-backed Bittern | <i>Botaurus involucris</i> | |
| 1 | B Yellow Bittern | <i>Botaurus sinensis</i> | |
| 4 | B Yellow-crowned Night Heron | <i>Nyctanassa violacea</i> | |
| 5 | B Black-crowned Night Heron | <i>Nycticorax nycticorax</i> | |
| 3 | B Malayan Night Heron | <i>Gorsachius melanolophus</i> | |
| 4 | A Capped Heron | <i>Pilherodius pileatus</i> | |
| 2 | B Whistling Heron | <i>Syrigma sibilatrix</i> | |
| 3 | C Little Blue Heron | <i>Egretta caerulea</i> | |
| 1 | C Tricolored Heron | <i>Egretta tricolor</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|---|----------------------------------|----------------------------|
| 2 | C Reddish Egret | <i>Egretta rufescens</i> | |
| 1 | B Chinese Egret | <i>Egretta eulophotes</i> | |
| 3 | B Snowy Egret | <i>Egretta thula</i> | |
| 3 | B Little Egret | <i>Egretta garzetta</i> | Dimorphic Egret |
| 1 | B Western Reef-Heron | <i>Egretta gularis</i> | |
| 1 | B Pied Heron | <i>Egretta picata</i> | |
| 2 | C White-faced Heron | <i>Egretta novaehollandiae</i> | |
| 2 | B Striated Heron | <i>Butorides striata</i> | Lava Heron |
| 2 | B Green Heron | <i>Butorides virescens</i> | |
| 2 | C Squacco Heron | <i>Ardeola ralloides</i> | |
| 1 | D Malagasy Pond-Heron | <i>Ardeola idae</i> | Madagascar Pond-Heron |
| 1 | A Indian Pond-Heron | <i>Ardeola grayii</i> | |
| 1 | B Western Cattle-Egret | <i>Ardea ibis</i> | Cattle Egret |
| 2 | B Pacific Heron | <i>Ardea pacifica</i> | White-necked Heron |
| 4 | B Great Egret | <i>Ardea alba</i> | |
| 1 | B Medium Egret | <i>Ardea intermedia</i> | Intermediate Egret |
| 1 | C Plumed Egret | <i>Ardea plumifera</i> | Intermediate Egret |
| 2 | B Gray Heron | <i>Ardea cinerea</i> | Grey Heron |
| 5 | B Great Blue Heron | <i>Ardea herodias</i> | |
| 8 | B Cocoi Heron | <i>Ardea cocoi</i> | |
| 1 | C Purple Heron | <i>Ardea purpurea</i> | |
| 1 | E Humblot's Heron | <i>Ardea humbloti</i> | |
| 1 | B Black-headed Heron | <i>Ardea melanocephala</i> | |
| 1 | B Goliath Heron | <i>Ardea goliath</i> | |
| | HAMERKOP | SCOPIIDAE | |
| 3 | B Hamerkop | <i>Scopus umbretta</i> | |
| | PELICANS | PELECANIDAE | |
| 2 | B American White Pelican | <i>Pelecanus erythrorhynchos</i> | |
| 3 | A Brown Pelican | <i>Pelecanus occidentalis</i> | |
| 4 | B Peruvian Pelican | <i>Pelecanus thagus</i> | |
| 4 | B Great White Pelican | <i>Pelecanus onocrotalus</i> | |
| 2 | B Australian Pelican | <i>Pelecanus conspicillatus</i> | |
| 1 | C Pink-backed Pelican | <i>Pelecanus rufescens</i> | |
| | NEW WORLD VULTURES | CATHARTIDAE | |
| 5 | B King Vulture | <i>Sarcoramphus papa</i> | |
| 5 | B Andean Condor | <i>Vultur gryphus</i> | |
| 6 | B Black Vulture | <i>Coragyps atratus</i> | |
| 6 | A Turkey Vulture | <i>Cathartes aura</i> | |
| 8 | B Lesser Yellow-headed Vulture | <i>Cathartes burrovianus</i> | |
| 3 | B Greater Yellow-headed Vulture | <i>Cathartes melambrotus</i> | |
| | SECRETARYBIRD | SAGITTARIIDAE | |
| 1 | C Secretarybird | <i>Sagittarius serpentarius</i> | |
| | OSPREY | PANDIONIDAE | |
| 4 | B Osprey | <i>Pandion haliaetus</i> | |
| | HAWKS, EAGLES, AND KITES | ACCIPITRIDAE | |
| 2 | B Pearl Kite | <i>Gampsonyx swainsonii</i> | |
| 4 | A Scissor-tailed Kite | <i>Chelictinia riocourii</i> | |
| 2 | B White-tailed Kite | <i>Elanus leucurus</i> | |
| 3 | B Black-winged Kite | <i>Elanus caeruleus</i> | Black-shouldered Kite |
| 2 | B Madagascar Harrier-Hawk | <i>Polyboroides radiatus</i> | |
| 1 | B Egyptian Vulture | <i>Neophron percnopterus</i> | |
| 3 | C Hook-billed Kite | <i>Chondrohierax uncinatus</i> | |
| 3 | C Gray-headed Kite | <i>Leptodon cayanensis</i> | Grey-headed Kite |
| 1 | D Swallow-tailed Kite | <i>Elanoides forficatus</i> | |
| 1 | B Black-breasted Kite | <i>Hamirostra melanosternon</i> | Black-breasted Buzzard |
| 2 | B Lappet-faced Vulture | <i>Torgos tracheliotos</i> | |
| 1 | B Hooded Vulture | <i>Necrosyrtes monachus</i> | |
| 1 | B White-backed Vulture | <i>Gyps africanus</i> | |
| 4 | B Rüppell's Griffon | <i>Gyps rueppelli</i> | Rüppell's Vulture |
| 2 | B Eurasian Griffon | <i>Gyps fulvus</i> | |
| 2 | C Sulawesi Serpent-Eagle | <i>Spilornis rufipectus</i> | |
| 4 | B Crested Serpent-Eagle | <i>Spilornis cheela</i> | |
| 1 | B Bateleur | <i>Terathopius ecaudatus</i> | |
| 1 | B Southern Banded Snake-Eagle | <i>Circaetus fasciolatus</i> | Fasciated Snake-Eagle |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|----|---|-----------------------------------|----------------------------|
| 2 | B Short-toed Snake-Eagle | <i>Circaetus gallicus</i> | |
| 1 | E Mountain Hawk-Eagle | <i>Nisaetus nipalensis</i> | |
| 1 | D Blyth's Hawk-Eagle | <i>Nisaetus alboniger</i> | |
| 2 | B Changeable Hawk-Eagle | <i>Nisaetus cirrhatus</i> | Crested Hawk-Eagle |
| 3 | B Black Hawk-Eagle | <i>Spizaetus tyrannus</i> | |
| 2 | D Ornate Hawk-Eagle | <i>Spizaetus ornatus</i> | |
| 1 | B Black-and-chestnut Eagle | <i>Spizaetus isidori</i> | |
| 1 | C Martial Eagle | <i>Polemaetus bellicosus</i> | |
| 1 | C Long-crested Eagle | <i>Lophaetus occipitalis</i> | |
| 1 | B Black Eagle | <i>Ictinaetus malaiensis</i> | |
| 1 | C Wahlberg's Eagle | <i>Hieraaetus wahlbergi</i> | |
| 1 | C Booted Eagle | <i>Hieraaetus pennatus</i> | |
| 1 | C Tawny Eagle | <i>Aquila rapax</i> | |
| 1 | C Wedge-tailed Eagle | <i>Aquila audax</i> | |
| 1 | C Bonelli's Eagle | <i>Aquila fasciata</i> | |
| 7 | B Harpy Eagle | <i>Harpia harpyja</i> | |
| 1 | C Crested Goshawk | <i>Lophospiza trivirgata</i> | |
| 1 | C Dark Chanting-Goshawk | <i>Melierax metabates</i> | |
| 1 | B Eastern Chanting-Goshawk | <i>Melierax poliopterus</i> | |
| 1 | C Small Sparrowhawk | <i>Tachyspiza nanus</i> | Dwarf Sparrowhawk |
| 1 | B Shikra | <i>Tachyspiza badia</i> | |
| 1 | C Frances's Sparrowhawk | <i>Tachyspiza francesiae</i> | |
| 1 | C Spot-tailed Goshawk | <i>Tachyspiza trinotata</i> | Spot-tailed Sparrowhawk |
| 2 | B Brown Goshawk | <i>Tachyspiza fasciata</i> | |
| 1 | B Madagascar Sparrowhawk | <i>Accipiter madagascariensis</i> | |
| 1 | C Sharp-shinned Hawk | <i>Accipiter striatus</i> | Plain-breasted Hawk |
| 1 | C Bicolored Hawk | <i>Astur bicolor</i> | |
| 3 | B Cooper's Hawk | <i>Astur cooperii</i> | |
| 2 | B Western Marsh Harrier | <i>Circus aeruginosus</i> | Eurasian Marsh-Harrier |
| 1 | C Swamp Harrier | <i>Circus approximans</i> | |
| 2 | B Long-winged Harrier | <i>Circus buffoni</i> | |
| 2 | B Spotted Harrier | <i>Circus assimilis</i> | |
| 3 | B Northern Harrier | <i>Circus hudsonius</i> | |
| 1 | D Tiny Hawk | <i>Microspizias superciliosus</i> | |
| 5 | B Double-toothed Kite | <i>Harpagus bidentatus</i> | |
| 1 | C Rufous-thighed Kite | <i>Harpagus diodon</i> | |
| 3 | B Black Kite | <i>Milvus migrans</i> | Yellow-billed Kite |
| 2 | B Brahminy Kite | <i>Haliastur indus</i> | |
| 1 | B Whistling Kite | <i>Haliastur sphenurus</i> | |
| 5 | C Bald Eagle | <i>Haliaeetus leucocephalus</i> | |
| 2 | B African Fish-Eagle | <i>Ichthyophaga vocifer</i> | |
| 1 | E Madagascar Fish-Eagle | <i>Ichthyophaga vociferoides</i> | |
| 2 | B White-bellied Sea-Eagle | <i>Ichthyophaga leucogaster</i> | |
| 1 | B Gray-headed Fish-Eagle | <i>Ichthyophaga ichthyaetus</i> | Grey-headed Fish Eagle |
| 1 | C White-eyed Buzzard | <i>Butastur teesa</i> | |
| 2 | C Gray-faced Buzzard | <i>Butastur indicus</i> | Grey-faced Buzzard |
| 4 | B Plumbeous Kite | <i>Ictinia plumbea</i> | |
| 2 | C Crane Hawk | <i>Geranospiza caerulescens</i> | |
| 4 | B Black-collared Hawk | <i>Busarellus nigricollis</i> | |
| 5 | B Snail Kite | <i>Rostrhamus sociabilis</i> | |
| 2 | B Slender-billed Kite | <i>Helicolestes hamatus</i> | |
| 1 | D Barred Hawk | <i>Morphnarchus princeps</i> | |
| 2 | B Plumbeous Hawk | <i>Cryptoleucopteryx plumbea</i> | |
| 12 | B Common Black Hawk | <i>Buteogallus anthracinus</i> | Mangrove Black Hawk |
| 3 | B Rufous Crab Hawk | <i>Buteogallus aequinoctialis</i> | |
| 7 | A Savanna Hawk | <i>Buteogallus meridionalis</i> | |
| 4 | C White-necked Hawk | <i>Buteogallus lacernulatus</i> | |
| 6 | B Great Black Hawk | <i>Buteogallus urubitinga</i> | |
| 1 | B Solitary Eagle | <i>Buteogallus solitarius</i> | |
| 4 | B Roadside Hawk | <i>Rupornis magnirostris</i> | |
| 1 | D Harris's Hawk | <i>Parabuteo unicinctus</i> | |
| 3 | B White-tailed Hawk | <i>Geranoaetus albicaudatus</i> | |
| 4 | B Variable Hawk | <i>Geranoaetus polyosoma</i> | Red-backed Hawk |
| 1 | B Black-chested Buzzard-Eagle | <i>Geranoaetus melanoleucus</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|---|----------------------------------|--|
| 2 | D Gray-backed Hawk | <i>Pseudastur occidentalis</i> | Grey-backed Hawk |
| 6 | A White Hawk | <i>Pseudastur albicollis</i> | |
| 2 | B Mantled Hawk | <i>Pseudastur polionotus</i> | |
| 1 | B Semiplumbeous Hawk | <i>Leucopternis semiplumbeus</i> | |
| 1 | C Black-faced Hawk | <i>Leucopternis melanops</i> | |
| 3 | C White-browed Hawk | <i>Leucopternis kuhli</i> | |
| 1 | A Gray Hawk | <i>Buteo plagiatus</i> | Grey Hawk |
| 3 | C Gray-lined Hawk | <i>Buteo nitidus</i> | Grey-lined Hawk |
| 2 | C Broad-winged Hawk | <i>Buteo platypterus</i> | |
| 8 | B Zone-tailed Hawk | <i>Buteo albonotatus</i> | |
| 3 | C Swainson's Hawk | <i>Buteo swainsoni</i> | |
| 1 | B Galapagos Hawk | <i>Buteo galapagoensis</i> | |
| 5 | C Red-tailed Hawk | <i>Buteo jamaicensis</i> | Harlan's Hawk |
| 1 | B Rough-legged Hawk | <i>Buteo lagopus</i> | Rough-legged Buzzard |
| 1 | C Ferruginous Hawk | <i>Buteo regalis</i> | |
| 1 | C Madagascar Buzzard | <i>Buteo brachypterus</i> | |
| 2 | C Himalayan Buzzard | <i>Buteo refectus</i> | |
| 1 | D Eastern Buzzard | <i>Buteo japonicus</i> | Japanese Buzzard |
| | BARN-OWLS | TYTONIDAE | |
| 1 | D Australasian Grass-Owl | <i>Tyto longimembris</i> | Eastern Grass Owl |
| 3 | C Western Barn Owl | <i>Tyto alba</i> | Barn Owl |
| 1 | C Sri Lanka Bay-Owl | <i>Phodilus assimilis</i> | |
| | OWLS | STRIGIDAE | |
| 1 | B Serendib Scops-Owl | <i>Otus thilohoffmanni</i> | |
| 2 | B Sokoce Scops-Owl | <i>Otus irenae</i> | |
| 2 | D Mountain Scops-Owl | <i>Otus spilocephalus</i> | |
| 2 | B Indian Scops-Owl | <i>Otus bakkamoena</i> | |
| 1 | C Collared Scops-Owl | <i>Otus lettia</i> | |
| 1 | C Sulawesi Scops-Owl | <i>Otus manadensis</i> | |
| 2 | B African Scops-Owl | <i>Otus senegalensis</i> | |
| 1 | C Oriental Scops-Owl | <i>Otus sunia</i> | |
| 4 | B Madagascar Scops-Owl | <i>Otus rutilus</i> | Rainforest Scops-Owl, Malagasy Scops-Owl, Torotoroka Scops-Owl |
| 1 | B Bare-shanked Screech-Owl | <i>Megascops clarkii</i> | |
| 2 | C Whiskered Screech-Owl | <i>Megascops trichopsis</i> | |
| 2 | A White-throated Screech-Owl | <i>Megascops albogularis</i> | |
| 4 | A Tropical Screech-Owl | <i>Megascops choliba</i> | |
| 3 | A Koepcke's Screech-Owl | <i>Megascops koepckeae</i> | |
| 1 | B Rufescent Screech-Owl | <i>Megascops ingens</i> | Colombian Screech-Owl |
| 1 | B Cinnamon Screech-Owl | <i>Megascops petersoni</i> | |
| 1 | B Montane Forest Screech-Owl | <i>Megascops hoyi</i> | Hoy's Screech-Owl, Yungas Screech-Owl |
| 1 | C Middle American Screech-Owl | <i>Megascops guatemalae</i> | |
| 2 | B Foothill Screech-Owl | <i>Megascops roraimae</i> | Napo Screech-Owl, Roraiman Screech-Owl, Vermiculated Screech-Owl |
| 1 | A Bearded Screech-Owl | <i>Megascops barbarus</i> | |
| 1 | C Pacific Screech-Owl | <i>Megascops cooperi</i> | |
| 2 | C Western Screech-Owl | <i>Megascops kennicottii</i> | |
| 2 | B Santa Marta Screech-Owl | <i>Megascops gilesi</i> | |
| 2 | D Peruvian Screech-Owl | <i>Megascops roboratus</i> | West Peruvian Screech-Owl |
| 1 | B Tawny-bellied Screech-Owl | <i>Megascops watsonii</i> | Northern Tawny-bellied Screech-Owl |
| 2 | B Black-capped Screech-Owl | <i>Megascops atricapilla</i> | Variable Screech-Owl |
| 1 | D Northern White-faced Owl | <i>Ptilopsis leucotis</i> | |
| 3 | C Crested Owl | <i>Lophotrix cristata</i> | |
| 2 | C Spectacled Owl | <i>Pulsatrix perspicillata</i> | |
| 1 | D Tawny-browed Owl | <i>Pulsatrix koeniswaldiana</i> | |
| 1 | C Band-bellied Owl | <i>Pulsatrix melanota</i> | |
| 6 | B Snowy Owl | <i>Bubo scandiacus</i> | |
| 2 | C Great Horned Owl | <i>Bubo virginianus</i> | |
| 1 | C Grayish Eagle-Owl | <i>Bubo cinerascens</i> | Greyish Eagle-Owl |
| 1 | B Spotted Eagle-Owl | <i>Bubo africanus</i> | |
| 1 | C Pharaoh Eagle-Owl | <i>Bubo ascalaphus</i> | |
| 1 | B Verreaux's Eagle-Owl | <i>Ketupa lactea</i> | |
| 1 | C Brown Fish-Owl | <i>Ketupa zeylonensis</i> | |
| 4 | B Pel's Fishing-Owl | <i>Scotopelia peli</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|--|----------------------------------|--|
| 2 | B Pearl-spotted Owllet | <i>Glaucidium perlatum</i> | |
| 4 | A Northern Pygmy-Owl | <i>Glaucidium gnoma</i> | Mountain Pygmy-Owl, Guatemalan Pygmy-Owl |
| 1 | D Costa Rican Pygmy-Owl | <i>Glaucidium costaricanum</i> | |
| 1 | B Cloud-forest Pygmy-Owl | <i>Glaucidium nubicola</i> | |
| 2 | C Andean Pygmy-Owl | <i>Glaucidium jardinii</i> | |
| 1 | B Yungas Pygmy-Owl | <i>Glaucidium bolivianum</i> | |
| 4 | B Colima Pygmy-Owl | <i>Glaucidium palmarum</i> | |
| 1 | D Amazonian Pygmy-Owl | <i>Glaucidium hardyi</i> | |
| 1 | B Least Pygmy-Owl | <i>Glaucidium minutissimum</i> | East Brazilian Pygmy Owl |
| 9 | A Ferruginous Pygmy-Owl | <i>Glaucidium brasilianum</i> | |
| 1 | B Austral Pygmy-Owl | <i>Glaucidium nana</i> | |
| 4 | B Peruvian Pygmy-Owl | <i>Glaucidium peruanum</i> | Pacific Pygmy-Owl |
| 1 | B Jungle Owllet | <i>Glaucidium radiatum</i> | |
| 1 | D Collared Owllet | <i>Taeniopteryx brodiei</i> | |
| 2 | A Elf Owl | <i>Micrathene whitneyi</i> | |
| 3 | B Long-whiskered Owllet | <i>Xenoglaux loweryi</i> | |
| 1 | B Spotted Owllet | <i>Athene brama</i> | |
| 1 | C Little Owl | <i>Athene noctua</i> | |
| 1 | B White-browed Owl | <i>Athene superciliaris</i> | |
| 6 | A Burrowing Owl | <i>Athene cucularia</i> | |
| 3 | B Mottled Owl | <i>Strix virgata</i> | |
| 2 | C Black-and-white Owl | <i>Strix nigrolineata</i> | |
| 2 | B Black-banded Owl | <i>Strix huhula</i> | |
| 1 | B Rufous-banded Owl | <i>Strix albitarsis</i> | |
| 1 | A Mottled Wood-Owl | <i>Strix ocellata</i> | |
| 1 | C Brown Wood-Owl | <i>Strix leptogrammica</i> | |
| 1 | C Tawny Owl | <i>Strix aluco</i> | Maghreb Owl |
| 2 | B Spotted Owl | <i>Strix occidentalis</i> | Mexican Spotted Owl |
| 1 | C Fulvous Owl | <i>Strix fulvescens</i> | |
| 1 | C Rusty-barred Owl | <i>Strix hylophila</i> | |
| 1 | B Rufous-legged Owl | <i>Strix rufipes</i> | |
| 1 | B Chaco Owl | <i>Strix chacoensis</i> | |
| 8 | A Great Gray Owl | <i>Strix nebulosa</i> | Great Grey Owl |
| 1 | D African Wood-Owl | <i>Strix woodfordii</i> | |
| 1 | D Jamaican Owl | <i>Asio grammicus</i> | |
| 2 | C Madagascar Owl | <i>Asio madagascariensis</i> | |
| 1 | B Stygian Owl | <i>Asio stygius</i> | |
| 1 | B Short-eared Owl | <i>Asio flammeus</i> | |
| 1 | B Unspotted Saw-whet Owl | <i>Aegolius ridgwayi</i> | |
| 1 | B Rufous Owl | <i>Ninox rufa</i> | |
| 2 | B Barking Owl | <i>Ninox connivens</i> | |
| 1 | C Morepork | <i>Ninox novaeseelandiae</i> | |
| 1 | B Ochre-bellied Boobook | <i>Ninox ochracea</i> | |
| | MOUSEBIRDS | COLIIDAE | |
| 2 | B Speckled Mousebird | <i>Colius striatus</i> | |
| 1 | D Blue-naped Mousebird | <i>Urocolius macrourus</i> | |
| | CUCKOO-ROLLER | LEPTOSOMIDAE | |
| 3 | C Cuckoo-roller | <i>Leptosomus discolor</i> | |
| | TROGONS | TROGONIDAE | |
| 1 | D Bar-tailed Trogon | <i>Apaloderma vittatum</i> | |
| 1 | D Orange-breasted Trogon | <i>Harpactes oreskios</i> | |
| 1 | C Malabar Trogon | <i>Harpactes fasciatus</i> | |
| 1 | D Diard's Trogon | <i>Harpactes diardii</i> | |
| 1 | C Whitehead's Trogon | <i>Harpactes whiteheadi</i> | |
| 1 | B Red-headed Trogon | <i>Harpactes erythrocephalus</i> | |
| 1 | D Pavonine Quetzal | <i>Pharomachrus pavoninus</i> | |
| 1 | B Golden-headed Quetzal | <i>Pharomachrus auriceps</i> | |
| 5 | B Resplendent Quetzal | <i>Pharomachrus mocinno</i> | |
| 3 | B White-tipped Quetzal | <i>Pharomachrus fulgidus</i> | |
| 1 | B Crested Quetzal | <i>Pharomachrus antisianus</i> | |
| 5 | B Slaty-tailed Trogon | <i>Trogon massena</i> | |
| 2 | B Blue-tailed Trogon | <i>Trogon comptus</i> | Choco Trogon, White-eyed Trogon |
| 1 | B Ecuadorian Trogon | <i>Trogon mesurus</i> | |
| 3 | C Black-tailed Trogon | <i>Trogon melanurus</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|---|----------------------------------|--|
| 1 | C Black-headed Trogon | <i>Trogon melanocephalus</i> | |
| 2 | C Citreoline Trogon | <i>Trogon citreolus</i> | |
| 3 | B White-tailed Trogon | <i>Trogon chionurus</i> | Western White-tailed Trogon |
| 2 | B Green-backed Trogon | <i>Trogon viridis</i> | Amazonian White-tailed Trogon |
| 2 | A Gartered Violaceous Trogon | <i>Trogon caligatus</i> | Northern Violaceous Trogon, Gartered Trogon |
| 1 | B Guianan Violaceous Trogon | <i>Trogon violaceus</i> | Violaceous Trogon, Guianan Trogon |
| 1 | D Blue-crowned Trogon | <i>Trogon curucui</i> | |
| 7 | B Surucua Trogon | <i>Trogon surrucura</i> | |
| 3 | B Graceful Black-throated Trogon | <i>Trogon tenellus</i> | Northern Black-throated Trogon |
| 1 | C Choco Black-throated Trogon | <i>Trogon cupreicauda</i> | |
| 1 | C Amazonian Black-throated Trogon | <i>Trogon rufus</i> | |
| 4 | B Atlantic Black-throated Trogon | <i>Trogon chrysochloros</i> | |
| 3 | B Elegant Trogon | <i>Trogon elegans</i> | |
| 5 | B Collared Trogon | <i>Trogon collaris</i> | Northern Collared Trogon, Southern Collared Trogon |
| 6 | B Masked Trogon | <i>Trogon personatus</i> | |
| | HOPOES | UPUPIDAE | |
| 1 | B Common Hoopoe | <i>Upupa epops</i> | African Hoopoe, Eurasian Hoopoe |
| 2 | B Madagascar Hoopoe | <i>Upupa marginata</i> | |
| | WOODHOPOES AND SCIMITARBILLS | PHOENICULIDAE | |
| 1 | C Green Woodhoopoe | <i>Phoeniculus purpureus</i> | Green Wood Hoopoe |
| | HORNBILLS | BUCEROTIDAE | |
| 1 | D Abyssinian Ground-Hornbill | <i>Bucorvus abyssinicus</i> | |
| 3 | B Southern Ground-Hornbill | <i>Bucorvus leadbeateri</i> | |
| 2 | B Southern Yellow-billed Hornbill | <i>Tockus leucomelas</i> | |
| 2 | A Jackson's Hornbill | <i>Tockus jacksoni</i> | |
| 1 | B Von der Decken's Hornbill | <i>Tockus deckeni</i> | |
| 1 | B Southern Red-billed Hornbill | <i>Tockus rufirostris</i> | |
| 1 | B Northern Red-billed Hornbill | <i>Tockus erythrorhynchus</i> | |
| 1 | C Silvery-cheeked Hornbill | <i>Bycanistes brevis</i> | |
| 2 | C Rufous Hornbill | <i>Buceros hydrocorax</i> | |
| 2 | C Great Hornbill | <i>Buceros bicornis</i> | |
| 2 | A Malabar Gray Hornbill | <i>Ocyrceros griseus</i> | Malabar Grey Hornbill |
| 1 | C Oriental Pied-Hornbill | <i>Anthracoceros albirostris</i> | |
| 1 | D Palawan Hornbill | <i>Anthracoceros marchei</i> | |
| 1 | C Knobbed Hornbill | <i>Rhyticeros cassidix</i> | |
| 1 | D Wreathed Hornbill | <i>Rhyticeros undulatus</i> | |
| 1 | C Blyth's Hornbill | <i>Rhyticeros plicatus</i> | |
| 2 | D Luzon Hornbill | <i>Penelopides manillae</i> | |
| 1 | D Mindanao Hornbill | <i>Penelopides affinis</i> | |
| | BEE-EATERS | MEROPIDAE | |
| 1 | C Blue-bearded Bee-eater | <i>Nyctornis athertoni</i> | |
| 1 | B Purple-bearded Bee-eater | <i>Meropogon forsteni</i> | |
| 2 | B Blue-headed Bee-eater | <i>Merops muelleri</i> | |
| 4 | A Red-throated Bee-eater | <i>Merops bulocki</i> | |
| 2 | C White-fronted Bee-eater | <i>Merops bullockoides</i> | |
| 2 | A Little Bee-eater | <i>Merops pusillus</i> | |
| 1 | B African Green Bee-eater | <i>Merops viridissimus</i> | |
| 3 | A Asian Green Bee-eater | <i>Merops orientalis</i> | Green Bee-eater |
| 1 | C Rufous-crowned Bee-eater | <i>Merops americanus</i> | Blue-throated Bee-eater |
| 1 | B Blue-cheeked Bee-eater | <i>Merops persicus</i> | |
| 3 | B Olive Bee-eater | <i>Merops superciliosus</i> | Madagascar Bee-eater |
| 2 | B Rainbow Bee-eater | <i>Merops ornatus</i> | |
| 2 | B European Bee-eater | <i>Merops apiaster</i> | |
| A | B Chestnut-headed Bee-eater | <i>Merops leschenaulti</i> | |
| | TODIES | TODIDAE | |
| 3 | A Jamaican Tody | <i>Todus todus</i> | |
| | MOTMOTS | MOMOTIDAE | |
| 1 | C Tody Motmot | <i>Hylomanes momotula</i> | |
| 1 | D Blue-throated Motmot | <i>Aspatha gularis</i> | |
| 2 | B Russet-crowned Motmot | <i>Momotus mexicanus</i> | |
| 3 | B Lesson's Motmot | <i>Momotus lessonii</i> | Blue-crowned Motmot |
| 6 | B Whooping Motmot | <i>Momotus subrufescens</i> | Blue-crowned Motmot |
| 1 | C Trinidad Motmot | <i>Momotus bahamensis</i> | Blue-crowned Motmot |
| 3 | B Andean Motmot | <i>Momotus aequatorialis</i> | Highland Motmot, Blue-crowned Motmot |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|---|-------------------------------------|---------------------------------------|
| 2 | B Rufous Motmot | <i>Baryphthengus martii</i> | |
| 1 | D Keel-billed Motmot | <i>Electron carinatum</i> | |
| 3 | B Broad-billed Motmot | <i>Electron platyrhynchum</i> | |
| 3 | B Turquoise-browed Motmot | <i>Eumomota superciliosa</i> | |
| | KINGFISHERS | ALCEDINIDAE | |
| 2 | B Common Kingfisher | <i>Alcedo atthis</i> | |
| 1 | D Half-collared Kingfisher | <i>Alcedo semitorquata</i> | |
| 1 | C Azure Kingfisher | <i>Ceyx azureus</i> | |
| 1 | E Indigo-banded Kingfisher | <i>Ceyx cyanopectus</i> | |
| 3 | C Southern Silvery-Kingfisher | <i>Ceyx argentatus</i> | Silvery Kingfisher |
| 1 | A Sulawesi Dwarf-Kingfisher | <i>Ceyx fallax</i> | |
| 2 | A Moluccan Dwarf-Kingfisher | <i>Ceyx lepidus</i> | |
| 1 | C Malachite Kingfisher | <i>Corythornis cristatus</i> | |
| 1 | C Malagasy Kingfisher | <i>Corythornis vintsioides</i> | |
| 2 | B Madagascar Pygmy Kingfisher | <i>Corythornis madagascariensis</i> | |
| 1 | D Banded Kingfisher | <i>Lacedo pulchella</i> | |
| 2 | B Blue-winged Kookaburra | <i>Dacelo leachii</i> | |
| 1 | B Sulawesi Lilac Kingfisher | <i>Cittura cyanotis</i> | |
| 1 | B Great-billed Kingfisher | <i>Pelargopsis melanorhyncha</i> | |
| 3 | A Gray-headed Kingfisher | <i>Halcyon leucocephala</i> | Grey-headed Kingfisher |
| 1 | D Woodland Kingfisher | <i>Halcyon senegalensis</i> | |
| 1 | C Mangrove Kingfisher | <i>Halcyon senegaloides</i> | |
| 2 | A Blue-breasted Kingfisher | <i>Halcyon malimbica</i> | |
| 1 | B Brown-hooded Kingfisher | <i>Halcyon albiventris</i> | |
| 1 | B Red-backed Kingfisher | <i>Todiramphus pyrrhopygius</i> | |
| 2 | B Forest Kingfisher | <i>Todiramphus macleayii</i> | |
| 1 | B Sacred Kingfisher | <i>Todiramphus sanctus</i> | |
| 1 | C Beach Kingfisher | <i>Todiramphus saurophagus</i> | |
| 1 | B Sombre Kingfisher | <i>Todiramphus funebris</i> | |
| 3 | A Green-backed Kingfisher | <i>Actenoides monachus</i> | Black-headed Kingfisher |
| 1 | A Scaly-breasted Kingfisher | <i>Actenoides princeps</i> | |
| 1 | D Yellow-billed Kingfisher | <i>Syma torotoro</i> | |
| 1 | B Common Paradise-Kingfisher | <i>Tanysiptera galatea</i> | |
| 1 | C Giant Kingfisher | <i>Megaceryle maxima</i> | |
| 5 | A Ringed Kingfisher | <i>Megaceryle torquata</i> | |
| 1 | B Belted Kingfisher | <i>Megaceryle alcyon</i> | |
| 3 | A Pied Kingfisher | <i>Ceryle rudis</i> | |
| 3 | A Amazon Kingfisher | <i>Chloroceryle amazona</i> | |
| 3 | B American Pygmy Kingfisher | <i>Chloroceryle aenea</i> | |
| 5 | B Green Kingfisher | <i>Chloroceryle americana</i> | |
| 2 | B Green-and-rufous Kingfisher | <i>Chloroceryle inda</i> | |
| | ROLLERS | CORACIIDAE | |
| 1 | B Abyssinian Roller | <i>Coracias abyssinicus</i> | |
| 2 | B Lilac-breasted Roller | <i>Coracias caudatus</i> | |
| 1 | C Purple-winged Roller | <i>Coracias temminckii</i> | |
| 1 | A Blue-bellied Roller | <i>Coracias cyanogaster</i> | |
| 1 | C Broad-billed Roller | <i>Eurystomus glaucurus</i> | |
| | GROUND-ROLLERS | BRACHYPTERACIIDAE | |
| 2 | D Short-legged Ground-Roller | <i>Brachypteracias leptosomus</i> | |
| 1 | A Long-tailed Ground-Roller | <i>Uratelornis chimaera</i> | |
| 1 | B Pitta-like Ground-Roller | <i>Atelornis pittoides</i> | |
| 1 | B Rufous-headed Ground-Roller | <i>Atelornis crossleyi</i> | |
| | PUFFBIRDS | BUCCONIDAE | |
| 2 | C White-necked Puffbird | <i>Notharchus hyperrhynchus</i> | |
| 2 | B Guianan Puffbird | <i>Notharchus macrorhynchos</i> | |
| 1 | D Buff-bellied Puffbird | <i>Notharchus swainsoni</i> | |
| 3 | A Black-breasted Puffbird | <i>Notharchus pectoralis</i> | |
| 3 | B Brown-banded Puffbird | <i>Notharchus ordii</i> | |
| 3 | A Pied Puffbird | <i>Notharchus tectus</i> | |
| 3 | A Chestnut-capped Puffbird | <i>Bucco macrodactylus</i> | |
| 3 | B Spotted Puffbird | <i>Bucco tamatia</i> | |
| 3 | A Collared Puffbird | <i>Bucco capensis</i> | |
| 4 | B Barred Puffbird | <i>Nystalus radiatus</i> | |
| 1 | D Western Striolated-Puffbird | <i>Nystalus obamai</i> | Western Puffbird, Striolated Puffbird |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|--------------------------|---|----------------------------------|-----------------------------------|
| 2 | B Eastern Striolated-Puffbird | <i>Nystalus striolatus</i> | Striolated Puffbird |
| 2 | A White-eared Puffbird | <i>Nystalus chacuru</i> | |
| 3 | B Spot-backed Puffbird | <i>Nystalus maculatus</i> | Chaco Puffbird, Caatinga Puffbird |
| 2 | B Russet-throated Puffbird | <i>Hypnelus ruficollis</i> | |
| 1 | B Two-banded Puffbird | <i>Hypnelus bicinctus</i> | |
| 2 | B White-chested Puffbird | <i>Malacoptila fusca</i> | |
| 1 | A Crescent-chested Puffbird | <i>Malacoptila striata</i> | |
| 1 | B Rufous-necked Puffbird | <i>Malacoptila rufa</i> | |
| 5 | A White-whiskered Puffbird | <i>Malacoptila panamensis</i> | |
| 1 | D Black-streaked Puffbird | <i>Malacoptila fulvogularis</i> | |
| 2 | B Moustached Puffbird | <i>Malacoptila mystacalis</i> | |
| 2 | B Lanceolated Monklet | <i>Micromonacha lanceolata</i> | |
| 1 | C Rusty-breasted Nunlet | <i>Nonnula rubecula</i> | |
| 1 | C Brown Nunlet | <i>Nonnula brunnea</i> | |
| 2 | B Gray-cheeked Nunlet | <i>Nonnula frontalis</i> | Grey-cheeked Nunlet |
| 2 | B White-faced Nunbird | <i>Hapaloptila castanea</i> | |
| 2 | B Black Nunbird | <i>Monasa atra</i> | |
| 1 | B Black-fronted Nunbird | <i>Monasa nigrifrons</i> | |
| 4 | B White-fronted Nunbird | <i>Monasa morphoeus</i> | |
| 1 | B Yellow-billed Nunbird | <i>Monasa flavirostris</i> | |
| 4 | B Swallow-winged Puffbird | <i>Chelidoptera tenebrosa</i> | Swallow-wing |
| JACAMARS | | GALBULIDAE | |
| 1 | B White-eared Jacamar | <i>Galbalcyrhynchus leucotis</i> | |
| 1 | C Brown Jacamar | <i>Brachygalba lugubris</i> | |
| 3 | C Pale-headed Jacamar | <i>Brachygalba goeringi</i> | |
| 2 | B Three-toed Jacamar | <i>Jacamaralcyon tridactyla</i> | |
| 3 | C Yellow-billed Jacamar | <i>Galbula albirostris</i> | Cerise-crowned Jacamar |
| 1 | B Blue-cheeked Jacamar | <i>Galbula cyanicollis</i> | Blue-necked Jacamar |
| 7 | A Rufous-tailed Jacamar | <i>Galbula ruficauda</i> | |
| 8 | A Green-tailed Jacamar | <i>Galbula galbula</i> | |
| 1 | B White-chinned Jacamar | <i>Galbula tombacea</i> | |
| 2 | C Bluish-fronted Jacamar | <i>Galbula cyanescens</i> | |
| 4 | A Coppery-chested Jacamar | <i>Galbula pastazae</i> | |
| 1 | C Purplish Jacamar | <i>Galbula chalcothorax</i> | |
| 4 | A Bronzy Jacamar | <i>Galbula leucogastra</i> | |
| 4 | C Paradise Jacamar | <i>Galbula dea</i> | |
| 1 | B Great Jacamar | <i>Jacamerops aureus</i> | |
| AFRICAN BARBETS | | LYBIIDAE | |
| 1 | C Eastern Yellow-billed Barbet | <i>Trachylaemus purpuratus</i> | Yellow-billed Barbet |
| 1 | C Crested Barbet | <i>Trachyphonus vaillantii</i> | |
| 3 | B D'Arnaud's Barbet | <i>Trachyphonus darnaudii</i> | |
| 1 | C Green Barbet | <i>Cryptolybia olivacea</i> | |
| 2 | B Gray-throated Barbet | <i>Gymnobucco bonapartei</i> | Grey-throated Barbet |
| 1 | D Northern Red-fronted Tinkerbird | <i>Pogoniulus uropygialis</i> | |
| 1 | D Yellow-fronted Tinkerbird | <i>Pogoniulus chrysoconus</i> | |
| 1 | C Spot-flanked Barbet | <i>Tricholaema lacrymosa</i> | |
| 1 | D White-headed Barbet | <i>Lybius leucocephalus</i> | |
| 1 | C Bearded Barbet | <i>Pogonornis dubius</i> | |
| ASIAN BARBETS | | MEGALAIMIDAE | |
| 1 | B Malabar Barbet | <i>Psilopogon malabaricus</i> | |
| 1 | C Coppersmith Barbet | <i>Psilopogon haemacephalus</i> | |
| 1 | E Golden-naped Barbet | <i>Psilopogon pulcherrimus</i> | |
| 1 | B Brown-headed Barbet | <i>Psilopogon zeylanicus</i> | |
| 3 | A White-cheeked Barbet | <i>Psilopogon viridis</i> | |
| 1 | C Yellow-fronted Barbet | <i>Psilopogon flavifrons</i> | |
| 1 | D Taiwan Barbet | <i>Psilopogon nuchalis</i> | |
| NEW WORLD BARBETS | | CAPITONIDAE | |
| 1 | C Scarlet-crowned Barbet | <i>Capito aurovirens</i> | |
| 2 | D Black-girdled Barbet | <i>Capito dayi</i> | |
| 5 | B Spot-crowned Barbet | <i>Capito maculicoronatus</i> | |
| 2 | C Orange-fronted Barbet | <i>Capito squamatus</i> | |
| 1 | C White-mantled Barbet | <i>Capito hypoleucus</i> | |
| 1 | C Scarlet-banded Barbet | <i>Capito wallacei</i> | |
| 2 | D Five-colored Barbet | <i>Capito quinticolor</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|---|---------------------------------------|---|
| 4 | A Gilded Barbet | <i>Capito auratus</i> | |
| 2 | B Lemon-throated Barbet | <i>Eubucco richardsoni</i> | |
| 5 | B Red-headed Barbet | <i>Eubucco bourcierii</i> | |
| 1 | B Versicolored Barbet | <i>Eubucco versicolor</i> | |
| | TOUCAN-BARBETS | SEMNORNITHIDAE | |
| 2 | C Prong-billed Barbet | <i>Semnornis frantzii</i> | |
| 6 | B Toucan Barbet | <i>Semnornis ramphastinus</i> | |
| | TOUCANS | RAMPHASTIDAE | |
| 3 | A Northern Emerald-Toucanet | <i>Aulacorhynchus prasinus</i> | Emerald Toucanet, Wagler's Toucanet, Blue-throated Toucanet |
| 5 | A Southern Emerald-Toucanet | <i>Aulacorhynchus albivitta</i> | Emerald Toucanet, Santa Marta Toucanet, Grayish-throated Toucanet |
| 1 | C Groove-billed Toucanet | <i>Aulacorhynchus sulcatus</i> | Yellow-billed Toucanet |
| 1 | B Chestnut-tipped Toucanet | <i>Aulacorhynchus derbianus</i> | |
| 2 | B Crimson-rumped Toucanet | <i>Aulacorhynchus haematopygus</i> | |
| 1 | D Blue-banded Toucanet | <i>Aulacorhynchus coeruleicinctis</i> | |
| 6 | A Gray-breasted Mountain-Toucan | <i>Andigena hypoglauca</i> | Grey-breasted Mountain Toucan |
| 1 | C Plate-billed Mountain-Toucan | <i>Andigena laminirostris</i> | |
| 2 | B Black-billed Mountain-Toucan | <i>Andigena nigrirostris</i> | |
| 3 | A Saffron Toucanet | <i>Pteroglossus bailloni</i> | |
| 1 | D Green Aracari | <i>Pteroglossus viridis</i> | |
| 1 | B Lettered Aracari | <i>Pteroglossus inscriptus</i> | |
| 6 | B Collared Aracari | <i>Pteroglossus torquatus</i> | Pale-mandibled Aracari, Stripe-billed Aracari |
| 3 | B Fiery-billed Aracari | <i>Pteroglossus frantzii</i> | |
| 1 | C Black-necked Aracari | <i>Pteroglossus aracari</i> | |
| 2 | B Chestnut-eared Aracari | <i>Pteroglossus castanotis</i> | |
| 1 | B Many-banded Aracari | <i>Pteroglossus pluricinctus</i> | |
| 1 | E Ivory-billed Aracari | <i>Pteroglossus azara</i> | |
| 1 | C Curl-crested Aracari | <i>Pteroglossus beauharnaisii</i> | |
| 1 | C Red-necked Aracari | <i>Pteroglossus bitorquatus</i> | |
| 1 | B Yellow-eared Toucanet | <i>Selenidera spectabilis</i> | |
| 1 | C Guianan Toucanet | <i>Selenidera piperivora</i> | |
| 2 | C Golden-collared Toucanet | <i>Selenidera reinwardtii</i> | |
| 2 | D Tawny-tufted Toucanet | <i>Selenidera nattereri</i> | |
| 1 | E Gould's Toucanet | <i>Selenidera gouldii</i> | |
| 2 | B Spot-billed Toucanet | <i>Selenidera maculirostris</i> | |
| 5 | A Toco Toucan | <i>Ramphastos toco</i> | |
| 1 | C Yellow-throated Toucan | <i>Ramphastos ambiguus</i> | Chestnut-mandibled Toucan |
| 1 | D White-throated Toucan | <i>Ramphastos tucanus</i> | |
| 1 | B Keel-billed Toucan | <i>Ramphastos sulfuratus</i> | Rainbow-billed Toucan |
| 1 | B Choco Toucan | <i>Ramphastos brevis</i> | |
| 2 | B Channel-billed Toucan | <i>Ramphastos vitellinus</i> | Yellow-ridged Toucan, Ariel Toucan |
| 5 | B Red-breasted Toucan | <i>Ramphastos dicolorus</i> | Green-billed Toucan |
| | WOODPECKERS | PICIDAE | |
| 1 | D Eurasian Wryneck | <i>Jynx torquilla</i> | |
| 1 | C Speckled Piculet | <i>Picumnus innominatus</i> | |
| 1 | B Bar-breasted Piculet | <i>Picumnus aurifrons</i> | |
| 1 | B Orinoco Piculet | <i>Picumnus pumilus</i> | |
| 1 | B Lafresnaye's Piculet | <i>Picumnus lafresnayi</i> | |
| 2 | C Golden-spangled Piculet | <i>Picumnus exilis</i> | |
| 4 | A Ecuadorian Piculet | <i>Picumnus sclateri</i> | |
| 4 | B Scaled Piculet | <i>Picumnus squamulatus</i> | Black-dotted Piculet, Black-spotted Piculet |
| 2 | C White-bellied Piculet | <i>Picumnus spilogaster</i> | |
| 2 | B Arrowhead Piculet | <i>Picumnus minutissimus</i> | |
| 1 | A Spotted Piculet | <i>Picumnus pygmaeus</i> | |
| 2 | B Speckle-chested Piculet | <i>Picumnus steindachneri</i> | |
| 4 | A White-barred Piculet | <i>Picumnus cirratus</i> | |
| 4 | B Ochre-collared Piculet | <i>Picumnus temminckii</i> | |
| 2 | B White-wedged Piculet | <i>Picumnus albosquamatus</i> | |
| 2 | A Ochraceous Piculet | <i>Picumnus limae</i> | Tawny Piculet |
| 1 | C Mottled Piculet | <i>Picumnus nebulosus</i> | |
| 3 | C Grayish Piculet | <i>Picumnus granadensis</i> | Greyish Piculet |
| 3 | C Chestnut Piculet | <i>Picumnus cinnamomeus</i> | |
| 1 | C Heart-spotted Woodpecker | <i>Hemicircus canente</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|--|--------------------------------------|------------------------------|
| 2 | B Williamson's Sapsucker | <i>Sphyrapicus thyroideus</i> | |
| 4 | B Yellow-bellied Sapsucker | <i>Sphyrapicus varius</i> | |
| 1 | B Red-naped Sapsucker | <i>Sphyrapicus nuchalis</i> | |
| 1 | B Red-breasted Sapsucker | <i>Sphyrapicus ruber</i> | |
| 2 | A White Woodpecker | <i>Melanerpes candidus</i> | |
| 3 | B Lewis's Woodpecker | <i>Melanerpes lewis</i> | |
| 1 | B Red-headed Woodpecker | <i>Melanerpes erythrocephalus</i> | |
| 8 | A Acorn Woodpecker | <i>Melanerpes formicivorus</i> | |
| 3 | B Yellow-tufted Woodpecker | <i>Melanerpes cruentatus</i> | |
| 5 | A Yellow-fronted Woodpecker | <i>Melanerpes flavifrons</i> | |
| 2 | C Beautiful Woodpecker | <i>Melanerpes pulcher</i> | |
| 3 | B Black-cheeked Woodpecker | <i>Melanerpes pucherani</i> | |
| 1 | D White-fronted Woodpecker | <i>Melanerpes cactorum</i> | |
| 2 | B Jamaican Woodpecker | <i>Melanerpes radiolatus</i> | |
| 2 | C Golden-cheeked Woodpecker | <i>Melanerpes chrysogenys</i> | |
| 1 | D Gray-breasted Woodpecker | <i>Melanerpes hypopolius</i> | Grey-breasted Woodpecker |
| 1 | B Yucatan Woodpecker | <i>Melanerpes pygmaeus</i> | |
| 2 | B Red-crowned Woodpecker | <i>Melanerpes rubricapillus</i> | |
| 3 | A Gila Woodpecker | <i>Melanerpes uropygialis</i> | |
| 1 | C Hoffmann's Woodpecker | <i>Melanerpes hoffmannii</i> | |
| 2 | B Golden-fronted Woodpecker | <i>Melanerpes aurifrons</i> | |
| 1 | B Red-bellied Woodpecker | <i>Melanerpes carolinus</i> | |
| 3 | B American Three-toed Woodpecker | <i>Picoides dorsalis</i> | |
| 3 | B Black-backed Woodpecker | <i>Picoides arcticus</i> | |
| 2 | C Sulawesi Pygmy Woodpecker | <i>Yungipicus temminckii</i> | |
| 2 | B Gray-capped Pygmy Woodpecker | <i>Yungipicus canicapillus</i> | Grey-capped Pygmy Woodpecker |
| 1 | C Little Gray Woodpecker | <i>Dendropicos elachus</i> | |
| 1 | C Cardinal Woodpecker | <i>Dendropicos fuscescens</i> | |
| 1 | C Mountain Gray Woodpecker | <i>Dendropicos spodocephalus</i> | Eastern Grey Woodpecker |
| 1 | D Stripe-breasted Woodpecker | <i>Dendrocopos atratus</i> | |
| 1 | C Darjeeling Woodpecker | <i>Dendrocopos darjellensis</i> | |
| 1 | B Great Spotted Woodpecker | <i>Dendrocopos major</i> | |
| 1 | B Syrian Woodpecker | <i>Dendrocopos syriacus</i> | |
| 2 | B Downy Woodpecker | <i>Dryobates pubescens</i> | |
| 2 | C Nuttall's Woodpecker | <i>Dryobates nuttallii</i> | |
| 2 | C Ladder-backed Woodpecker | <i>Dryobates scalaris</i> | |
| 1 | C Red-cockaded Woodpecker | <i>Leuconotopicus borealis</i> | |
| 7 | A Hairy Woodpecker | <i>Leuconotopicus villosus</i> | |
| 3 | A White-headed Woodpecker | <i>Leuconotopicus albolarvatus</i> | |
| 2 | B Smoky-brown Woodpecker | <i>Leuconotopicus fumigatus</i> | |
| 5 | A Arizona Woodpecker | <i>Leuconotopicus arizonae</i> | |
| 1 | C Red-rumped Woodpecker | <i>Veniliornis kirkii</i> | |
| 1 | B Golden-collared Woodpecker | <i>Veniliornis cassini</i> | |
| 3 | B White-spotted Woodpecker | <i>Veniliornis spilogaster</i> | |
| 4 | B Checkered Woodpecker | <i>Veniliornis mixtus</i> | |
| 1 | B Striped Woodpecker | <i>Veniliornis lignarius</i> | |
| 3 | B Blood-colored Woodpecker | <i>Veniliornis sanguineus</i> | |
| 3 | C Little Woodpecker | <i>Veniliornis passerinus</i> | |
| 2 | C Dot-fronted Woodpecker | <i>Veniliornis frontalis</i> | |
| 2 | C Scarlet-backed Woodpecker | <i>Veniliornis callonotus</i> | |
| 3 | B Yellow-vented Woodpecker | <i>Veniliornis dignus</i> | |
| 1 | B Bar-bellied Woodpecker | <i>Veniliornis nigriceps</i> | |
| 1 | C Red-stained Woodpecker | <i>Veniliornis affinis</i> | |
| 3 | B Choco Woodpecker | <i>Veniliornis chocoensis</i> | |
| 1 | C Yellow-eared Woodpecker | <i>Veniliornis maculifrons</i> | |
| 1 | C Greater Flameback | <i>Chrysocolaptes guttacristatus</i> | |
| 2 | A Malabar Flameback | <i>Chrysocolaptes socialis</i> | |
| 1 | C Luzon Flameback | <i>Chrysocolaptes haematribon</i> | |
| 2 | A Powerful Woodpecker | <i>Campephilus pollens</i> | |
| 2 | B Crimson-bellied Woodpecker | <i>Campephilus haematogaster</i> | Splendid Woodpecker |
| 1 | B Red-necked Woodpecker | <i>Campephilus rubicollis</i> | |
| 2 | B Robust Woodpecker | <i>Campephilus robustus</i> | |
| 3 | B Crimson-crested Woodpecker | <i>Campephilus melanoleucos</i> | |
| 2 | A Guayaquil Woodpecker | <i>Campephilus gayaquilensis</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|---|---------------------------------|---|
| 3 | C Cream-backed Woodpecker | <i>Campephilus leucopogon</i> | |
| 3 | A Magellanic Woodpecker | <i>Campephilus magellanicus</i> | |
| 1 | B Buff-necked Woodpecker | <i>Meiglyptes tukki</i> | |
| 1 | D Spot-throated Flameback | <i>Dinopium everetti</i> | |
| 1 | B Black-rumped Flameback | <i>Dinopium benghalense</i> | |
| 1 | C Red-backed Flameback | <i>Dinopium psarodes</i> | |
| 1 | C Lesser Yellownape | <i>Picus chlorolophus</i> | |
| 1 | B Levaillant's Woodpecker | <i>Picus vaillantii</i> | |
| 1 | C Brown-eared Woodpecker | <i>Pardipicus caroli</i> | |
| 1 | C Tullberg's Woodpecker | <i>Campethera tullbergi</i> | |
| 1 | D Nubian Woodpecker | <i>Campethera nubica</i> | |
| 3 | B Golden-tailed Woodpecker | <i>Campethera abingoni</i> | |
| 3 | B Ashy Woodpecker | <i>Mulleripicus fulvus</i> | |
| 8 | B Lineated Woodpecker | <i>Dryocopus lineatus</i> | |
| 1 | B Pileated Woodpecker | <i>Dryocopus pileatus</i> | |
| 1 | C Cinnamon Woodpecker | <i>Celeus loricatus</i> | |
| 3 | B Ringed Woodpecker | <i>Celeus torquatus</i> | |
| 2 | A Helmeted Woodpecker | <i>Celeus galeatus</i> | |
| 1 | B Chestnut-colored Woodpecker | <i>Celeus castaneus</i> | |
| 4 | C Waved Woodpecker | <i>Celeus undatus</i> | Scale-breasted Woodpecker, Scaly-breasted Woodpecker, Variable Woodpecker |
| 3 | C Cream-colored Woodpecker | <i>Celeus flavus</i> | |
| 2 | C Ochre-backed Woodpecker | <i>Celeus ochraceus</i> | |
| 1 | D Chestnut Woodpecker | <i>Celeus elegans</i> | |
| 4 | B Pale-crested Woodpecker | <i>Celeus lugubris</i> | |
| 3 | B Blond-crested Woodpecker | <i>Celeus flavescens</i> | |
| 4 | A Stripe-cheeked Woodpecker | <i>Piculus collopterus</i> | |
| 2 | C White-throated Woodpecker | <i>Piculus leucolaemus</i> | |
| 1 | E Lita Woodpecker | <i>Piculus litae</i> | |
| 3 | A Yellow-throated Woodpecker | <i>Piculus flavigula</i> | Red-throated Woodpecker |
| 2 | C Golden-green Woodpecker | <i>Piculus chrysochloros</i> | |
| 3 | B White-browed Woodpecker | <i>Piculus aurulentus</i> | Yellow-browed Woodpecker |
| 3 | C Golden-olive Woodpecker | <i>Colaptes rubiginosus</i> | |
| 1 | C Gray-crowned Woodpecker | <i>Colaptes auricularis</i> | Grey-crowned Woodpecker |
| 4 | B Crimson-mantled Woodpecker | <i>Colaptes rivolii</i> | |
| 2 | C Black-necked Woodpecker | <i>Colaptes atricollis</i> | |
| 2 | C Spot-breasted Woodpecker | <i>Colaptes punctigula</i> | |
| 2 | B Green-barred Woodpecker | <i>Colaptes melanochloros</i> | Golden-breasted Woodpecker |
| 8 | A Northern Flicker | <i>Colaptes auratus</i> | Red-shafted Flicker, Yellow-shafted Flicker |
| 7 | A Gilded Flicker | <i>Colaptes chrysoides</i> | |
| 2 | C Chilean Flicker | <i>Colaptes pitius</i> | |
| 3 | B Andean Flicker | <i>Colaptes rupicola</i> | |
| 2 | B Campo Flicker | <i>Colaptes campestris</i> | Field Flicker |
| | SERIEMAS | CARIAMIDAE | |
| 6 | A Red-legged Seriema | <i>Cariama cristata</i> | |
| | FALCONS AND CARACARAS | FALCONIDAE | |
| 2 | B Laughing Falcon | <i>Herpotheres cachinnans</i> | |
| 4 | B Slaty-backed Forest-Falcon | <i>Micrastur mirandollei</i> | |
| 2 | C Barred Forest-Falcon | <i>Micrastur ruficollis</i> | |
| 1 | D Cryptic Forest-Falcon | <i>Micrastur mintoni</i> | |
| 2 | D Spot-winged Falconet | <i>Spizapteryx circumcincta</i> | |
| 6 | B Crested Caracara | <i>Caracara plancus</i> | Southern Caracara |
| 3 | B Red-throated Caracara | <i>Ibycter americanus</i> | |
| 2 | B Yellow-headed Caracara | <i>Daptrius chimachima</i> | |
| 2 | B Black Caracara | <i>Daptrius ater</i> | |
| 3 | B Chimango Caracara | <i>Daptrius chimango</i> | |
| 2 | B Carunculated Caracara | <i>Daptrius carunculatus</i> | |
| 2 | A Mountain Caracara | <i>Daptrius megalopterus</i> | |
| 1 | C White-throated Caracara | <i>Daptrius albogularis</i> | |
| 3 | B Striated Caracara | <i>Daptrius australis</i> | |
| 1 | C Collared Falconet | <i>Microhierax caerulescens</i> | |
| 1 | D White-rumped Falcon | <i>Neohierax insignis</i> | |
| 5 | B Eurasian Kestrel | <i>Falco tinnunculus</i> | Common Kestrel |
| 3 | C Malagasy Kestrel | <i>Falco newtoni</i> | Madagascar Kestrel |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|--|--------------------------------------|----------------------------|
| 6 | A American Kestrel | <i>Falco sparverius</i> | |
| 2 | B Banded Kestrel | <i>Falco zoniventris</i> | |
| 1 | E Merlin | <i>Falco columbarius</i> | |
| 1 | D Oriental Hobby | <i>Falco severus</i> | |
| 2 | B Brown Falcon | <i>Falco berigora</i> | |
| 6 | B Aplomado Falcon | <i>Falco femoralis</i> | |
| 1 | A Bat Falcon | <i>Falco ruficularis</i> | |
| 1 | C Orange-breasted Falcon | <i>Falco deiroleucus</i> | |
| 1 | C Lanner Falcon | <i>Falco biarmicus</i> | |
| 2 | B Gyrfalcon | <i>Falco rusticolus</i> | |
| 1 | D Peregrine Falcon | <i>Falco peregrinus</i> | |
| | NEW ZEALAND PARROTS | STRIGOPIDAE | |
| 2 | B Kea | <i>Nestor notabilis</i> | |
| 1 | D New Zealand Kaka | <i>Nestor meridionalis</i> | |
| | COCKATOOS | CACATUIDAE | |
| 4 | A Red-tailed Black-Cockatoo | <i>Calyptorhynchus banksii</i> | |
| 2 | B Cockatiel | <i>Nymphicus hollandicus</i> | |
| 1 | C Gang-gang Cockatoo | <i>Callocephalon fimbriatum</i> | |
| 2 | B Galah | <i>Eolophus roseicapilla</i> | |
| 2 | B Little Corella | <i>Cacatua sanguinea</i> | |
| 1 | C White Cockatoo | <i>Cacatua alba</i> | |
| | OLD WORLD PARROTS | PSITTACULIDAE | |
| 1 | D Lesser Vasa Parrot | <i>Coracopsis nigra</i> | Black Parrot |
| 1 | C Superb Parrot | <i>Polytelis swainsonii</i> | |
| 2 | B Australian King-Parrot | <i>Alisterus scapularis</i> | |
| 1 | C Moluccan King-Parrot | <i>Alisterus amboinensis</i> | |
| 2 | B Red-winged Parrot | <i>Aprosmictus erythropterus</i> | |
| 2 | D Red-cheeked Parrot | <i>Geoffroyus geoffroyi</i> | |
| 1 | B Rose-ringed Parakeet | <i>Psittacula krameri</i> | |
| 1 | D Gray-headed Parakeet | <i>Psittacula finschii</i> | Grey-headed Parakeet |
| 1 | C Blossom-headed Parakeet | <i>Psittacula roseata</i> | |
| 1 | C Malabar Parakeet | <i>Psittacula columboides</i> | Blue-winged Parakeet |
| 1 | B Brehm's Tiger-Parrot | <i>Psittacella brehmii</i> | |
| 1 | B Azure-rumped Parrot | <i>Tanygnathus sumatranus</i> | |
| 2 | B Bourke's Parrot | <i>Neopsephotus bourkii</i> | |
| 1 | A Horned Parakeet | <i>Eunymphicus cornutus</i> | |
| 1 | B Red-crowned Parakeet | <i>Cyanoramphus novaezelandiae</i> | |
| 4 | A Yellow-crowned Parakeet | <i>Cyanoramphus auriceps</i> | |
| 2 | B Malherbe's Parakeet | <i>Cyanoramphus malherbi</i> | |
| 2 | B Crimson Rosella | <i>Platycercus elegans</i> | |
| 3 | A Northern Rosella | <i>Platycercus venustus</i> | |
| 1 | C Pale-headed Rosella | <i>Platycercus adscitus</i> | |
| 1 | B Greater Bluebonnet | <i>Northiella haematogaster</i> | Eastern Bluebonnet |
| 1 | C Red-rumped Parrot | <i>Psephotus haematonotus</i> | |
| 3 | B Hooded Parrot | <i>Psephotellus dissimilis</i> | |
| 3 | A Golden-shouldered Parrot | <i>Psephotellus chrysopterygius</i> | |
| 1 | E Fairy Lorikeet | <i>Charmosynopsis pulchella</i> | |
| 1 | C Chattering Lory | <i>Lorius garrulus</i> | |
| 1 | D Black-capped Lory | <i>Lorius lory</i> | |
| 1 | D Scaly-breasted Lorikeet | <i>Trichoglossus chlorolepidotus</i> | |
| 3 | A Rainbow Lorikeet | <i>Trichoglossus haematodus</i> | |
| 3 | B Red-collared Lorikeet | <i>Trichoglossus rubritorquis</i> | |
| 1 | C Sri Lanka Hanging-Parrot | <i>Loriculus beryllinus</i> | |
| 2 | A Sulawesi Hanging-Parrot | <i>Loriculus stigmatus</i> | Great Hanging Parrot |
| 2 | C Gray-headed Lovebird | <i>Agapornis canus</i> | Grey-headed Lovebird |
| | NEW WORLD AND AFRICAN PARROTS | PSITTACIDAE | |
| 1 | C Brown-headed Parrot | <i>Poicephalus cryptoxanthus</i> | |
| 1 | D Red-bellied Parrot | <i>Poicephalus rufiventris</i> | |
| 1 | B Scarlet-shouldered Parrotlet | <i>Touit huetii</i> | |
| 2 | B Blue-fronted Parrotlet | <i>Touit dilectissimus</i> | Red-winged Parrotlet |
| 1 | D Gray-hooded Parakeet | <i>Psilopsiagon aymara</i> | Grey-hooded Parakeet |
| 2 | B Rufous-fronted Parakeet | <i>Bolborhynchus ferrugineifrons</i> | |
| 1 | B Monk Parakeet | <i>Myiopsitta monachus</i> | |
| 5 | B Plain Parakeet | <i>Brotogeris tirica</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|---|-----------------------------------|--|
| 2 | B Yellow-chevroned Parakeet | <i>Brotogeris chiriri</i> | |
| 2 | B Orange-chinned Parakeet | <i>Brotogeris jugularis</i> | |
| 1 | B Cobalt-winged Parakeet | <i>Brotogeris cyanopectera</i> | |
| 1 | D Golden-winged Parakeet | <i>Brotogeris chrysopectera</i> | |
| 5 | B Pileated Parrot | <i>Pionopsitta pileata</i> | Red-capped Parrot |
| 1 | C Rusty-faced Parrot | <i>Hapalopsittaca amazonina</i> | |
| 2 | E Indigo-winged Parrot | <i>Hapalopsittaca fuertesi</i> | Fuertes's Parrot |
| 1 | E Red-faced Parrot | <i>Hapalopsittaca pyrrhops</i> | |
| 1 | A Rose-faced Parrot | <i>Pyrrhura pulchra</i> | |
| 1 | E Saffron-headed Parrot | <i>Pyrrhura pyrrhura</i> | |
| 1 | B Orange-cheeked Parrot | <i>Pyrrhura barrabandi</i> | |
| 1 | C Caica Parrot | <i>Pyrrhura caica</i> | |
| 1 | C Scaly-headed Parrot | <i>Pionus maximiliani</i> | |
| 2 | C Speckle-faced Parrot | <i>Pionus tumultuosus</i> | White-capped Parrot, Plum-crowned Parrot |
| 1 | B Blue-headed Parrot | <i>Pionus menstruus</i> | |
| 1 | B White-crowned Parrot | <i>Pionus senilis</i> | |
| 2 | B Bronze-winged Parrot | <i>Pionus chalcopterus</i> | |
| 1 | D Short-tailed Parrot | <i>Graydidascalus brachyurus</i> | |
| 1 | C Festive Amazon | <i>Amazona festiva</i> | Festive Parrot, Northern Festive Amazon |
| 3 | B Red-lored Amazon | <i>Amazona autumnalis</i> | Red-lored Parrot |
| 1 | D Red-browed Amazon | <i>Amazona rhodocorytha</i> | Red-browed Parrot |
| 1 | D Yellow-naped Amazon | <i>Amazona auropalliata</i> | Yellow-naped Parrot |
| 1 | C Yellow-crowned Amazon | <i>Amazona ochrocephala</i> | Yellow-crowned Parrot |
| 1 | C Yellow-shouldered Amazon | <i>Amazona barbadensis</i> | Yellow-shouldered Parrot |
| 1 | B Turquoise-fronted Amazon | <i>Amazona aestiva</i> | Turquoise-fronted Parrot |
| 1 | E Black-billed Amazon | <i>Amazona agilis</i> | |
| 2 | B White-fronted Amazon | <i>Amazona albifrons</i> | White-fronted Parrot |
| 3 | B Mealy Amazon | <i>Amazona farinosa</i> | Mealy Parrot |
| 3 | C Red-tailed Amazon | <i>Amazona brasiliensis</i> | Red-tailed Parrot |
| 2 | C Orange-winged Amazon | <i>Amazona amazonica</i> | Orange-winged Parrot |
| 1 | C Scaly-naped Amazon | <i>Amazona mercenarius</i> | Scaly-naped Parrot |
| 3 | B Dusky-billed Parrotlet | <i>Forpus modestus</i> | |
| 1 | D Cobalt-rumped Parrotlet | <i>Forpus xanthopterygius</i> | Blue-winged Parrotlet |
| 2 | B Green-rumped Parrotlet | <i>Forpus passerinus</i> | |
| 7 | A Spectacled Parrotlet | <i>Forpus conspicillatus</i> | |
| 2 | C Pacific Parrotlet | <i>Forpus coelestis</i> | |
| 5 | A Yellow-faced Parrotlet | <i>Forpus xanthops</i> | |
| 1 | D Black-headed Parrot | <i>Pionites melanocephalus</i> | |
| 2 | C White-bellied Parrot | <i>Pionites leucogaster</i> | |
| 1 | D Red-fan Parrot | <i>Deropterus accipitrinus</i> | |
| 1 | D Ochre-marked Parakeet | <i>Pyrrhura cruentata</i> | |
| 1 | E Blaze-winged Parakeet | <i>Pyrrhura devillei</i> | |
| 9 | A Maroon-bellied Parakeet | <i>Pyrrhura frontalis</i> | Reddish-bellied Parakeet |
| 2 | C Crimson-bellied Parakeet | <i>Pyrrhura perlata</i> | |
| 4 | C Gray-breasted Parakeet | <i>Pyrrhura griseipectus</i> | Grey-breasted Parakeet |
| 1 | D Maroon-faced Parakeet | <i>Pyrrhura leucotis</i> | White-eared Parakeet |
| 1 | D Painted Parakeet | <i>Pyrrhura picta</i> | |
| 3 | C Santarem Parakeet | <i>Pyrrhura amazonum</i> | Hellmayr's Parakeet, Madeira Parakeet |
| 2 | B Santa Marta Parakeet | <i>Pyrrhura viridicata</i> | |
| 1 | C Maroon-tailed Parakeet | <i>Pyrrhura melanura</i> | Choco Parakeet |
| 1 | D El Oro Parakeet | <i>Pyrrhura orcesi</i> | |
| 1 | B White-necked Parakeet | <i>Pyrrhura albipectus</i> | White-breasted Parakeet |
| 1 | E Brown-breasted Parakeet | <i>Pyrrhura calliptera</i> | Flame-winged Parakeet |
| 1 | B Austral Parakeet | <i>Enicognathus ferrugineus</i> | |
| 9 | A Burrowing Parakeet | <i>Cyanoliseus patagonus</i> | Burrowing Parrot |
| 4 | A Hyacinth Macaw | <i>Anodorhynchus hyacinthinus</i> | |
| 5 | B Indigo Macaw | <i>Anodorhynchus leari</i> | Lear's Macaw |
| 2 | C Orange-fronted Parakeet | <i>Eupsittula canicularis</i> | |
| 2 | B Peach-fronted Parakeet | <i>Eupsittula aurea</i> | |
| 1 | C Brown-throated Parakeet | <i>Eupsittula pertinax</i> | |
| 1 | D Cactus Parakeet | <i>Eupsittula cactorum</i> | Caatinga Parakeet |
| 1 | B Dusky-headed Parakeet | <i>Aratinga weddellii</i> | |
| 3 | B Nanday Parakeet | <i>Aratinga nenday</i> | |
| 1 | C Sun Parakeet | <i>Aratinga solstitialis</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|--|--|----------------------------|
| 2 | B Golden-capped Parakeet | <i>Aratinga auricapillus</i> | |
| 1 | D Red-bellied Macaw | <i>Orthopsittaca manilatus</i> | |
| 3 | B Blue-winged Macaw | <i>Primolius maracana</i> | |
| 1 | B Yellow-collared Macaw | <i>Primolius auricollis</i> | Golden-collared Macaw |
| 3 | B Blue-and-yellow Macaw | <i>Ara ararauna</i> | |
| 1 | D Great Green Macaw | <i>Ara ambiguus</i> | |
| 1 | C Scarlet Macaw | <i>Ara macao</i> | |
| 3 | B Red-and-green Macaw | <i>Ara chloropterus</i> | |
| 2 | C Golden-plumed Parakeet | <i>Leptosittaca branickii</i> | |
| 1 | C Yellow-eared Parrot | <i>Ognorhynchus icterotis</i> | |
| 1 | B Blue-crowned Parakeet | <i>Thectocercus acuticaudatus</i> | |
| 1 | C Red-shouldered Macaw | <i>Diopsittaca nobilis</i> | |
| 1 | D Pacific Parakeet | <i>Psittacara strenuus</i> | |
| 1 | D Scarlet-fronted Parakeet | <i>Psittacara wagleri</i> | |
| 1 | B Red-masked Parakeet | <i>Psittacara erythrogenys</i> | |
| 5 | B White-eyed Parakeet | <i>Psittacara leucophthalmus</i> | |
| | NEW ZEALAND WRENS | ACANTHISITTIDAE | |
| 3 | C Rifleman | <i>Acanthisitta chloris</i> | |
| 3 | C South Island Wren | <i>Xenicus gilviventris</i> | New Zealand Rockwren |
| | ASIAN AND GRAUER'S BROADBILLS | EURLAIMIDAE | |
| 2 | B Black-and-yellow Broadbill | <i>Eurylaimus ochromalus</i> | |
| | SAPAYOA | SAPAYOIDAE | |
| 3 | A Sapayoa | <i>Sapayoa aenigma</i> | |
| | ASITIES | PHILEPITTIDAE | |
| 2 | D Velvet Asity | <i>Philepitta castanea</i> | |
| | PITTAS | PITTIDAE | |
| 1 | B Sulawesi Pitta | <i>Erythropitta celebensis</i> | |
| 1 | A North Moluccan Pitta | <i>Erythropitta rufiventris</i> | |
| 2 | B Indian Pitta | <i>Pitta brachyura</i> | |
| 1 | D Blue-winged Pitta | <i>Pitta moluccensis</i> | |
| 1 | C Fairy Pitta | <i>Pitta nympha</i> | |
| 1 | C Azure-breasted Pitta | <i>Pitta steerii</i> | Steere's Pitta |
| 1 | B Noisy Pitta | <i>Pitta versicolor</i> | |
| 1 | B Rainbow Pitta | <i>Pitta iris</i> | |
| | TYPICAL ANTIBIRDS | THAMNOPHILIDAE | |
| 1 | C Rufous-rumped Antwren | <i>Euchrepomis callinota</i> | |
| 3 | B Fasciated Antshrike | <i>Cymbilaimus lineatus</i> | |
| 2 | C Spot-backed Antshrike | <i>Hypoedaleus guttatus</i> | |
| 3 | B Giant Antshrike | <i>Batara cinerea</i> | |
| 2 | B Large-tailed Antshrike | <i>Mackenziaena leachii</i> | |
| 7 | A Tufted Antshrike | <i>Mackenziaena severa</i> | |
| 7 | A Great Antshrike | <i>Taraba major</i> | |
| 2 | A Black-crested Antshrike | <i>Sakesphorus canadensis</i> | |
| 2 | B Glossy Antshrike | <i>Sakesphorus luctuosus</i> | |
| 3 | A Silvery-cheeked Antshrike | <i>Sakesphoroides cristatus</i> | |
| 1 | C Caatinga Antwren | <i>Radinopsyche sellowi</i> | |
| 3 | C White-bearded Antshrike | <i>Biatas nigropectus</i> | |
| 4 | A Barred Antshrike | <i>Thamnophilus doliatus</i> | |
| 3 | A Rufous-capped Antshrike | <i>Thamnophilus ruficapillus</i> | |
| 5 | A Rufous-winged Antshrike | <i>Thamnophilus torquatus</i> | |
| 3 | B Chapman's Antshrike | <i>Thamnophilus zarumae</i> | |
| 1 | C Bar-crested Antshrike | <i>Thamnophilus multistriatus</i> | |
| 2 | B Lined Antshrike | <i>Thamnophilus tenuipunctatus</i> | |
| 2 | B Chestnut-backed Antshrike | <i>Thamnophilus palliatus</i> | |
| 3 | B Collared Antshrike | <i>Thamnophilus bernardi</i> | |
| 1 | D Inirida Antshrike (undescribed form) | <i>Thamnophilus [undescribed form]</i> | |
| 5 | B Black-crowned Antshrike | <i>Thamnophilus atrinucha</i> | Western Slaty-Antshrike |
| 1 | C Mouse-colored Antshrike | <i>Thamnophilus murinus</i> | |
| 3 | B Black Antshrike | <i>Thamnophilus nigriceps</i> | |
| 2 | A Cocha Antshrike | <i>Thamnophilus praecox</i> | |
| 1 | C Castelnau's Antshrike | <i>Thamnophilus cryptoleucus</i> | |
| 2 | C Blackish-gray Antshrike | <i>Thamnophilus nigrocinereus</i> | Blackish-grey Antshrike |
| 1 | C Natterer's Slaty-Antshrike | <i>Thamnophilus stictocephalus</i> | |
| 1 | B Planalto Slaty-Antshrike | <i>Thamnophilus pelzelni</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|----|--|------------------------------------|----------------------------|
| 3 | B Variable Antshrike | <i>Thamnophilus caerulescens</i> | |
| 2 | B Uniform Antshrike | <i>Thamnophilus unicolor</i> | |
| 2 | B White-shouldered Antshrike | <i>Thamnophilus aethiops</i> | |
| 1 | A Black-backed Antshrike | <i>Thamnophilus melanonotus</i> | |
| 2 | C Amazonian Antshrike | <i>Thamnophilus amazonicus</i> | |
| 1 | C Streak-backed Antshrike | <i>Thamnophilus insignis</i> | |
| 1 | C Star-throated Antwren | <i>Rhopias gularis</i> | |
| 2 | D Black Bushbird | <i>Neotantes niger</i> | |
| 1 | B Russet Antshrike | <i>Thamnistes anabatinus</i> | |
| 2 | C Spot-breasted Antwreio | <i>Dysithamnus stictothorax</i> | |
| 3 | A Plain Antwreio | <i>Dysithamnus mentalis</i> | |
| 1 | B Streak-crowned Antwreio | <i>Dysithamnus striaticeps</i> | |
| 4 | A Spot-crowned Antwreio | <i>Dysithamnus puncticeps</i> | |
| 2 | B Rufous-backed Antwreio | <i>Dysithamnus xanthopterus</i> | |
| 1 | C Bicolored Antwreio | <i>Dysithamnus occidentalis</i> | |
| 1 | D White-streaked Antwreio | <i>Dysithamnus leucostictus</i> | |
| 1 | E Dusky-throated Antshrike | <i>Thamnomanes ardesiacus</i> | |
| 2 | C Saturnine Antshrike | <i>Thamnomanes saturninus</i> | |
| 11 | B Cinereous Antshrike | <i>Thamnomanes caesius</i> | |
| 2 | B Spiny-faced Antshrike | <i>Xenornis setifrons</i> | Speckled Antshrike |
| 1 | C Spot-winged Antshrike | <i>Pygiptila stellaris</i> | |
| 3 | B Checker-throated Stipplethroat | <i>Epinecrophylla fulviventris</i> | Checker-throated Antwren |
| 1 | D Rufous-tailed Stipplethroat | <i>Epinecrophylla erythrura</i> | Rufous-tailed Antwren |
| 2 | B Moustached Antwren | <i>Myrmotherula ignota</i> | Griscom's Antwren |
| 1 | B Guianan Streaked-Antwren | <i>Myrmotherula surinamensis</i> | |
| 1 | B Amazonian Streaked-Antwren | <i>Myrmotherula multostriata</i> | |
| 2 | B Pacific Antwren | <i>Myrmotherula pacifica</i> | |
| 2 | B Cherrie's Antwren | <i>Myrmotherula cherriei</i> | |
| 1 | C Stripe-chested Antwren | <i>Myrmotherula longicauda</i> | |
| 3 | C White-flanked Antwren | <i>Myrmotherula axillaris</i> | Silvery-flanked Antwren |
| 2 | C Slaty Antwren | <i>Myrmotherula schisticolor</i> | |
| 1 | D Salvadori's Antwren | <i>Myrmotherula minor</i> | |
| 1 | D Band-tailed Antwren | <i>Myrmotherula urosticta</i> | |
| 4 | C Unicolored Antwren | <i>Myrmotherula unicolor</i> | |
| 3 | B Banded Antbird | <i>Dichrozona cincta</i> | |
| 1 | C Stripe-backed Antbird | <i>Myrmorchilus strigilatus</i> | |
| 2 | B Black-capped Antwren | <i>Herpsilochmus atricapillus</i> | |
| 1 | C Ash-throated Antwren | <i>Herpsilochmus parkeri</i> | |
| 1 | C Dugand's Antwren | <i>Herpsilochmus dugandi</i> | |
| 3 | B Pectoral Antwren | <i>Herpsilochmus pectoralis</i> | |
| 1 | C Large-billed Antwren | <i>Herpsilochmus longirostris</i> | |
| 1 | E Yellow-breasted Antwren | <i>Herpsilochmus axillaris</i> | |
| 3 | C Dot-winged Antwren | <i>Microhopias quixensis</i> | |
| 1 | D Narrow-billed Antwren | <i>Formicivora iheringi</i> | |
| 3 | B Black-hooded Antwren | <i>Formicivora erythronotos</i> | |
| 1 | B Northern White-fringed Antwren | <i>Formicivora intermedia</i> | White-fringed Antwren |
| 1 | C Southern White-fringed Antwren | <i>Formicivora grisea</i> | |
| 3 | C Serra Antwren | <i>Formicivora serrana</i> | Restinga Antwren |
| 3 | B Black-bellied Antwren | <i>Formicivora melanogaster</i> | |
| 3 | A Rusty-backed Antwren | <i>Formicivora rufa</i> | |
| 5 | A Sincora Antwren | <i>Formicivora grantsaui</i> | |
| 2 | C Ferruginous Antbird | <i>Drymophila ferruginea</i> | |
| 2 | B Bertoni's Antbird | <i>Drymophila rubricollis</i> | |
| 1 | B Rufous-tailed Antbird | <i>Drymophila genei</i> | |
| 3 | B Ochre-rumped Antbird | <i>Drymophila ochropyga</i> | |
| 2 | C Dusky-tailed Antbird | <i>Drymophila malura</i> | |
| 2 | C Scaled Antbird | <i>Drymophila squamata</i> | |
| 2 | B Streak-headed Antbird | <i>Drymophila striaticeps</i> | Long-tailed Antbird |
| 1 | A Guianan Warbling-Antbird | <i>Hypocnemis cantator</i> | |
| 1 | D Imeri Warbling-Antbird | <i>Hypocnemis flavescens</i> | |
| 1 | E Peruvian Warbling-Antbird | <i>Hypocnemis peruviana</i> | |
| 2 | B Spix's Warbling-Antbird | <i>Hypocnemis striata</i> | |
| 2 | B Streak-capped Antwren | <i>Terenura maculata</i> | |
| 1 | B Dusky Antbird | <i>Cercomacroides tyrannina</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|-----------------------|---|----------------------------------|--|
| 1 | D Black Antbird | <i>Cercomacroides serva</i> | |
| 3 | B Blackish Antbird | <i>Cercomacroides nigrescens</i> | |
| 2 | D Rio de Janeiro Antbird | <i>Cercomacra brasiliana</i> | |
| 2 | B Mato Grosso Antbird | <i>Cercomacra melanaria</i> | |
| 2 | B Jet Antbird | <i>Cercomacra nigricans</i> | |
| 3 | A Western Fire-eye | <i>Pyriglena maura</i> | White-backed Fire-eye |
| 1 | E Fringe-backed Fire-eye | <i>Pyriglena atra</i> | |
| 4 | A White-shouldered Fire-eye | <i>Pyriglena leucoptera</i> | |
| 3 | B Slender Antbird | <i>Rhopornis ardesiacus</i> | |
| 3 | B White-browed Antbird | <i>Myrmoborus leucophrys</i> | |
| 1 | B Ash-breasted Antbird | <i>Myrmoborus lugubris</i> | |
| 1 | D Black-chinned Antbird | <i>Hypocnemoides melanopogon</i> | |
| 2 | C Band-tailed Antbird | <i>Hypocnemoides maculicauda</i> | |
| 3 | B Bare-crowned Antbird | <i>Gymnocichla nudiceps</i> | |
| 1 | C Silvered Antbird | <i>Sclateria naevia</i> | |
| 2 | C Black-headed Antbird | <i>Percnostola rufifrons</i> | |
| 1 | D Plumbeous Antbird | <i>Myrmelastes hyperythrus</i> | |
| 2 | D Spot-winged Antbird | <i>Myrmelastes leucostigma</i> | |
| 1 | B Rufous-faced Antbird | <i>Myrmelastes rufifacies</i> | |
| 1 | B White-bellied Antbird | <i>Myrmeciza longipes</i> | |
| 3 | B Chestnut-backed Antbird | <i>Poliocrania exsul</i> | |
| 4 | D Gray-headed Antbird | <i>Ampelornis griseiceps</i> | Grey-headed Antbird |
| 1 | E Magdalena Antbird | <i>Sipia palliata</i> | |
| 1 | D Esmeraldas Antbird | <i>Sipia nigricauda</i> | |
| 2 | B Stub-tailed Antbird | <i>Sipia berlepschi</i> | |
| 2 | C Zimmer's Antbird | <i>Sciaphylax castanea</i> | Northern Chestnut-tailed Antbird |
| 1 | B Ferruginous-backed Antbird | <i>Myrmoderus ferrugineus</i> | |
| 1 | D Cordillera Azul Antbird | <i>Myrmoderus eowilsoni</i> | |
| 1 | B White-bibbed Antbird | <i>Myrmoderus loricatus</i> | |
| 2 | C Squamate Antbird | <i>Myrmoderus squamosus</i> | |
| 1 | C White-shouldered Antbird | <i>Akletos melanoceps</i> | |
| 1 | B Sooty Antbird | <i>Hafferia fortis</i> | |
| 2 | B Zeledon's Antbird | <i>Hafferia zeledoni</i> | Immaculate Antbird |
| 1 | B Yapacana Antbird | <i>Aprositornis disjuncta</i> | |
| 1 | D Black-throated Antbird | <i>Myrmophylax atrothorax</i> | |
| 1 | D Gray-bellied Antbird | <i>Ammonastes pelzelni</i> | Grey-bellied Antbird |
| 2 | B Wing-banded Antbird | <i>Myrmornis torquata</i> | |
| 2 | C White-plumed Antbird | <i>Pithys albifrons</i> | |
| 5 | B Bicolored Antbird | <i>Gymnopithys bicolor</i> | |
| 4 | A Bare-eyed Antbird | <i>Rhegmatorhina gymnops</i> | |
| 1 | D Chestnut-crested Antbird | <i>Rhegmatorhina cristata</i> | |
| 5 | A Spotted Antbird | <i>Hylophylax naevioides</i> | |
| 3 | C Spot-backed Antbird | <i>Hylophylax naevius</i> | |
| 4 | B Dot-backed Antbird | <i>Hylophylax punctulatus</i> | |
| 2 | B Common Scale-backed Antbird | <i>Willisornis poecilinotus</i> | |
| 4 | B Xingu Scale-backed Antbird | <i>Willisornis vidua</i> | |
| 6 | A Black-spotted Bare-eye | <i>Phlegopsis nigromaculata</i> | |
| 5 | A Ocellated Antbird | <i>Phaenostictus mcleannani</i> | |
| CRESCENTCHESTS | | MELANOPAREIIDAE | |
| 2 | B Collared Crescentchest | <i>Melanopareia torquata</i> | |
| 1 | B Olive-crowned Crescentchest | <i>Melanopareia maximiliani</i> | |
| 2 | D Marañon Crescentchest | <i>Melanopareia maranonica</i> | |
| 3 | A Elegant Crescentchest | <i>Melanopareia elegans</i> | |
| GNATEATERS | | CONOPOPHAGIDAE | |
| 1 | B Black-crowned Antpitta | <i>Pittasoma michleri</i> | |
| 1 | A Rufous-crowned Antpitta | <i>Pittasoma rufopileatum</i> | |
| 1 | B Black-cheeked Gnateater | <i>Conopophaga melanops</i> | |
| 1 | B Chestnut-belted Gnateater | <i>Conopophaga aurita</i> | |
| 1 | C Black-breasted Gnateater | <i>Conopophaga snethlageae</i> | Snethlage's Gnateater, Chestnut-belted Gnateater |
| 1 | D Ash-throated Gnateater | <i>Conopophaga peruviana</i> | |
| 1 | C Ceara Gnateater | <i>Conopophaga cearae</i> | |
| 1 | E Hooded Gnateater | <i>Conopophaga roberti</i> | |
| 2 | C Rufous Gnateater | <i>Conopophaga lineata</i> | |
| 1 | C Chestnut-crowned Gnateater | <i>Conopophaga castaneiceps</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|---|--------------------------------------|----------------------------|
| | ANTPITTAS | GRALLARIIDAE | |
| 2 | B Undulated Antpitta | <i>Grallaria squamigera</i> | |
| 2 | A Giant Antpitta | <i>Grallaria gigantea</i> | |
| 1 | C Variegated Antpitta | <i>Grallaria varia</i> | |
| 2 | C Moustached Antpitta | <i>Grallaria alleni</i> | |
| 4 | B Scaled Antpitta | <i>Grallaria guatemalensis</i> | |
| 1 | B Plain-backed Antpitta | <i>Grallaria haplonota</i> | |
| 1 | E Ochre-striped Antpitta | <i>Grallaria dignissima</i> | |
| 8 | A Chestnut-crowned Antpitta | <i>Grallaria ruficapilla</i> | |
| 2 | A Watkins's Antpitta | <i>Grallaria watkinsi</i> | |
| 2 | B Santa Marta Antpitta | <i>Grallaria bangsi</i> | |
| 1 | C Stripe-headed Antpitta | <i>Grallaria andicolus</i> | |
| 5 | B Jocotoco Antpitta | <i>Grallaria ridgelyi</i> | |
| 2 | B Chestnut-naped Antpitta | <i>Grallaria nuchalis</i> | |
| 1 | B Pale-billed Antpitta | <i>Grallaria carrikeri</i> | |
| 1 | B Yellow-breasted Antpitta | <i>Grallaria flavotincta</i> | |
| 1 | E White-bellied Antpitta | <i>Grallaria hypoleuca</i> | |
| 2 | B Rusty-tinged Antpitta | <i>Grallaria przewalskii</i> | |
| 4 | A Bicolored Antpitta | <i>Grallaria rufocinerea</i> | |
| 1 | B Oxapampa Antpitta | <i>Grallaria centralis</i> | Chestnut Antpitta |
| 2 | B Chami Antpitta | <i>Grallaria alvarezii</i> | Rufous Antpitta |
| 4 | A Equatorial Antpitta | <i>Grallaria saturata</i> | Rufous Antpitta |
| 1 | C Cajamarca Antpitta | <i>Grallaria cajamarcae</i> | Rufous Antpitta |
| 5 | A Chestnut Antpitta | <i>Grallaria blakei</i> | |
| 1 | D Boyaca Antpitta | <i>Grallaria alticola</i> | Tawny Antpitta |
| 2 | B Tawny Antpitta | <i>Grallaria quitensis</i> | |
| 1 | C Urrao Antpitta | <i>Grallaria urraoensis</i> | Fenwick's Antpitta |
| 5 | A Brown-banded Antpitta | <i>Grallaria milleri</i> | |
| 3 | A Streak-chested Antpitta | <i>Hylopezus perspicillatus</i> | |
| 1 | A Spotted Antpitta | <i>Hylopezus macularius</i> | |
| 2 | C Alta Floresta Antpitta | <i>Hylopezus whittakeri</i> | Spotted Antpitta |
| 1 | E White-browed Antpitta | <i>Hylopezus ochroleucus</i> | |
| 2 | C White-lored Antpitta | <i>Myrmothera fulviventris</i> | |
| 1 | B Thicket Antpitta | <i>Myrmothera dives</i> | Fulvous-bellied Antpitta |
| 1 | C Tepui Antpitta | <i>Myrmothera simplex</i> | |
| 5 | B Ochre-breasted Antpitta | <i>Grallaricula flavirostris</i> | |
| 5 | A Ochre-fronted Antpitta | <i>Grallaricula ochraceifrons</i> | |
| 1 | E Rusty-breasted Antpitta | <i>Grallaricula ferrugineipectus</i> | |
| 1 | B Leymebamba Antpitta | <i>Grallaricula leymebambae</i> | Rufous-breasted Antpitta |
| 3 | A Slate-crowned Antpitta | <i>Grallaricula nana</i> | Slaty-crowned Antpitta |
| 2 | B Sucre Antpitta | <i>Grallaricula cumanensis</i> | |
| 3 | A Crescent-faced Antpitta | <i>Grallaricula lineifrons</i> | |
| | TAPACULOS | RHINOCRYPTIDAE | |
| 1 | D Chestnut-throated Huet-huet | <i>Pteroptochos castaneus</i> | |
| A | 7 Moustached Turca | <i>Pteroptochos megapodius</i> | |
| 2 | D White-throated Tapaculo | <i>Scelorchilus albicollis</i> | |
| 4 | B Chuco Tapaculo | <i>Scelorchilus rubecula</i> | |
| 1 | D Rusty-belted Tapaculo | <i>Liosceles thoracicus</i> | |
| 2 | B Ocellated Tapaculo | <i>Acropternis orthonyx</i> | |
| 1 | D Crested Gallito | <i>Rhinocrypta lanceolata</i> | |
| 1 | B Sandy Gallito | <i>Teledromas fuscus</i> | |
| 1 | B Spotted Bamboowren | <i>Psilorhamphus guttatus</i> | |
| 3 | C Slaty Bristlefront | <i>Merulaxis ater</i> | |
| 1 | D Ash-colored Tapaculo | <i>Myornis senilis</i> | |
| 1 | D Diamantina Tapaculo | <i>Scytalopus diamantinensis</i> | |
| 3 | B Brasilia Tapaculo | <i>Scytalopus novacapitalis</i> | |
| 1 | B Rock Tapaculo | <i>Scytalopus petrophilus</i> | |
| 2 | B Mouse-colored Tapaculo | <i>Scytalopus speluncae</i> | |
| 2 | A Dusky Tapaculo | <i>Scytalopus fuscus</i> | |
| 4 | B Magellanic Tapaculo | <i>Scytalopus magellanicus</i> | |
| 1 | D Loja Tapaculo | <i>Scytalopus androstictus</i> | Paramo Tapaculo |
| 1 | C Paramo Tapaculo | <i>Scytalopus opacus</i> | |
| 1 | C White-browed Tapaculo | <i>Scytalopus superciliaris</i> | |
| 2 | C Zimmer's Tapaculo | <i>Scytalopus zimmeri</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|---|--|---|
| 3 | A Jalca Tapaculo | <i>Scytalopus frankeae</i> | Millpo Tapaculo |
| 1 | B Neblina Tapaculo | <i>Scytalopus altirostris</i> | |
| 1 | D Trilling Tapaculo | <i>Scytalopus parvirostris</i> | |
| 1 | D Junin Tapaculo | <i>Scytalopus gettyae</i> | |
| 2 | A Tschudi's Tapaculo | <i>Scytalopus acutirostris</i> | |
| 1 | B Choco Tapaculo | <i>Scytalopus chocoensis</i> | |
| 1 | C Chusquea Tapaculo | <i>Scytalopus parkeri</i> | |
| 1 | D Spillmann's Tapaculo | <i>Scytalopus spillmanni</i> | |
| | ANTTHRUSHES | FORMICARIIDAE | |
| 2 | C Rufous-capped Antthrush | <i>Formicarius colma</i> | |
| 2 | A Mayan Antthrush | <i>Formicarius moniliger</i> | Mexican Antthrush, Black-faced Antthrush |
| 1 | D Black-faced Antthrush | <i>Formicarius analis</i> | |
| 2 | B Black-hooded Antthrush | <i>Formicarius destructus</i> | Black-headed Antthrush |
| 2 | B Rufous-breasted Antthrush | <i>Formicarius rufipectus</i> | |
| 1 | B Short-tailed Antthrush | <i>Chamaeza campanisona</i> | |
| 1 | E Striated Antthrush | <i>Chamaeza nobilis</i> | |
| 3 | B Rufous-tailed Antthrush | <i>Chamaeza ruficauda</i> | Brazilian Antthrush |
| | OVENBIRDS AND WOODCREEPERS | FURNARIIDAE | |
| 4 | B South American Leaftosser | <i>Sclerurus obscurior</i> | Tawny-throated Leaftosser, Dusky Leaftosser |
| 1 | B Scaly-throated Leaftosser | <i>Sclerurus guatemalensis</i> | |
| 1 | C Gray-throated Leaftosser | <i>Sclerurus albigularis</i> | Grey-throated Leaftosser |
| 1 | B Rufous-breasted Leaftosser | <i>Sclerurus scansor</i> | Ceara Leaftosser |
| 1 | C Coastal Miner | <i>Geositta peruviana</i> | |
| 1 | B Slender-billed Miner | <i>Geositta tenuirostris</i> | |
| 1 | A Common Miner | <i>Geositta cunicularia</i> | |
| 1 | B Puna Miner | <i>Geositta punensis</i> | |
| 2 | B Campo Miner | <i>Geositta poeciloptera</i> | |
| 3 | B Rufous-banded Miner | <i>Geositta rufipennis</i> | |
| 1 | C Short-billed Miner | <i>Geositta antarctica</i> | |
| 1 | B Dark-winged Miner | <i>Geositta saxicolina</i> | |
| 2 | B Creamy-rumped Miner | <i>Geositta isabellina</i> | |
| 4 | B Olivaceous Woodcreeper | <i>Sittasomus griseicapillus</i> | |
| 2 | B Tyrannine Woodcreeper | <i>Dendrocincla tyrannina</i> | |
| 1 | C White-chinned Woodcreeper | <i>Dendrocincla merula</i> | |
| 4 | A Ruddy Woodcreeper | <i>Dendrocincla homochroa</i> | |
| 4 | A Tawny-winged Woodcreeper | <i>Dendrocincla anabatina</i> | |
| 7 | A Plain-brown Woodcreeper | <i>Dendrocincla fuliginosa</i> | |
| 1 | B Plain-winged Woodcreeper | <i>Dendrocincla turdina</i> | Thrush-like Woodcreeper |
| 3 | B Wedge-billed Woodcreeper | <i>Glyphorhynchus spirurus</i> | |
| 3 | B Cinnamon-throated Woodcreeper | <i>Dendrexetastes rufigula</i> | |
| 1 | C Long-billed Woodcreeper | <i>Nasica longirostris</i> | |
| 2 | B Northern Barred-Woodcreeper | <i>Dendrocolaptes sanctithomae</i> | |
| 3 | B Amazonian Barred-Woodcreeper | <i>Dendrocolaptes certhia</i> | |
| 4 | B Planalto Woodcreeper | <i>Dendrocolaptes platyrostris</i> | |
| 1 | E Bar-bellied Woodcreeper | <i>Hylexetastes stresemanni</i> | |
| 3 | B Strong-billed Woodcreeper | <i>Xiphocolaptes promeropirhynchus</i> | |
| 1 | D Moustached Woodcreeper | <i>Xiphocolaptes falcirostris</i> | |
| 5 | B White-throated Woodcreeper | <i>Xiphocolaptes albicollis</i> | |
| 3 | B Great Rufous Woodcreeper | <i>Xiphocolaptes major</i> | |
| 3 | B Striped Woodcreeper | <i>Xiphorhynchus obsoletus</i> | |
| 1 | C Lesser Woodcreeper | <i>Xiphorhynchus fuscus</i> | |
| 1 | B Ocellated Woodcreeper | <i>Xiphorhynchus ocellatus</i> | Tschudi's Woodcreeper |
| 1 | C Elegant Woodcreeper | <i>Xiphorhynchus elegans</i> | |
| 3 | C Cocoa Woodcreeper | <i>Xiphorhynchus susurrans</i> | |
| 3 | B Buff-throated Woodcreeper | <i>Xiphorhynchus guttatus</i> | Lafresnaye's Woodcreeper |
| 1 | C Ivory-billed Woodcreeper | <i>Xiphorhynchus flavigaster</i> | |
| 2 | A Black-striped Woodcreeper | <i>Xiphorhynchus lachrymosus</i> | |
| 2 | B Spotted Woodcreeper | <i>Xiphorhynchus erythropygius</i> | |
| 2 | C Olive-backed Woodcreeper | <i>Xiphorhynchus triangularis</i> | |
| 5 | B Straight-billed Woodcreeper | <i>Dendroplex picus</i> | |
| 2 | A Red-billed Scythebill | <i>Campylorhamphus trochilirostris</i> | |
| 1 | E Black-billed Scythebill | <i>Campylorhamphus falcularius</i> | |
| 2 | B Brown-billed Scythebill | <i>Campylorhamphus pusillus</i> | |
| 1 | D Scimitar-billed Woodcreeper | <i>Drymornis bridgesii</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|---|--------------------------------------|--|
| 2 | B Streak-headed Woodcreeper | <i>Lepidocolaptes souleyetii</i> | |
| 3 | B Narrow-billed Woodcreeper | <i>Lepidocolaptes angustirostris</i> | |
| 1 | B Spot-crowned Woodcreeper | <i>Lepidocolaptes affinis</i> | |
| 1 | C Montane Woodcreeper | <i>Lepidocolaptes lacrymiger</i> | |
| 4 | B Scaled Woodcreeper | <i>Lepidocolaptes squamatus</i> | |
| 1 | C Scalloped Woodcreeper | <i>Lepidocolaptes falcinellus</i> | |
| 1 | D Duida Woodcreeper | <i>Lepidocolaptes duidae</i> | Lineated Woodcreeper |
| 1 | D Inambari Woodcreeper | <i>Lepidocolaptes fatimalimae</i> | Lineated Woodcreeper |
| 1 | B Northern Plain-Xenops | <i>Xenops mexicanus</i> | |
| 3 | B Streaked Xenops | <i>Xenops rutilans</i> | |
| 2 | C Point-tailed Palmcreeper | <i>Berlepschia rikeri</i> | |
| 3 | B White-throated Treerunner | <i>Pygarrhichas albogularis</i> | |
| 1 | B Rock Earthcreeper | <i>Ochetorhynchus andaecola</i> | |
| 1 | B Straight-billed Earthcreeper | <i>Ochetorhynchus ruficaudus</i> | |
| 2 | C Band-tailed Earthcreeper | <i>Ochetorhynchus phoenicurus</i> | |
| 3 | A Crag Chilia | <i>Ochetorhynchus melanurus</i> | Crag Earthcreeper |
| 1 | B Streaked Tuftedcheek | <i>Pseudocolaptes boissonneautii</i> | |
| 1 | D Chaco Earthcreeper | <i>Tarphononmus certhioides</i> | |
| 2 | C Wing-banded Hornero | <i>Furnarius figulus</i> | Band-winged Hornero, Band-tailed Hornero |
| 1 | C Pacific Hornero | <i>Furnarius cinnamomeus</i> | Pale-legged Hornero |
| 1 | C Pale-legged Hornero | <i>Furnarius leucopus</i> | |
| 1 | E Lesser Hornero | <i>Furnarius minor</i> | |
| 3 | B Rufous Hornero | <i>Furnarius rufus</i> | |
| 1 | D Crested Hornero | <i>Furnarius cristatus</i> | |
| 1 | B Sharp-tailed Streamcreeper | <i>Lochmias nematura</i> | |
| 3 | A Wren-like Rushbird | <i>Phleocryptes melanops</i> | |
| 1 | C Curve-billed Reedhaunter | <i>Limnornis curvirostris</i> | |
| 2 | B Striated Earthcreeper | <i>Geocerthia serrana</i> | |
| 3 | B Patagonian Forest Earthcreeper | <i>Upucerthia saturator</i> | |
| 4 | A Scale-throated Earthcreeper | <i>Upucerthia dumetaria</i> | |
| 1 | C White-throated Earthcreeper | <i>Upucerthia albigula</i> | |
| 2 | B Buff-breasted Earthcreeper | <i>Upucerthia validirostris</i> | Plain-breasted Earthcreeper |
| 1 | D Long-tailed Cinclodes | <i>Cinclodes pabsti</i> | |
| 1 | A Buff-winged Cinclodes | <i>Cinclodes fuscus</i> | Bar-winged Cinclodes |
| 1 | B Blackish Cinclodes | <i>Cinclodes antarcticus</i> | Tussock-bird |
| 4 | A Chestnut-winged Cinclodes | <i>Cinclodes albidiventris</i> | Bar-winged Cinclodes |
| 2 | A Cream-winged Cinclodes | <i>Cinclodes albiventris</i> | Bar-winged Cinclodes |
| 1 | B Stout-billed Cinclodes | <i>Cinclodes excelsior</i> | |
| 3 | A White-bellied Cinclodes | <i>Cinclodes palliatus</i> | |
| 2 | B White-winged Cinclodes | <i>Cinclodes atacamensis</i> | |
| 1 | C Dark-bellied Cinclodes | <i>Cinclodes patagonicus</i> | |
| 2 | B Seaside Cinclodes | <i>Cinclodes nigrofumosus</i> | Chilean Seaside Cinclodes |
| 1 | C White-collared Foliage-gleaner | <i>Anabazenops fuscus</i> | |
| 1 | C Great Xenops | <i>Megaxenops paraguayae</i> | |
| 4 | B Pale-browed Treehunter | <i>Cichlocolaptes leucophrus</i> | |
| 1 | D Slaty-winged Foliage-gleaner | <i>Neophilydor fuscipenne</i> | |
| 3 | B Rufous-rumped Foliage-gleaner | <i>Neophilydor erythrocercum</i> | |
| 1 | B Black-capped Foliage-gleaner | <i>Philydor atricapillus</i> | |
| 2 | B Scaly-throated Foliage-gleaner | <i>Anabacerthia variegaticeps</i> | |
| 1 | B Montane Foliage-gleaner | <i>Anabacerthia striaticollis</i> | |
| 1 | C Rufous-tailed Foliage-gleaner | <i>Anabacerthia ruficaudata</i> | |
| 2 | C Ochre-breasted Foliage-gleaner | <i>Anabacerthia lichtensteini</i> | |
| 1 | B Lineated Foliage-gleaner | <i>Syndactyla subalaris</i> | |
| 2 | C Buff-browed Foliage-gleaner | <i>Syndactyla rufosuperciliata</i> | |
| 3 | B Rufous-necked Foliage-gleaner | <i>Syndactyla ruficollis</i> | |
| 1 | B Chestnut-winged Hookbill | <i>Ancistrops strigilatus</i> | |
| 2 | B Buff-fronted Foliage-gleaner | <i>Dendroma rufa</i> | |
| 1 | E Chestnut-capped Foliage-gleaner | <i>Clibanornis rectirostris</i> | Henna-capped Foliage-gleaner |
| 1 | C Canebrake Groundcreeper | <i>Clibanornis dendrocolaptoides</i> | |
| 1 | E Henna-hooded Foliage-gleaner | <i>Clibanornis erythrocephalus</i> | |
| 1 | C Ruddy Foliage-gleaner | <i>Clibanornis rubiginosus</i> | |
| 1 | B Santa Marta Foliage-gleaner | <i>Clibanornis rufipectus</i> | |
| 3 | B Uniform Treehunter | <i>Thripadectes ignobilis</i> | |
| 1 | D Flammulated Treehunter | <i>Thripadectes flammulatus</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|--|---|-------------------------------|
| 1 | C Striped Treehunter | <i>Thripadectes holostictus</i> | |
| 2 | B Streak-capped Treehunter | <i>Thripadectes virgaticeps</i> | |
| 1 | B Black-billed Treehunter | <i>Thripadectes melanorhynchus</i> | |
| 1 | D Brown-rumped Foliage-gleaner | <i>Automolus melanopezus</i> | |
| 1 | C Ochre-throated Foliage-gleaner | <i>Automolus ochrolaemus</i> | Buff-throated Foliage-gleaner |
| 1 | B Western Woodhaunter | <i>Automolus virgatus</i> | Striped Woodhaunter |
| 4 | C White-eyed Foliage-gleaner | <i>Automolus leucophthalmus</i> | |
| 1 | B Spotted Barbtail | <i>Premnoplex brunnescens</i> | |
| 1 | E Ruddy Treerunner | <i>Margarornis rubiginosus</i> | |
| 1 | B Fulvous-dotted Treerunner | <i>Margarornis stellatus</i> | Star-chested Treerunner |
| 2 | B Pearled Treerunner | <i>Margarornis squamiger</i> | |
| 2 | A Thorn-tailed Rayadito | <i>Aphrastura spinicauda</i> | |
| 3 | B Des Murs's Wiretail | <i>Sylviorthorhynchus desmursii</i> | |
| 1 | D Tawny Tit-Spinetail | <i>Sylviorthorhynchus yanacensis</i> | |
| 2 | B Brown-capped Tit-Spinetail | <i>Leptasthenura fuliginiceps</i> | |
| 5 | A Plain-mantled Tit-Spinetail | <i>Leptasthenura aegithaloides</i> | |
| 1 | C Striolated Tit-Spinetail | <i>Leptasthenura striolata</i> | |
| 2 | C Rusty-crowned Tit-Spinetail | <i>Leptasthenura pileata</i> | |
| 1 | E White-browed Tit-Spinetail | <i>Leptasthenura xenothorax</i> | |
| 1 | C Andean Tit-Spinetail | <i>Leptasthenura andicola</i> | |
| 1 | C Araucaria Tit-Spinetail | <i>Leptasthenura setaria</i> | |
| 1 | B Rufous-fronted Thornbird | <i>Phacellodomus rufifrons</i> | Common Thornbird |
| 1 | B Mantaro Thornbird (undescribed form) | <i>Phacellodomus [undescribed form]</i> | |
| 1 | C Streak-fronted Thornbird | <i>Phacellodomus striaticeps</i> | |
| 1 | C Little Thornbird | <i>Phacellodomus sibilatrix</i> | |
| 2 | B Chestnut-backed Thornbird | <i>Phacellodomus dorsalis</i> | |
| 1 | C Spot-breasted Thornbird | <i>Phacellodomus maculipectus</i> | |
| 1 | B Freckle-breasted Thornbird | <i>Phacellodomus striaticollis</i> | |
| 2 | B Greater Thornbird | <i>Phacellodomus ruber</i> | |
| 2 | B Orange-eyed Thornbird | <i>Phacellodomus erythrophthalmus</i> | Red-eyed Thornbird |
| 3 | B Orange-breasted Thornbird | <i>Phacellodomus ferrugineigula</i> | Red-eyed Thornbird |
| 2 | C White-browed Spinetail | <i>Hellmayrea gularis</i> | |
| 3 | B Firewood-gatherer | <i>Anumbius anumbi</i> | |
| 1 | B Lark-like Brushrunner | <i>Coryphistera alaudina</i> | |
| 1 | C Rusty-vented Canastero | <i>Asthenes dorbignyi</i> | Creamy-breasted Canastero |
| 2 | B Cipo Canastero | <i>Asthenes luizae</i> | |
| 1 | D Austral Canastero | <i>Asthenes anthoides</i> | |
| 1 | C Many-striped Canastero | <i>Asthenes flammulata</i> | |
| 1 | A Junin Canastero | <i>Asthenes virgata</i> | |
| 2 | C Streak-backed Canastero | <i>Asthenes wyatti</i> | Puna Canastero |
| 4 | C Streak-throated Canastero | <i>Asthenes humilis</i> | |
| 4 | A Cordilleran Canastero | <i>Asthenes modesta</i> | |
| 2 | B Itatiaia Spinetail | <i>Asthenes moreirae</i> | Itatiaia Thistletail |
| 1 | E Sharp-billed Canastero | <i>Asthenes pyrrholeuca</i> | Lesser Canastero |
| 1 | C Puna Thistletail | <i>Asthenes helleri</i> | |
| 1 | A Canyon Canastero | <i>Asthenes pudibunda</i> | |
| 1 | C Eye-ringed Thistletail | <i>Asthenes palpebralis</i> | |
| 5 | B White-chinned Thistletail | <i>Asthenes fuliginosa</i> | |
| 1 | C Mouse-colored Thistletail | <i>Asthenes griseomurina</i> | |
| 1 | C Double-banded Graytail | <i>Xenerpestes minlosi</i> | Double-banded Greytail |
| 1 | C Equatorial Graytail | <i>Xenerpestes singularis</i> | Equatorial Greytail |
| 3 | B Spectacled Prickletail | <i>Siptornis striaticollis</i> | |
| 2 | C Striated Softtail | <i>Thripophaga macroura</i> | |
| 1 | B Orinoco Softtail | <i>Thripophaga cherriei</i> | |
| 3 | B Russet-mantled Softtail | <i>Cranioleuca berlepschi</i> | |
| 3 | A Marcapata Spinetail | <i>Cranioleuca marcapatae</i> | |
| 3 | B Rusty-backed Spinetail | <i>Cranioleuca vulpina</i> | |
| 2 | B Stripe-crowned Spinetail | <i>Cranioleuca pyrrhophia</i> | |
| 3 | B Pallid Spinetail | <i>Cranioleuca pallida</i> | |
| 1 | B Gray-headed Spinetail | <i>Cranioleuca semicinerea</i> | Grey-headed Spinetail |
| 1 | C Creamy-crested Spinetail | <i>Cranioleuca albicapilla</i> | |
| 4 | C Red-faced Spinetail | <i>Cranioleuca erythrops</i> | |
| 1 | B Streak-capped Spinetail | <i>Cranioleuca hellmayri</i> | |
| 1 | C Ash-browed Spinetail | <i>Cranioleuca curtata</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|--|--------------------------------------|-----------------------------|
| 2 | C Line-cheeked Spinetail | <i>Cranioleuca antisimensis</i> | Baron's Spinetail |
| 1 | B Dusky-tailed Canastero | <i>Pseudasthenes humicola</i> | |
| 1 | B Cactus Canastero | <i>Pseudasthenes cactorum</i> | |
| 2 | D Caatinga Cacholote | <i>Pseudoseisura cristata</i> | |
| 2 | B Rufous Cacholote | <i>Pseudoseisura unirufa</i> | Grey-crested Cacholote |
| 2 | B White-throated Cacholote | <i>Pseudoseisura gutturalis</i> | |
| 2 | A Yellow-chinned Spinetail | <i>Certhiaxis cinnamomeus</i> | |
| 3 | C Chotoy Spinetail | <i>Schoeniophylax phryganophilus</i> | |
| 1 | B Ochre-cheeked Spinetail | <i>Synallaxis scutata</i> | |
| 2 | B Gray-bellied Spinetail | <i>Synallaxis cinerascens</i> | Grey-bellied Spinetail |
| 2 | B Plain-crowned Spinetail | <i>Synallaxis gujanensis</i> | |
| 2 | C White-lored Spinetail | <i>Synallaxis albilora</i> | |
| 1 | E Great Spinetail | <i>Synallaxis hypochondriaca</i> | |
| 2 | B Necklaced Spinetail | <i>Synallaxis stictothorax</i> | |
| 1 | C Chinchipe Spinetail | <i>Synallaxis chinchipensis</i> | Necklaced Spinetail |
| 1 | C Slaty Spinetail | <i>Synallaxis brachyura</i> | |
| 1 | C Silvery-throated Spinetail | <i>Synallaxis subpudica</i> | |
| 2 | D Red-shouldered Spinetail | <i>Synallaxis hellmayri</i> | |
| 1 | C Rufous-capped Spinetail | <i>Synallaxis ruficapilla</i> | |
| 2 | D Bahia Spinetail | <i>Synallaxis cinerea</i> | |
| 1 | D Pinto's Spinetail | <i>Synallaxis infuscata</i> | |
| 3 | C Cinereous-breasted Spinetail | <i>Synallaxis hypospodia</i> | |
| 1 | D Spix's Spinetail | <i>Synallaxis spixi</i> | |
| 1 | B Dark-breasted Spinetail | <i>Synallaxis albigularis</i> | |
| 1 | D Pale-breasted Spinetail | <i>Synallaxis albescens</i> | |
| 2 | C Sooty-fronted Spinetail | <i>Synallaxis frontalis</i> | |
| 1 | B Azara's Spinetail | <i>Synallaxis azarae</i> | |
| 1 | E Rufous-breasted Spinetail | <i>Synallaxis erythrothorax</i> | |
| 1 | B White-whiskered Spinetail | <i>Synallaxis candei</i> | |
| 1 | D Blackish-headed Spinetail | <i>Synallaxis tithys</i> | |
| 1 | B Rufous Spinetail | <i>Synallaxis unirufa</i> | |
| 3 | B Ruddy Spinetail | <i>Synallaxis rutilans</i> | |
| | MANAKINS | PIPRIDAE | |
| 1 | D Dwarf Tyrant-Manakin | <i>Tyranneutes stolzmanni</i> | |
| 1 | D Tiny Tyrant-Manakin | <i>Tyranneutes virescens</i> | |
| 2 | C Pale-bellied Tyrant-Manakin | <i>Neopelma pallescens</i> | |
| 2 | B Saffron-crested Tyrant-Manakin | <i>Neopelma chrysocephalum</i> | |
| 2 | A Wied's Tyrant-Manakin | <i>Neopelma aurifrons</i> | |
| 1 | D Sulphur-bellied Tyrant-Manakin | <i>Neopelma sulphureiventer</i> | |
| 1 | C Serra do Mar Tyrant-Manakin | <i>Protopelma chrysolophum</i> | |
| 1 | D Yellow-headed Manakin | <i>Chloropipo flavicapilla</i> | |
| 6 | A Araripe Manakin | <i>Chiroxiphia bokermanni</i> | |
| 3 | C Helmeted Manakin | <i>Chiroxiphia galeata</i> | |
| 1 | B Lance-tailed Manakin | <i>Chiroxiphia lanceolata</i> | |
| 2 | B Blue-backed Manakin | <i>Chiroxiphia pareola</i> | |
| 1 | C Swallow-tailed Manakin | <i>Chiroxiphia caudata</i> | Blue Manakin |
| 3 | B Pin-tailed Manakin | <i>Ilicura militaris</i> | |
| 3 | C Golden-winged Manakin | <i>Masius chrysopterus</i> | |
| 2 | B White-ruffed Manakin | <i>Corapipo altera</i> | |
| 1 | B White-bibbed Manakin | <i>Corapipo leucorrhoea</i> | |
| 2 | A White-throated Manakin | <i>Corapipo gutturalis</i> | |
| 4 | A Black Manakin | <i>Xenopipo atronitens</i> | |
| 1 | B Choco Manakin | <i>Cryptopipo litae</i> | Green Manakin, Lita Manakin |
| 2 | C Velvety Manakin | <i>Lepidothrix velutina</i> | Blue-crowned Manakin |
| 9 | A Snow-capped Manakin | <i>Lepidothrix nattereri</i> | |
| 4 | A White-fronted Manakin | <i>Lepidothrix serena</i> | |
| 1 | D Blue-rumped Manakin | <i>Lepidothrix isidorei</i> | |
| 2 | B Orange-crowned Manakin | <i>Heterocercus aurantiivertex</i> | Orange-crested Manakin |
| 4 | B Yellow-crowned Manakin | <i>Heterocercus flavivertex</i> | Yellow-crested Manakin |
| 2 | B Flame-crowned Manakin | <i>Heterocercus linteatus</i> | Flame-crested Manakin |
| 1 | B White-collared Manakin | <i>Manacus candei</i> | |
| 3 | B Golden-collared Manakin | <i>Manacus vitellinus</i> | |
| 2 | B White-bearded Manakin | <i>Manacus manacus</i> | |
| 1 | A Crimson-hooded Manakin | <i>Pipra aureola</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|---|------------------------------------|--|
| 3 | B Wire-tailed Manakin | <i>Pipra filicauda</i> | |
| 2 | C Band-tailed Manakin | <i>Pipra fasciicauda</i> | |
| 2 | B Club-winged Manakin | <i>Machaeropterus deliciosus</i> | |
| 1 | B Striolated Manakin | <i>Machaeropterus striolatus</i> | Western Striped Manakin, Striped Manakin |
| 1 | A Kinglet Manakin | <i>Machaeropterus regulus</i> | Eastern Striped Manakin, Striped Manakin |
| 3 | C Fiery-capped Manakin | <i>Machaeropterus pyrocephalus</i> | |
| 9 | A White-crowned Manakin | <i>Pseudopipra pipra</i> | |
| 1 | D Scarlet-horned Manakin | <i>Ceratopipra cornuta</i> | |
| 4 | C Red-capped Manakin | <i>Ceratopipra mentalis</i> | |
| 1 | D Golden-headed Manakin | <i>Ceratopipra erythrocephala</i> | |
| 2 | D Red-headed Manakin | <i>Ceratopipra rubrocapilla</i> | |
| | COTINGAS | COTINGIDAE | |
| 2 | C Hooded Berryeater | <i>Carpornis cucullata</i> | |
| 4 | A Green-and-black Fruiteater | <i>Pipreola riefferii</i> | |
| 5 | A Barred Fruiteater | <i>Pipreola arcuata</i> | |
| 1 | E Golden-breasted Fruiteater | <i>Pipreola aureopectus</i> | |
| 3 | A Orange-breasted Fruiteater | <i>Pipreola jucunda</i> | |
| 1 | E Black-chested Fruiteater | <i>Pipreola lubomirskii</i> | |
| 1 | B Masked Fruiteater | <i>Pipreola pulchra</i> | |
| 4 | B Scarlet-breasted Fruiteater | <i>Pipreola frontalis</i> | |
| 2 | D Fiery-throated Fruiteater | <i>Pipreola chlorolepidota</i> | |
| 1 | B Red-banded Fruiteater | <i>Pipreola whitelyi</i> | |
| 1 | B Scaled Fruiteater | <i>Ampelioides tschudii</i> | |
| 2 | B Peruvian Plantcutter | <i>Phytotoma raimondii</i> | |
| 3 | B White-tipped Plantcutter | <i>Phytotoma rutila</i> | |
| 2 | C Rufous-tailed Plantcutter | <i>Phytotoma rara</i> | |
| 4 | B Swallow-tailed Cotinga | <i>Phibalura flavirostris</i> | |
| 3 | B Chestnut-bellied Cotinga | <i>Doliornis remseni</i> | |
| 2 | A Bay-vented Cotinga | <i>Doliornis sclateri</i> | |
| 1 | B Red-crested Cotinga | <i>Ampelion rubrocristatus</i> | |
| 2 | C Chestnut-crested Cotinga | <i>Ampelion rufaxilla</i> | |
| 1 | C Black-necked Red-Cotinga | <i>Phoenicircus nigricollis</i> | |
| 5 | A Guianan Cock-of-the-rock | <i>Rupicola rupicola</i> | |
| 3 | B Andean Cock-of-the-rock | <i>Rupicola peruvianus</i> | |
| 1 | E Gray-tailed Piha | <i>Snowornis subalaris</i> | Grey-tailed Piha |
| 1 | D Olivaceous Piha | <i>Snowornis cryptolophus</i> | |
| 1 | C Crimson Fruitcrow | <i>Haematoderus militaris</i> | |
| 2 | B Purple-throated Fruitcrow | <i>Querula purpurata</i> | |
| 3 | A Red-ruffed Fruitcrow | <i>Pyroderus scutatus</i> | |
| 1 | C Bare-necked Umbrellabird | <i>Cephalopterus glabricollis</i> | |
| 4 | B Amazonian Umbrellabird | <i>Cephalopterus ornatus</i> | |
| 4 | A Long-wattled Umbrellabird | <i>Cephalopterus penduliger</i> | |
| 2 | C Capuchinbird | <i>Perissocephalus tricolor</i> | |
| 1 | B Blue Cotinga | <i>Cotinga nattererii</i> | |
| 1 | D Banded Cotinga | <i>Cotinga maculata</i> | |
| 3 | C Spangled Cotinga | <i>Cotinga cayana</i> | |
| 1 | C Rufous Piha | <i>Lipaugus unirufus</i> | |
| 1 | E Rose-collared Piha | <i>Lipaugus streptophorus</i> | |
| 1 | D Screaming Piha | <i>Lipaugus vociferans</i> | |
| 4 | C Cinnamon-vented Piha | <i>Lipaugus lanioides</i> | |
| 1 | B Black-and-gold Cotinga | <i>Lipaugus ater</i> | |
| 2 | D Gray-winged Cotinga | <i>Lipaugus conditus</i> | Grey-winged Cotinga |
| 1 | D Chestnut-capped Piha | <i>Lipaugus weberi</i> | |
| 1 | B Dusky Piha | <i>Lipaugus fuscocinereus</i> | |
| 1 | E Bearded Bellbird | <i>Procnias averano</i> | |
| 1 | C Bare-throated Bellbird | <i>Procnias nudicollis</i> | |
| 3 | C Black-tipped Cotinga | <i>Carpodectes hopkei</i> | |
| 2 | D Snowy Cotinga | <i>Carpodectes nitidus</i> | |
| 4 | B Pompadour Cotinga | <i>Xipholena punicea</i> | |
| 1 | C White-tailed Cotinga | <i>Xipholena lamellipennis</i> | |
| 2 | C White-winged Cotinga | <i>Xipholena atropurpurea</i> | |
| 2 | C Bare-necked Fruitcrow | <i>Gymnoderus foetidus</i> | |
| | TITYRAS AND ALLIES | TITYRIDAE | |
| 2 | A Black-tailed Tityra | <i>Tityra cayana</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|---|-----------------------------------|---|
| 2 | D Black-crowned Tityra | <i>Tityra inquisitor</i> | |
| 4 | B Masked Tityra | <i>Tityra semifasciata</i> | |
| 1 | A Varzea Schiffornis | <i>Schiffornis major</i> | |
| 2 | B Northern Schiffornis | <i>Schiffornis veraepacis</i> | Thrush-like Schiffornis |
| 2 | B Brown-winged Schiffornis | <i>Schiffornis turdina</i> | Thrush-like Schiffornis |
| 3 | B Greenish Schiffornis | <i>Schiffornis virescens</i> | |
| 1 | E Cinereous Mourner | <i>Laniocera hypopyrra</i> | |
| 2 | B White-browed Purpletuft | <i>Iodopleura isabellae</i> | |
| 1 | C Dusky Purpletuft | <i>Iodopleura fusca</i> | |
| 2 | C Buff-throated Purpletuft | <i>Iodopleura pipra</i> | |
| 2 | C Brazilian Laniisoma | <i>Laniisoma elegans</i> | Shrike-like Cotinga, Elegant Mourner |
| 2 | C White-naped Xenopsaris | <i>Xenopsaris albinucha</i> | |
| 2 | A Green-backed Becard | <i>Pachyramphus viridis</i> | |
| 3 | B Barred Becard | <i>Pachyramphus versicolor</i> | |
| 3 | A Cinereous Becard | <i>Pachyramphus rufus</i> | |
| 1 | B Cinnamon Becard | <i>Pachyramphus cinnamomeus</i> | |
| 2 | A Chestnut-crowned Becard | <i>Pachyramphus castaneus</i> | |
| 3 | C White-winged Becard | <i>Pachyramphus polychopterus</i> | |
| 1 | B Cryptic Becard | <i>Pachyramphus salvini</i> | Black-and-white Becard |
| 2 | C Gray-collared Becard | <i>Pachyramphus major</i> | Grey-collared Becard |
| 1 | E Glossy-backed Becard | <i>Pachyramphus surinamus</i> | |
| 2 | C Jamaican Becard | <i>Pachyramphus niger</i> | |
| 2 | C One-colored Becard | <i>Pachyramphus homochrous</i> | |
| 1 | C Pink-throated Becard | <i>Pachyramphus minor</i> | |
| | SHARPBILL | OXYRUNCIDAE | |
| 2 | D Sharpbill | <i>Oxyruncus cristatus</i> | |
| | ROYAL FLYCATCHERS AND ALLIES | ONYCHORHYNCHIDAE | |
| 4 | B Tropical Royal Flycatcher | <i>Onychorhynchus coronatus</i> | Pacific Royal Flycatcher, Northern Royal Flycatcher |
| 1 | C Atlantic Royal Flycatcher | <i>Onychorhynchus swainsoni</i> | Royal Flycatcher, Swainson's Royal Flycatcher |
| 2 | B Ruddy-tailed Flycatcher | <i>Terenotriccus erythurus</i> | |
| 1 | C Sulphur-rumped Flycatcher | <i>Myiobius sulphureipygius</i> | Sulphur-rumped Myiobius |
| 3 | B Whiskered Flycatcher | <i>Myiobius barbatus</i> | Whiskered Myiobius |
| 2 | C Black-tailed Flycatcher | <i>Myiobius atricaudus</i> | Black-tailed Myiobius |
| | TYRANT FLYCATCHERS | TYRANNIDAE | |
| 1 | B Wing-barred Piprites | <i>Piprites chloris</i> | |
| 2 | B Black-capped Piprites | <i>Piprites pileata</i> | |
| 1 | D Stub-tailed Spadebill | <i>Platyrinchus cancrinus</i> | |
| 4 | B White-throated Spadebill | <i>Platyrinchus mystaceus</i> | |
| 5 | A Golden-crowned Spadebill | <i>Platyrinchus coronatus</i> | |
| 1 | E Yellow-throated Spadebill | <i>Platyrinchus flavigularis</i> | |
| 1 | D White-crested Spadebill | <i>Platyrinchus platyrhynchos</i> | |
| 3 | B Many-colored Rush Tyrant | <i>Tachuris rubrigastra</i> | |
| 2 | B Olive-striped Flycatcher | <i>Mionectes olivaceus</i> | |
| 1 | C Ochre-bellied Flycatcher | <i>Mionectes oleagineus</i> | |
| 1 | C Gray-hooded Flycatcher | <i>Mionectes rufiventris</i> | Grey-hooded Flycatcher |
| 5 | B Sepia-capped Flycatcher | <i>Leptopogon amaurocephalus</i> | |
| 4 | B Slaty-capped Flycatcher | <i>Leptopogon superciliaris</i> | |
| 1 | B Rufous-breasted Flycatcher | <i>Leptopogon rufipectus</i> | |
| 1 | B Inca Flycatcher | <i>Leptopogon taczanowskii</i> | |
| 2 | B Serra do Mar Bristle-Tyrant | <i>Pogonotriccus difficilis</i> | Serra do Mar Tyrannulet |
| 2 | B Marble-faced Bristle-Tyrant | <i>Pogonotriccus ophthalmicus</i> | |
| 1 | E Antioquia Bristle-Tyrant | <i>Pogonotriccus lanyoni</i> | |
| 2 | C Sao Paulo Bristle-Tyrant | <i>Pogonotriccus paulista</i> | Sao Paulo Tyrannulet |
| 2 | C Oustalet's Tyrannulet | <i>Phylloscartes oustaleti</i> | |
| 1 | C Yellow-green Tyrannulet | <i>Phylloscartes flavovirens</i> | Panamanian Tyrannulet, Panama Tyrannulet |
| 3 | B Mottle-cheeked Tyrannulet | <i>Phylloscartes ventralis</i> | |
| 2 | B Restinga Tyrannulet | <i>Phylloscartes kronei</i> | |
| 1 | C Bay-ringed Tyrannulet | <i>Phylloscartes sylviolus</i> | |
| 1 | E Alagoas Tyrannulet | <i>Phylloscartes ceciliae</i> | |
| 2 | D Minas Gerais Tyrannulet | <i>Phylloscartes roquettei</i> | |
| 1 | B Ecuadorian Tyrannulet | <i>Phylloscartes gualaquizae</i> | |
| 2 | B Bronze-olive Pygmy-Tyrant | <i>Pseudotriccus pelzelni</i> | |
| 5 | B Rufous-headed Pygmy-Tyrant | <i>Pseudotriccus ruficeps</i> | |
| 1 | D Ringed Antpipit | <i>Corythopis torquatus</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|---|---------------------------------------|--|
| 1 | C Southern Antpitt | <i>Corythopsis delalandi</i> | |
| 4 | B Eared Pygmy-Tyrant | <i>Myiornis auricularis</i> | |
| 1 | E White-bellied Pygmy-Tyrant | <i>Myiornis albiventris</i> | |
| 3 | A Black-capped Pygmy-Tyrant | <i>Myiornis atricapillus</i> | |
| 1 | B Short-tailed Pygmy-Tyrant | <i>Myiornis ecaudatus</i> | |
| 2 | C Scale-crested Pygmy-Tyrant | <i>Lophotriccus pileatus</i> | |
| 1 | C Double-banded Pygmy-Tyrant | <i>Lophotriccus vitiosus</i> | |
| 1 | D Pale-eyed Pygmy-Tyrant | <i>Atalotriccus pilaris</i> | |
| 2 | B Northern Bentbill | <i>Oncostoma cinereigulare</i> | |
| 1 | B Southern Bentbill | <i>Oncostoma olivaceum</i> | |
| 1 | D Drab-breasted Pygmy-Tyrant | <i>Hemitriccus diops</i> | Drab-breasted Bamboo Tyrant |
| 1 | E White-eyed Tody-Tyrant | <i>Hemitriccus zosterops</i> | |
| 1 | D White-bellied Tody-Tyrant | <i>Hemitriccus griseipectus</i> | |
| 2 | A Eye-ringed Tody-Tyrant | <i>Hemitriccus orbitatus</i> | |
| 1 | C Stripe-necked Tody-Tyrant | <i>Hemitriccus striaticollis</i> | |
| 3 | B Hangnest Tody-Tyrant | <i>Hemitriccus nidipendulus</i> | |
| 1 | B Pearly-vented Tody-Tyrant | <i>Hemitriccus margaritaceiventer</i> | |
| 1 | C Zimmer's Tody-Tyrant | <i>Hemitriccus minimus</i> | |
| 2 | C Black-throated Tody-Tyrant | <i>Hemitriccus granadensis</i> | |
| 1 | C Cinnamon-breasted Tody-Tyrant | <i>Hemitriccus cinnamomeipectus</i> | |
| 2 | C Buff-breasted Tody-Tyrant | <i>Hemitriccus mirandae</i> | |
| 1 | D Kaempfer's Tody-Tyrant | <i>Hemitriccus kaempferi</i> | |
| 1 | C Buff-throated Tody-Tyrant | <i>Hemitriccus rufigularis</i> | |
| 2 | B Fork-tailed Pygmy-Tyrant | <i>Hemitriccus furcatus</i> | Fork-tailed Tody-Tyrant |
| 3 | A Rufous-crowned Tody-Flycatcher | <i>Poecilotriccus ruficeps</i> | |
| 2 | B Johnson's Tody-Flycatcher | <i>Poecilotriccus luluae</i> | Lulu's Tody-Flycatcher |
| 2 | C Black-and-white Tody-Flycatcher | <i>Poecilotriccus capitalis</i> | |
| 1 | B Ochre-faced Tody-Flycatcher | <i>Poecilotriccus plumbeiceps</i> | |
| 2 | B Rusty-fronted Tody-Flycatcher | <i>Poecilotriccus latirostris</i> | |
| 2 | C Slate-headed Tody-Flycatcher | <i>Poecilotriccus sylvia</i> | Slaty-headed Tody-Flycatcher |
| 1 | C Golden-winged Tody-Flycatcher | <i>Poecilotriccus calopterus</i> | |
| 5 | C Spotted Tody-Flycatcher | <i>Todirostrum maculatum</i> | |
| 3 | B Gray-headed Tody-Flycatcher | <i>Todirostrum poliocephalum</i> | Yellow-lored Tody-Flycatcher |
| 2 | A Common Tody-Flycatcher | <i>Todirostrum cinereum</i> | |
| 2 | B Black-headed Tody-Flycatcher | <i>Todirostrum nigriceps</i> | |
| 1 | A Painted Tody-Flycatcher | <i>Todirostrum pictum</i> | |
| 2 | B Yellow-browed Tody-Flycatcher | <i>Todirostrum chrysocrotaphum</i> | |
| 2 | B Brownish Twistwing | <i>Cnipodectes subbrunneus</i> | Brownish Flycatcher |
| 2 | D Eye-ringed Flatbill | <i>Rhynchocyclus brevirostris</i> | |
| 2 | C Western Olivaceous Flatbill | <i>Rhynchocyclus aequinoctialis</i> | |
| 1 | C Pacific Flatbill | <i>Rhynchocyclus pacificus</i> | |
| 3 | B Fulvous-breasted Flatbill | <i>Rhynchocyclus fulvipectus</i> | |
| 4 | C Yellow-olive Flatbill | <i>Tolmomyias sulphurescens</i> | Yellow-olive Flycatcher |
| 1 | B Yellow-winged Flatbill | <i>Tolmomyias flavotectus</i> | Yellow-margined Flycatcher, Yellow-winged Flycatcher |
| 1 | B Yellow-margined Flatbill | <i>Tolmomyias assimilis</i> | Yellow-margined Flycatcher, Zimmer's Flatbill |
| 1 | B Gray-crowned Flatbill | <i>Tolmomyias poliocephalus</i> | Gray-crowned Flycatcher, Grey-crowned Flatbill |
| 1 | C Olive-faced Flatbill | <i>Tolmomyias viridiceps</i> | Yellow-breasted Flycatcher, Olive-faced Flycatcher |
| 1 | B Ochre-lored Flatbill | <i>Tolmomyias flaviventris</i> | Yellow-breasted Flycatcher, Ochre-lored Flycatcher |
| 5 | A Cinnamon Flycatcher | <i>Pyrrhomyias cinnamomeus</i> | |
| 5 | B Cliff Flycatcher | <i>Hirundinea ferruginea</i> | |
| 3 | A Ornate Flycatcher | <i>Myiotriccus ornatus</i> | |
| 2 | B Orange-banded Flycatcher | <i>Nephelomyias lintoni</i> | |
| 2 | B Ochraceous-breasted Flycatcher | <i>Nephelomyias ochraceiventris</i> | |
| 2 | B Yellow-bellied Tyrannulet | <i>Ornithion semiflavum</i> | |
| 2 | B Brown-capped Tyrannulet | <i>Ornithion brunneicapillus</i> | |
| 1 | C White-lored Tyrannulet | <i>Ornithion inerme</i> | |
| 3 | B Northern Beardless-Tyrannulet | <i>Camptostoma imberbe</i> | |
| 5 | B Southern Beardless-Tyrannulet | <i>Camptostoma obsoletum</i> | |
| 3 | B Suiriri Flycatcher | <i>Suiriri suiriri</i> | |
| 1 | B White-tailed Tyrannulet | <i>Mecocerculus poecilocercus</i> | |
| 1 | B Buff-banded Tyrannulet | <i>Mecocerculus hellmayri</i> | |
| 1 | D White-banded Tyrannulet | <i>Mecocerculus stictopterus</i> | |
| 3 | B White-throated Tyrannulet | <i>Mecocerculus leucophrys</i> | |
| 1 | D Rufous-winged Tyrannulet | <i>Mecocerculus calopterus</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|--|-------------------------------------|---|
| 1 | C Sulphur-bellied Tyrannulet | <i>Mecocerculus minor</i> | |
| 3 | C Black-crested Tit-Tyrant | <i>Anairetes nigrocristatus</i> | |
| 1 | B Ash-breasted Tit-Tyrant | <i>Anairetes alpinus</i> | |
| 3 | B Yellow-billed Tit-Tyrant | <i>Anairetes flavirostris</i> | |
| 4 | A Tufted Tit-Tyrant | <i>Anairetes parulus</i> | |
| 2 | B Agile Tit-Tyrant | <i>Uromyias agilis</i> | |
| 2 | B Unstreaked Tit-Tyrant | <i>Uromyias agraphia</i> | |
| 1 | B Tumbesian Tyrannulet | <i>Nesotriccus tumbezanus</i> | Mouse-colored Tyrannulet, Tumbes Tyrannulet |
| 2 | B Marañon Tyrannulet | <i>Nesotriccus maranonicus</i> | Mouse-colored Tyrannulet |
| 5 | B Mouse-colored Tyrannulet | <i>Nesotriccus murinus</i> | |
| 2 | A Yellow Tyrannulet | <i>Capsiempis flaveola</i> | |
| 1 | E Bearded Tachuri | <i>Polystictus pectoralis</i> | |
| 4 | A Gray-backed Tachuri | <i>Polystictus superciliaris</i> | Grey-backed Tachuri |
| 2 | B Sharp-tailed Tyrant | <i>Culicivora caudacuta</i> | Sharp-tailed Grass Tyrant |
| 2 | B Subtropical Doradito | <i>Pseudocolopteryx acutipennis</i> | |
| 2 | B Yellow-crowned Tyrannulet | <i>Tyrannulus elatus</i> | |
| 4 | B Forest Elaenia | <i>Myiopagis gaimardii</i> | |
| 1 | D Amazonian Elaenia | <i>Myiopagis cinerea</i> | Gray Elaenia |
| 2 | C Gray-headed Elaenia | <i>Myiopagis caniceps</i> | Gray Elaenia, Grey-headed Elaenia |
| 1 | C Pacific Elaenia | <i>Myiopagis subplacens</i> | |
| 1 | A Yellow-crowned Elaenia | <i>Myiopagis flavivertex</i> | |
| 1 | C Jamaican Elaenia | <i>Myiopagis cotta</i> | |
| 1 | D Greenish Elaenia | <i>Myiopagis viridicata</i> | |
| 2 | B Plain-crested Elaenia | <i>Elaenia cristata</i> | |
| 1 | C Rufous-crowned Elaenia | <i>Elaenia ruficeps</i> | |
| 1 | D Slaty Elaenia | <i>Elaenia strepera</i> | |
| 2 | C Mottle-backed Elaenia | <i>Elaenia gigas</i> | |
| 2 | A Small-headed Elaenia | <i>Elaenia sordida</i> | Highland Elaenia |
| 1 | C Highland Elaenia | <i>Elaenia obscura</i> | |
| 2 | B Yellow-bellied Elaenia | <i>Elaenia flavogaster</i> | |
| 1 | E Small-billed Elaenia | <i>Elaenia parvirostris</i> | |
| 1 | B Olivaceous Elaenia | <i>Elaenia mesoleuca</i> | |
| 1 | C Lesser Elaenia | <i>Elaenia chiriquensis</i> | |
| 2 | A White-crested Elaenia | <i>Elaenia albiceps</i> | Chilean Elaenia |
| 1 | B Caribbean Elaenia | <i>Elaenia martinica</i> | |
| 4 | A Torrent Tyrannulet | <i>Serpophaga cinerea</i> | |
| 1 | B River Tyrannulet | <i>Serpophaga hypoleuca</i> | |
| 2 | B Sooty Tyrannulet | <i>Serpophaga nigricans</i> | |
| 2 | C White-crested Tyrannulet | <i>Serpophaga subcristata</i> | White-bellied Tyrannulet |
| 1 | A Straneck's Tyrannulet | <i>Serpophaga griseicapilla</i> | |
| 2 | B Greenish Tyrannulet | <i>Phyllomyias virescens</i> | |
| 2 | C Sclater's Tyrannulet | <i>Phyllomyias sclateri</i> | |
| 1 | B Planalto Tyrannulet | <i>Phyllomyias fasciatus</i> | |
| 3 | B Sooty-headed Tyrannulet | <i>Phyllomyias griseiceps</i> | |
| 1 | D Plumbeous-crowned Tyrannulet | <i>Phyllomyias plumbeiceps</i> | |
| 3 | A Gray-capped Tyrannulet | <i>Phyllomyias griseicapilla</i> | Grey-capped Tyrannulet |
| 1 | B Rough-legged Tyrannulet | <i>Acrochordopus burmeisteri</i> | |
| 1 | C Black-capped Tyrannulet | <i>Tyranniscus nigrocapillus</i> | |
| 1 | C Ashy-headed Tyrannulet | <i>Tyranniscus cinereiceps</i> | |
| 1 | B Tawny-rumped Tyrannulet | <i>Tyranniscus uropygialis</i> | |
| 1 | C Red-billed Tyrannulet | <i>Zimmerius cinereicapilla</i> | |
| 1 | A Mishana Tyrannulet | <i>Zimmerius villarejoi</i> | |
| 4 | C Guianan Tyrannulet | <i>Zimmerius acer</i> | |
| 1 | B Mistletoe Tyrannulet | <i>Zimmerius parvus</i> | Paltry Tyrannulet |
| 1 | B Choco Tyrannulet | <i>Zimmerius albigularis</i> | |
| 2 | B Golden-faced Tyrannulet | <i>Zimmerius chrysops</i> | |
| 2 | B Peruvian Tyrannulet | <i>Zimmerius viridiflavus</i> | Loja Tyrannulet, Golden-faced Tyrannulet |
| 1 | B Slender-footed Tyrannulet | <i>Zimmerius gracilipes</i> | |
| 2 | B Fulvous-faced Scrub-Tyrant | <i>Euscarthmus fulviceps</i> | Tawny-crowned Pygmy-Tyrant, Fulvous-headed Pygmy-Tyrant |
| 1 | D Fulvous-crowned Scrub-Tyrant | <i>Euscarthmus meloryphus</i> | Tawny-crowned Pygmy-Tyrant |
| 2 | A Rufous-sided Scrub-Tyrant | <i>Euscarthmus rufomarginatus</i> | Rufous-sided Pygmy-Tyrant |
| 3 | B Gray-and-white Tyrannulet | <i>Pseudelaenia leucospodia</i> | Grey-and-white Tyrannulet |
| 1 | B Lesser Wagtail-Tyrant | <i>Stigmatura napensis</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|---|------------------------------------|--|
| 1 | D Bahia Wagtail-Tyrant | <i>Stigmatura bahiae</i> | |
| 1 | B Greater Wagtail-Tyrant | <i>Stigmatura budytoides</i> | Caatinga Wagtail-Tyrant |
| 1 | C Plain Tyrannulet | <i>Inezia inornata</i> | Plain Inezia |
| 2 | A Amazonian Tyrannulet | <i>Inezia subflava</i> | Amazonian Inezia |
| 2 | B Pale-tipped Tyrannulet | <i>Inezia caudata</i> | Pale-tipped Inezia |
| 1 | C Flavescent Flycatcher | <i>Myiophobus flavicans</i> | |
| 1 | C Orange-crested Flycatcher | <i>Myiophobus phoenicomitra</i> | |
| 1 | B Olive-chested Flycatcher | <i>Myiophobus cryptoxanthus</i> | |
| 2 | B Bran-colored Flycatcher | <i>Myiophobus fasciatus</i> | |
| 2 | C Mouse-gray Flycatcher | <i>Myiophobus crypterythrus</i> | Bran-colored Flycatcher, Mouse-grey Flycatcher |
| 3 | B Euler's Flycatcher | <i>Lathrotriccus euleri</i> | |
| 2 | B Gray-breasted Flycatcher | <i>Lathrotriccus griseipectus</i> | Grey-breasted Flycatcher |
| 2 | B Belted Flycatcher | <i>Xenotriccus callizonus</i> | |
| 3 | B Pileated Flycatcher | <i>Xenotriccus mexicanus</i> | |
| 2 | B Tufted Flycatcher | <i>Mitrephanes phaeocercus</i> | Northern Tufted-Flycatcher |
| 3 | B Greater Pewee | <i>Contopus pertinax</i> | |
| 1 | C Dark Pewee | <i>Contopus lugubris</i> | |
| 2 | B Smoke-colored Pewee | <i>Contopus fumigatus</i> | |
| 1 | C Jamaican Pewee | <i>Contopus pallidus</i> | |
| 2 | B Tumbes Pewee | <i>Contopus punensis</i> | Tropical Pewee |
| 1 | C Blackish Pewee | <i>Contopus nigrescens</i> | |
| 2 | C Southern Tropical Pewee | <i>Contopus cinereus</i> | Tropical Pewee |
| 3 | A Western Wood-Pewee | <i>Contopus sordidulus</i> | |
| 1 | C Northern Tropical Pewee | <i>Contopus bogotensis</i> | Tropical Pewee |
| 2 | B Eastern Wood-Pewee | <i>Contopus virens</i> | |
| 2 | C Fuscous Flycatcher | <i>Cnemotriccus fuscatus</i> | |
| 1 | B Yellow-bellied Flycatcher | <i>Empidonax flaviventris</i> | |
| 2 | B Acadian Flycatcher | <i>Empidonax virescens</i> | |
| 1 | A Alder Flycatcher | <i>Empidonax alnorum</i> | |
| 2 | A Willow Flycatcher | <i>Empidonax traillii</i> | |
| 1 | B Least Flycatcher | <i>Empidonax minimus</i> | |
| 1 | C Hammond's Flycatcher | <i>Empidonax hammondii</i> | |
| 3 | B Gray Flycatcher | <i>Empidonax wrightii</i> | American Grey Flycatcher |
| 1 | D Dusky Flycatcher | <i>Empidonax oberholseri</i> | American Dusky Flycatcher |
| 3 | B Western Flycatcher | <i>Empidonax difficilis</i> | Cordilleran Flycatcher |
| 2 | B Yellowish Flycatcher | <i>Empidonax flavescens</i> | |
| 4 | A Buff-breasted Flycatcher | <i>Empidonax fulvifrons</i> | |
| 1 | B Black-capped Flycatcher | <i>Empidonax atriceps</i> | |
| 1 | C Black Phoebe | <i>Sayornis nigricans</i> | |
| 1 | B Eastern Phoebe | <i>Sayornis phoebe</i> | |
| 4 | A Say's Phoebe | <i>Sayornis saya</i> | |
| 4 | B Chapada Flycatcher | <i>Guyramemua affine</i> | |
| 1 | C Northern Scrub-Flycatcher | <i>Sublegatus arenarum</i> | |
| 1 | C Southern Scrub-Flycatcher | <i>Sublegatus modestus</i> | |
| 8 | A Vermilion Flycatcher | <i>Pyrocephalus rubinus</i> | |
| 4 | A Austral Negrito | <i>Lessonia rufa</i> | |
| 1 | B Andean Negrito | <i>Lessonia oreas</i> | |
| 2 | B Riverside Tyrant | <i>Knipolegus orenocensis</i> | |
| 1 | C Rufous-tailed Tyrant | <i>Knipolegus poecilurus</i> | |
| 1 | D Amazonian Black-Tyrant | <i>Knipolegus poecilocercus</i> | |
| 2 | B Crested Black-Tyrant | <i>Knipolegus lophotes</i> | |
| 4 | B Velvety Black-Tyrant | <i>Knipolegus nigerrimus</i> | |
| 1 | D Jelski's Black-Tyrant | <i>Knipolegus signatus</i> | |
| 1 | A Plumbeous Black-Tyrant | <i>Knipolegus cabanisi</i> | |
| 5 | B Blue-billed Black-Tyrant | <i>Knipolegus cyanirostris</i> | |
| 2 | B Cinereous Tyrant | <i>Knipolegus striaticeps</i> | |
| 4 | B Spectacled Tyrant | <i>Hymenops perspicillatus</i> | |
| 1 | B Drab Water Tyrant | <i>Ochthornis littoralis</i> | |
| 1 | C Yellow-browed Tyrant | <i>Satrapa icterophrys</i> | |
| 2 | B Spot-billed Ground-Tyrant | <i>Muscisaxicola maculirostris</i> | |
| 2 | C Puna Ground-Tyrant | <i>Muscisaxicola juninensis</i> | |
| 2 | B White-fronted Ground-Tyrant | <i>Muscisaxicola albifrons</i> | |
| 2 | B Ochre-naped Ground-Tyrant | <i>Muscisaxicola flavinucha</i> | |
| 4 | B Rufous-naped Ground-Tyrant | <i>Muscisaxicola rufivertex</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|--|------------------------------------|--|
| 4 | B Dark-faced Ground-Tyrant | <i>Muscisaxicola maclovianus</i> | |
| 6 | A White-browed Ground-Tyrant | <i>Muscisaxicola albilora</i> | |
| 2 | C Cinnamon-bellied Ground-Tyrant | <i>Muscisaxicola capistratus</i> | |
| 4 | B Black-fronted Ground-Tyrant | <i>Muscisaxicola frontalis</i> | |
| 4 | B Rufous-webbed Bush-Tyrant | <i>Cnemarchus rufipennis</i> | |
| 1 | A Fire-eyed Diucon | <i>Pyrope pyrope</i> | |
| 2 | B White-rumped Monjita | <i>Xolmis velatus</i> | |
| 1 | B White Monjita | <i>Xolmis irupero</i> | |
| 1 | B Gray Monjita | <i>Nengetus cinereus</i> | Grey Monjita |
| 2 | A Salinas Monjita | <i>Neoxolmis salinarum</i> | |
| 2 | B Rusty-backed Monjita | <i>Neoxolmis rubetra</i> | |
| 3 | C White-tailed Shrike-Tyrant | <i>Agriornis albicauda</i> | |
| 1 | B Great Shrike-Tyrant | <i>Agriornis lividus</i> | |
| 1 | D Lesser Shrike-Tyrant | <i>Agriornis murinus</i> | |
| 1 | C Streak-throated Bush-Tyrant | <i>Myiotheretes striaticollis</i> | |
| 1 | D Santa Marta Bush-Tyrant | <i>Myiotheretes pernix</i> | |
| 3 | B Smoky Bush-Tyrant | <i>Myiotheretes fumigatus</i> | |
| 1 | C Rufous-bellied Bush-Tyrant | <i>Myiotheretes fuscorufus</i> | |
| 4 | A White-headed Marsh Tyrant | <i>Arundinicola leucocephala</i> | |
| 3 | A Pied Water-Tyrant | <i>Fluvicola pica</i> | |
| 1 | A Black-backed Water-Tyrant | <i>Fluvicola albiventer</i> | |
| 5 | B Masked Water-Tyrant | <i>Fluvicola nengeta</i> | |
| 3 | B Shear-tailed Gray Tyrant | <i>Muscipira vetula</i> | Shear-tailed Grey Tyrant |
| 1 | A Streamer-tailed Tyrant | <i>Gubernetes yetapa</i> | |
| 4 | B Cock-tailed Tyrant | <i>Alectrurus tricolor</i> | |
| 2 | B Crowned Chat-Tyrant | <i>Silvicultrix frontalis</i> | Kalinowski's Chat-Tyrant, Peruvian Chat-Tyrant |
| 2 | B Jelski's Chat-Tyrant | <i>Silvicultrix jelskii</i> | |
| 4 | B Yellow-bellied Chat-Tyrant | <i>Silvicultrix diadema</i> | |
| 1 | E Patagonian Tyrant | <i>Colorhamphus parvirostris</i> | |
| 2 | B Tumbes Chat-Tyrant | <i>Ochthoeca salvini</i> | Tumbes Tyrant |
| 4 | B Chestnut-bellied Chat-Tyrant | <i>Ochthoeca cinnamomeiventris</i> | Slaty-backed Chat-Tyrant |
| 2 | B Rufous-breasted Chat-Tyrant | <i>Ochthoeca rufipectoralis</i> | |
| 3 | B Brown-backed Chat-Tyrant | <i>Ochthoeca fumicolor</i> | |
| 1 | E d'Orbigny's Chat-Tyrant | <i>Ochthoeca oenanthoides</i> | |
| 3 | B Piura Chat-Tyrant | <i>Ochthoeca piurae</i> | |
| 3 | B White-browed Chat-Tyrant | <i>Ochthoeca leucophrys</i> | |
| 3 | A Long-tailed Tyrant | <i>Colonia colonus</i> | |
| 1 | B Short-tailed Field Tyrant | <i>Muscigralla brevicauda</i> | |
| 1 | D Large-headed Flatbill | <i>Ramphotricon megacephalum</i> | |
| 1 | B Rufous-tailed Flatbill | <i>Ramphotricon ruficauda</i> | |
| 3 | B Flammulated Flycatcher | <i>Ramphotricon flammulatum</i> | |
| 1 | B Cinnamon Attila | <i>Attila cinnamomeus</i> | |
| 2 | A Ochraceous Attila | <i>Attila torridus</i> | |
| 1 | D Citron-bellied Attila | <i>Attila citriniventris</i> | |
| 1 | C Dull-capped Attila | <i>Attila bolivianus</i> | White-eyed Attila |
| 2 | B Gray-hooded Attila | <i>Attila rufus</i> | Grey-hooded Attila |
| 2 | B Bright-rumped Attila | <i>Attila spadiceus</i> | |
| 1 | D Todd's Sirystes | <i>Sirystes subcanescens</i> | |
| 2 | B Choco Sirystes | <i>Sirystes sibilator</i> | Western Sirystes |
| 3 | C Sibilant Sirystes | <i>Sirystes sibilator</i> | Eastern Sirystes |
| 1 | D Rufous Casiornis | <i>Casiornis rufus</i> | |
| 3 | C Rufous Mourner | <i>Rhytipterna holerythra</i> | |
| 1 | B Grayish Mourner | <i>Rhytipterna simplex</i> | Greyish Mourner |
| 4 | B Pale-bellied Mourner | <i>Rhytipterna immunda</i> | |
| 2 | C Rufous Flycatcher | <i>Myiarchus semirufus</i> | |
| 1 | C Yucatan Flycatcher | <i>Myiarchus yucatanensis</i> | |
| 1 | A Sad Flycatcher | <i>Myiarchus barbirostris</i> | |
| 6 | B Dusky-capped Flycatcher | <i>Myiarchus tuberculifer</i> | |
| 5 | B Swainson's Flycatcher | <i>Myiarchus swainsoni</i> | |
| 1 | C Venezuelan Flycatcher | <i>Myiarchus venezuelensis</i> | |
| 2 | B Panama Flycatcher | <i>Myiarchus panamensis</i> | |
| 1 | B Short-crested Flycatcher | <i>Myiarchus ferox</i> | |
| 1 | C Apical Flycatcher | <i>Myiarchus apicalis</i> | |
| 1 | B Sooty-crowned Flycatcher | <i>Myiarchus phaeocephalus</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|--|--|----------------------------|
| 4 | A Pale-edged Flycatcher | <i>Myiarchus cephalotes</i> | |
| 8 | A Ash-throated Flycatcher | <i>Myiarchus cinerascens</i> | |
| 1 | B Nutting's Flycatcher | <i>Myiarchus nuttingi</i> | |
| 1 | C Great Crested Flycatcher | <i>Myiarchus crinitus</i> | |
| 1 | D Brown-crested Flycatcher | <i>Myiarchus tyrannulus</i> | |
| 1 | C Rufous-tailed Flycatcher | <i>Myiarchus validus</i> | |
| 1 | B Stolid Flycatcher | <i>Myiarchus stolidus</i> | |
| 4 | B Cattle Tyrant | <i>Machetornis rixosa</i> | |
| 2 | B Lesser Kiskadee | <i>Philohydor lictor</i> | |
| 2 | B Great Kiskadee | <i>Pitangus sulphuratus</i> | |
| 2 | B Boat-billed Flycatcher | <i>Megarynchus pitangua</i> | |
| 5 | A Rusty-margined Flycatcher | <i>Myiozetetes cayanensis</i> | |
| 2 | B Social Flycatcher | <i>Myiozetetes similis</i> | |
| 3 | B Gray-capped Flycatcher | <i>Myiozetetes granadensis</i> | Grey-capped Flycatcher |
| 4 | B Dusky-chested Flycatcher | <i>Myiozetetes luteiventris</i> | |
| 1 | C White-bearded Flycatcher | <i>Phelpsia inornata</i> | |
| 1 | B White-ringed Flycatcher | <i>Conopias albobittatus</i> | |
| 1 | B Three-striped Flycatcher | <i>Conopias trivirgatus</i> | |
| 1 | C Lemon-browed Flycatcher | <i>Conopias cinchoneti</i> | |
| 4 | B Golden-bellied Flycatcher | <i>Myiodynastes hemichrysus</i> | Golden-crowned Flycatcher |
| 2 | B Baird's Flycatcher | <i>Myiodynastes bairdii</i> | |
| 1 | B Streaked Flycatcher | <i>Myiodynastes maculatus</i> | |
| 2 | B Sulphur-bellied Flycatcher | <i>Myiodynastes luteiventris</i> | |
| 2 | B Piratic Flycatcher | <i>Legatus leucophaeus</i> | |
| 3 | B Variegated Flycatcher | <i>Empidonomus varius</i> | |
| 1 | C Crowned Slaty Flycatcher | <i>Empidonomus aurantioatrocristatus</i> | |
| 1 | E Sulphury Flycatcher | <i>Tyrannopsis sulphurea</i> | |
| 1 | B Snowy-throated Kingbird | <i>Tyrannus niveigularis</i> | |
| 1 | B White-throated Kingbird | <i>Tyrannus albogularis</i> | |
| 4 | B Tropical Kingbird | <i>Tyrannus melancholicus</i> | |
| 5 | A Cassin's Kingbird | <i>Tyrannus vociferans</i> | |
| 1 | C Thick-billed Kingbird | <i>Tyrannus crassirostris</i> | |
| 1 | C Western Kingbird | <i>Tyrannus verticalis</i> | |
| 4 | B Eastern Kingbird | <i>Tyrannus tyrannus</i> | |
| 1 | D Gray Kingbird | <i>Tyrannus dominicensis</i> | Grey Kingbird |
| 3 | B Loggerhead Kingbird | <i>Tyrannus caudifasciatus</i> | |
| 1 | A Scissor-tailed Flycatcher | <i>Tyrannus forficatus</i> | |
| 3 | B Fork-tailed Flycatcher | <i>Tyrannus savana</i> | |
| | BOWERBIRDS | PTILONORHYNCHIDAE | |
| 1 | C Flame Bowerbird | <i>Sericulus ardens</i> | |
| 3 | B Regent Bowerbird | <i>Sericulus chrysocephalus</i> | |
| 2 | A Satin Bowerbird | <i>Ptilonorhynchus violaceus</i> | |
| 1 | C Great Bowerbird | <i>Chlamydera nuchalis</i> | |
| | AUSTRALASIAN TREECREEPERS | CLIMACTERIDAE | |
| 1 | C White-throated Treecreeper | <i>Cormobates leucophaea</i> | |
| 1 | D White-browed Treecreeper | <i>Climacteris affinis</i> | |
| 1 | C Red-browed Treecreeper | <i>Climacteris erythroptis</i> | |
| 1 | C Brown Treecreeper | <i>Climacteris picumnus</i> | |
| 3 | A Black-tailed Treecreeper | <i>Climacteris melanurus</i> | |
| | FAIRYWRENS | MALURIDAE | |
| 1 | D Dusky Grasswren | <i>Amytornis purnelli</i> | |
| 3 | B Kalkadoon Grasswren | <i>Amytornis ballarae</i> | |
| 1 | B Southern Emuwren | <i>Stipiturus malachurus</i> | |
| 6 | A Purple-crowned Fairywren | <i>Malurus coronatus</i> | |
| 4 | A Purple-backed Fairywren | <i>Malurus assimilis</i> | Variegated Fairywren |
| 3 | A Splendid Fairywren | <i>Malurus splendens</i> | |
| 1 | B Superb Fairywren | <i>Malurus cyaneus</i> | |
| 2 | C Red-backed Fairywren | <i>Malurus melanocephalus</i> | |
| | HONEYEATERS | MELIPHAGIDAE | |
| 3 | B Tui | <i>Prothemadera novaeseelandiae</i> | |
| 3 | B New Zealand Bellbird | <i>Anthornis melanura</i> | |
| 1 | B Yellow-spotted Honeyeater | <i>Meliphaga notata</i> | |
| 1 | B Lewin's Honeyeater | <i>Meliphaga lewinii</i> | |
| 1 | C White-lined Honeyeater | <i>Meliphaga albilineata</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|--|------------------------------------|--|
| 1 | B White-gaped Honeyeater | <i>Stomiopera unicolor</i> | |
| 1 | B Noisy Miner | <i>Manorina melanocephala</i> | |
| 1 | C Belford's Melidectes | <i>Melidectes belfordi</i> | |
| 3 | B Spiny-cheeked Honeyeater | <i>Acanthagenys rufogularis</i> | |
| 1 | B Varied Honeyeater | <i>Gavicalis versicolor</i> | |
| 1 | B Singing Honeyeater | <i>Gavicalis virescens</i> | |
| 1 | B White-plumed Honeyeater | <i>Ptilotula penicillata</i> | |
| 3 | A Yellow-tinted Honeyeater | <i>Ptilotula flavescens</i> | |
| 2 | B Gray-fronted Honeyeater | <i>Ptilotula plumula</i> | Grey-fronted Honeyeater |
| 2 | A Bar-breasted Honeyeater | <i>Ramsayornis fasciatus</i> | |
| 2 | B Rufous-throated Honeyeater | <i>Conopophila rufogularis</i> | |
| 1 | D Black Honeyeater | <i>Sugomel nigrum</i> | |
| 1 | B Dusky Myzomela | <i>Myzomela obscura</i> | |
| 1 | B Sulawesi Myzomela | <i>Myzomela chloroptera</i> | |
| 1 | D Gray-streaked Honeyeater | <i>Ptiloprora perstriata</i> | Black-backed Honeyeater |
| 1 | B Banded Honeyeater | <i>Cissomela pectoralis</i> | |
| 3 | B Brown Honeyeater | <i>Lichmera indistincta</i> | |
| 1 | C Gray-eared Honeyeater | <i>Lichmera incana</i> | Dark-brown Honeyeater, Grey-eared Honeyeater |
| 1 | A Blue-faced Honeyeater | <i>Entomyzon cyanotis</i> | |
| 1 | C Black-chinned Honeyeater | <i>Melithreptus gularis</i> | Golden-backed Honeyeater |
| 1 | B Macleay's Honeyeater | <i>Xanthotis macleayanus</i> | |
| 1 | C White-streaked Friarbird | <i>Melitograis gilolensis</i> | |
| 2 | B Little Friarbird | <i>Philemon citreogularis</i> | |
| 1 | B Helmeted Friarbird | <i>Philemon buceroides</i> | |
| 2 | A Silver-crowned Friarbird | <i>Philemon argenticeps</i> | |
| | PARDALOTES | PARDALOTIDAE | |
| 2 | A Striated Pardalote | <i>Pardalotus striatus</i> | |
| | THORNBILLS AND ALLIES | ACANTHIZIDAE | |
| 1 | C Fernwren | <i>Oreoscopus gutturalis</i> | |
| 1 | B Shy Heathwren | <i>Hylacola cauta</i> | |
| 2 | B Weebill | <i>Smicromnis brevirostris</i> | |
| 1 | B Yellow-throated Scrubwren | <i>Neosericornis citreogularis</i> | |
| 1 | B Rockwarbler | <i>Origma solitaria</i> | |
| 1 | A White-browed Scrubwren | <i>Sericornis frontalis</i> | |
| 1 | C Atherton Scrubwren | <i>Sericornis kerri</i> | |
| 1 | B Yellow-rumped Thornbill | <i>Acanthiza chrysorrhoa</i> | |
| 1 | C Inland Thornbill | <i>Acanthiza apicalis</i> | |
| 1 | B Chestnut-rumped Thornbill | <i>Acanthiza uropygialis</i> | |
| 1 | B Fairy Gerygone | <i>Gerygone palpebrosa</i> | |
| 1 | C White-throated Gerygone | <i>Gerygone olivacea</i> | |
| 1 | C Mangrove Gerygone | <i>Gerygone levigaster</i> | |
| | PSEUDO-BABLERS | POMATOSTOMIDAE | |
| 1 | B Gray-crowned Babbler | <i>Pomatostomus temporalis</i> | Grey-crowned Babbler |
| 1 | C Hall's Babbler | <i>Pomatostomus halli</i> | |
| | LOGRUNNERS | ORTHONYCHIDAE | |
| 2 | A Australian Logrunner | <i>Orthonyx temminckii</i> | Southern Logrunner |
| | QUAIL-THRUSHES AND JEWEL-BABLERS | CINCLOSOMATIDAE | |
| 1 | C Chestnut Quail-thrush | <i>Cinclosoma castanotum</i> | |
| 2 | B Chestnut-breasted Quail-thrush | <i>Cinclosoma castaneothorax</i> | |
| | CUCKOOSHRIKES | CAMPEPHAGIDAE | |
| 2 | B Jerdon's Minivet | <i>Pericrocotus albifrons</i> | |
| 3 | B Gray-chinned Minivet | <i>Pericrocotus solaris</i> | Grey-chinned Minivet |
| 1 | D Brown-rumped Minivet | <i>Pericrocotus cantonensis</i> | Swinhoe's Minivet |
| 1 | C Madagascar Cuckooshrike | <i>Cebblepyris cinereus</i> | Ashy Cuckooshrike |
| 1 | D Hooded Cuckooshrike | <i>Coracina longicauda</i> | |
| 1 | C Black-faced Cuckooshrike | <i>Coracina novaehollandiae</i> | |
| 1 | C South Melanesian Cuckooshrike | <i>Coracina caledonica</i> | |
| 1 | E Bar-bellied Cuckooshrike | <i>Coracina striata</i> | |
| 1 | D Sunda Cuckooshrike | <i>Coracina larvata</i> | |
| 1 | C Halmahera Cuckooshrike | <i>Coracina parvula</i> | |
| 2 | B White-rumped Cuckooshrike | <i>Coracina leucopygia</i> | |
| 1 | C Varied Triller | <i>Lalage leucomela</i> | |
| 1 | B White-rumped Triller | <i>Lalage leucopygialis</i> | |
| 1 | D Rufous-bellied Triller | <i>Lalage aurea</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|--|-------------------------------------|----------------------------|
| 1 | D Sulawesi Cicadabird | <i>Edolisoma morio</i> | |
| | WHITEHEADS | MOHOUIDAE | |
| 1 | C Whitehead | <i>Mohoua albigilla</i> | |
| 2 | B Yellowhead | <i>Mohoua ochrocephala</i> | |
| 1 | C Pipipi | <i>Mohoua novaeseelandiae</i> | Brown Creeper |
| | SITTELLAS | NEOSITTIDAE | |
| 3 | A Varied Sittella | <i>Daphoenositta chrysoptera</i> | |
| | WHIPBIRDS AND WEDGEBILLS | PSOPHODIDAE | |
| 1 | D Eastern Whipbird | <i>Psophodes olivaceus</i> | |
| | SHRIKE-TITS | FALCUNCULIDAE | |
| 1 | B Northern Shrike-tit | <i>Falcunculus whitei</i> | |
| | TIT BERRYPECKER AND CRESTED BERRYPECKER | PARAMYTHIIDAE | |
| 1 | C Eastern Crested Berrypecker | <i>Paramythia montium</i> | Crested Berrypecker |
| | VIREOS, SHRIKE-BABLERS, AND ERPORNIS | VIREONIDAE | |
| 1 | C White-browed Shrike-Babbler | <i>Pteruthius aeralatus</i> | Blyth's Shrike-Babbler |
| 3 | B Rufous-browed Peppershrike | <i>Cyclarhis gujanensis</i> | |
| 1 | D Black-billed Peppershrike | <i>Cyclarhis nigrirostris</i> | |
| 2 | B Gray-eyed Greenlet | <i>Hylophilus amaurocephalus</i> | Gray-eyed Greenlet |
| 1 | C Rufous-crowned Greenlet | <i>Hylophilus poicilotis</i> | |
| 4 | C Ashy-headed Greenlet | <i>Hylophilus pectoralis</i> | |
| 1 | C Gray-chested Greenlet | <i>Hylophilus semicinctus</i> | Gray-chested Greenlet |
| 1 | C Lemon-chested Greenlet | <i>Hylophilus thoracicus</i> | Rio de Janeiro Greenlet |
| 1 | C Green Shrike-Vireo | <i>Vireolanius pulchellus</i> | |
| 1 | E Yellow-browed Shrike-Vireo | <i>Vireolanius eximius</i> | |
| 2 | C Lesser Greenlet | <i>Pachysylvia decurtata</i> | |
| 2 | B Golden Vireo | <i>Vireo hypochryseus</i> | |
| 1 | C Slaty Vireo | <i>Vireo brevipennis</i> | |
| 3 | B White-eyed Vireo | <i>Vireo griseus</i> | |
| 1 | D Mangrove Vireo | <i>Vireo pallens</i> | |
| 1 | C Cozumel Vireo | <i>Vireo bairdi</i> | |
| 2 | B Jamaican Vireo | <i>Vireo modestus</i> | |
| 4 | B Bell's Vireo | <i>Vireo bellii</i> | |
| 2 | A Gray Vireo | <i>Vireo vicinior</i> | Grey Vireo |
| 4 | B Hutton's Vireo | <i>Vireo huttoni</i> | |
| 2 | B Yellow-throated Vireo | <i>Vireo flavifrons</i> | |
| 1 | B Yellow-winged Vireo | <i>Vireo carmioli</i> | |
| 1 | C Yellow-winged Vireo | <i>Vireo carmioli</i> | |
| 1 | B Cassin's Vireo | <i>Vireo cassinii</i> | |
| 2 | C Blue-headed Vireo | <i>Vireo solitarius</i> | |
| 5 | A Plumbeous Vireo | <i>Vireo plumbeus</i> | |
| 1 | C Philadelphia Vireo | <i>Vireo philadelphicus</i> | |
| 1 | B Eastern Warbling Vireo | <i>Vireo gilvus</i> | Warbling Vireo |
| 1 | A Brown-capped Vireo | <i>Vireo leucophrys</i> | |
| 2 | C Red-eyed Vireo | <i>Vireo olivaceus</i> | |
| 1 | C Chivi Vireo | <i>Vireo chivi</i> | Red-eyed Vireo |
| 1 | C Yucatan Vireo | <i>Vireo magister</i> | |
| | WHISTLERS AND ALLIES | PACHYCEPHALIDAE | |
| 5 | A Sandstone Shrikethrush | <i>Colluricincla woodwardi</i> | |
| 1 | C Bower's Shrikethrush | <i>Colluricincla boweri</i> | |
| 2 | B Gray Shrikethrush | <i>Colluricincla harmonica</i> | Grey Shrikethrush |
| 1 | A Little Shrikethrush | <i>Colluricincla megarhyncha</i> | Arafura Shrikethrush |
| 1 | D New Caledonian Whistler | <i>Pachycephala caledonica</i> | |
| 3 | A Black-tailed Whistler | <i>Pachycephala melanura</i> | |
| 1 | D Sulphur-bellied Whistler | <i>Pachycephala sulfuriventer</i> | Sulphur-vented Whistler |
| 2 | D Gray Whistler | <i>Pachycephala simplex</i> | Grey Whistler |
| 2 | B Rufous Whistler | <i>Pachycephala rufiventris</i> | |
| 1 | C White-breasted Whistler | <i>Pachycephala lanioides</i> | |
| | OLD WORLD ORIOLES | ORIOLIDAE | |
| 2 | C Olive-backed Oriole | <i>Oriolus sagittatus</i> | |
| 1 | C Green Oriole | <i>Oriolus flavocinctus</i> | |
| 2 | B African Black-headed Oriole | <i>Oriolus larvatus</i> | Black-headed Oriole |
| 2 | C Australasian Figbird | <i>Sphecotheres vieillotii</i> | |
| | BOATBILLS | MACHAERIRHYNCHIDAE | |
| 1 | B Yellow-breasted Boatbill | <i>Machaerirhynchus flaviventer</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|---|-------------------------------------|----------------------------|
| | WOODSWALLOWS, BELLMAGPIES, AND ALLIES | ARTAMIDAE | |
| 1 | B Ivory-backed Woodswallow | <i>Artamus monachus</i> | |
| 2 | B White-breasted Woodswallow | <i>Artamus leucorhynchus</i> | |
| 1 | C Masked Woodswallow | <i>Artamus personatus</i> | |
| 1 | B White-browed Woodswallow | <i>Artamus superciliosus</i> | |
| 3 | B Black-faced Woodswallow | <i>Artamus cinereus</i> | |
| 1 | C Silver-backed Butcherbird | <i>Cracticus argenteus</i> | |
| 1 | C Pied Butcherbird | <i>Cracticus nigrogularis</i> | |
| 2 | B Black Butcherbird | <i>Melloria quoyi</i> | |
| 1 | B Australian Magpie | <i>Gymnorhina tibicen</i> | |
| 1 | B Pied Currawong | <i>Strepera graculina</i> | |
| | WATTLE-EYES AND BATISES | PLATYSTEIRIDAE | |
| 1 | C Chestnut Wattle-eye | <i>Dyaphorophya castanea</i> | |
| 1 | D Brown-throated Wattle-eye | <i>Platysteira cyanea</i> | |
| 1 | C Short-tailed Batis | <i>Batis mixta</i> | |
| 2 | B Chinspot Batis | <i>Batis molitor</i> | |
| 2 | B Pygmy Batis | <i>Batis perkeo</i> | |
| | VANGAS, HELMETSHRIKES, AND ALLIES | VANGIDAE | |
| 2 | B White-crested Helmetshrike | <i>Prionops plumatus</i> | White Helmetshrike |
| 1 | D Chestnut-fronted Helmetshrike | <i>Prionops scopifrons</i> | |
| 1 | C Common Woodshrike | <i>Tephrodornis pondicerianus</i> | |
| 1 | C Archbold's Newtonia | <i>Newtonia archboldi</i> | |
| 1 | B Common Newtonia | <i>Newtonia brunneicauda</i> | |
| 2 | A Dark Newtonia | <i>Newtonia amphichroa</i> | |
| 2 | B Red-tailed Vanga | <i>Calicalicus madagascariensis</i> | |
| 2 | C Red-shouldered Vanga | <i>Calicalicus rufocarpalis</i> | |
| 1 | C Chabert Vanga | <i>Leptopterus chabert</i> | |
| 1 | D Crossley's Vanga | <i>Mystacornis crossleyi</i> | Crossley's Babbler |
| 3 | B Madagascar Blue Vanga | <i>Cyanolanius madagascarinus</i> | Blue Vanga |
| 2 | B Hook-billed Vanga | <i>Vanga curvirostris</i> | |
| 1 | C Ward's Vanga | <i>Pseudobias wardi</i> | Ward's Flycatcher |
| 2 | B Rufous Vanga | <i>Schetba rufa</i> | |
| 1 | B Helmet Vanga | <i>Euryceros prevostii</i> | |
| 2 | C Bernier's Vanga | <i>Oriolia bernieri</i> | |
| 1 | B Sickle-billed Vanga | <i>Falculea palliata</i> | |
| 1 | B White-headed Vanga | <i>Artamella viridis</i> | |
| 1 | C Lafresnaye's Vanga | <i>Xenopirostris xenopirostris</i> | |
| | BUSHSHRIKES AND ALLIES | MALACONOTIDAE | |
| 1 | B Black-backed Puffback | <i>Dryoscopus cubla</i> | |
| 1 | C Black-crowned Tchagra | <i>Tchagra senegalus</i> | |
| 1 | C Brown-crowned Tchagra | <i>Tchagra australis</i> | |
| 1 | B Tropical Boubou | <i>Laniarius aethiopicus</i> | |
| 1 | C Rosy-patched Bushshrike | <i>Rhodophoneus cruentus</i> | |
| | FANTAILS | RHIPIDURIDAE | |
| 1 | D Black-and-cinnamon Fantail | <i>Rhipidura nigrocinnamomea</i> | |
| 1 | C Spotted Fantail | <i>Rhipidura perlata</i> | |
| 1 | C Northern Fantail | <i>Rhipidura rufiventris</i> | |
| 1 | B Spot-breasted Fantail | <i>Rhipidura albogularis</i> | White-spotted Fantail |
| 1 | B White-browed Fantail | <i>Rhipidura aureola</i> | |
| 2 | A Australian Rufous Fantail | <i>Rhipidura rufifrons</i> | Rufous Fantail |
| 1 | C Friendly Fantail | <i>Rhipidura albolimbata</i> | |
| 3 | B Gray Fantail | <i>Rhipidura albiscapa</i> | Grey Fantail |
| 1 | B Mangrove Fantail | <i>Rhipidura phasiana</i> | |
| 3 | B New Zealand Fantail | <i>Rhipidura fuliginosa</i> | |
| | DRONGOS | DICRURIDAE | |
| 1 | B Fork-tailed Drongo | <i>Dicrurus adsimilis</i> | |
| 4 | B Crested Drongo | <i>Dicrurus forficatus</i> | |
| 2 | A Black Drongo | <i>Dicrurus macrocercus</i> | |
| 1 | B Ashy Drongo | <i>Dicrurus leucophaeus</i> | |
| 2 | B White-bellied Drongo | <i>Dicrurus caerulescens</i> | |
| 1 | C Hair-crested Drongo | <i>Dicrurus hottentottus</i> | |
| 1 | B Sulawesi Drongo | <i>Dicrurus montanus</i> | |
| 2 | B Spangled Drongo | <i>Dicrurus bracteatus</i> | |
| 1 | A Greater Racket-tailed Drongo | <i>Dicrurus paradiseus</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|---|---------------------------------------|--------------------------------|
| | BIRDS-OF-PARADISE | PARADISAEIDAE | |
| 1 | D Halmahera Paradise-crow | <i>Lycocorax pyrrhopterus</i> | |
| 1 | B King-of-Saxony Bird-of-paradise | <i>Pteridophora alberti</i> | |
| 1 | B Standardwing Bird-of-Paradise | <i>Semioptera wallacii</i> | Standardwing |
| 1 | C Paradise Riflebird | <i>Ptiloris paradiseus</i> | |
| 1 | C Brown Sicklebill | <i>Epimachus meyeri</i> | |
| 1 | D Short-tailed Paradigalla | <i>Paradigalla brevicauda</i> | |
| 1 | D Lesser Bird-of-paradise | <i>Paradisaea minor</i> | |
| | MONARCH FLYCATCHERS | MONARCHIDAE | |
| 2 | B Black-naped Monarch | <i>Hypothymis azurea</i> | |
| 1 | C Pale-blue Monarch | <i>Hypothymis puella</i> | |
| 5 | B Malagasy Paradise-Flycatcher | <i>Terpsiphone mutata</i> | Madagascar Paradise-Flycatcher |
| 1 | E Southern Shrikebill | <i>Clytorhynchus pachycephaloides</i> | |
| 1 | B Black-faced Monarch | <i>Monarcha melanopsis</i> | |
| 2 | B Australian Spectacled Monarch | <i>Symposiachrus trivirgatus</i> | Spectacled Monarch |
| 2 | B Magpie-lark | <i>Grallina cyanoleuca</i> | |
| 1 | C Moluccan Flycatcher | <i>Myiagra galeata</i> | |
| 2 | A Leaden Flycatcher | <i>Myiagra rubecula</i> | |
| 1 | C Restless Flycatcher | <i>Myiagra inquieta</i> | |
| 2 | A Paperbark Flycatcher | <i>Myiagra nana</i> | |
| | WHITE-WINGED CHOUGH AND APOSTLEBIRD | CORCORACIDAE | |
| 1 | A White-winged Chough | <i>Corcorax melanorhamphos</i> | |
| 1 | B Apostlebird | <i>Struthidea cinerea</i> | |
| | SHRIKES | LANIIDAE | |
| 1 | B Yellow-billed Shrike | <i>Corvinella corvina</i> | |
| 1 | A Magpie Shrike | <i>Urolestes melanoleucus</i> | |
| 2 | B Brown Shrike | <i>Lanius cristatus</i> | |
| 1 | C Burmese Shrike | <i>Lanius colluriooides</i> | |
| 3 | B Long-tailed Shrike | <i>Lanius schach</i> | |
| 1 | D Mountain Shrike | <i>Lanius validirostris</i> | Gray-capped Shrike |
| 2 | A Loggerhead Shrike | <i>Lanius ludovicianus</i> | |
| 1 | A Great Gray Shrike | <i>Lanius excubitor</i> | Great Grey Shrike |
| 1 | C Gray-backed Fiscal | <i>Lanius excubitoroides</i> | Grey-backed Fiscal |
| 1 | A Long-tailed Fiscal | <i>Lanius cabanisi</i> | |
| 1 | B Mackinnon's Shrike | <i>Lanius mackinnoni</i> | |
| 1 | B Northern Fiscal | <i>Lanius humeralis</i> | Common Fiscal |
| 1 | B Woodchat Shrike | <i>Lanius senator</i> | |
| 1 | B White-rumped Shrike | <i>Eurocephalus ruppelli</i> | Northern White-crowned Shrike |
| | CROWS, JAYS, AND MAGPIES | CORVIDAE | |
| 6 | A Canada Jay | <i>Perisoreus canadensis</i> | Gray Jay |
| 2 | B Dwarf Jay | <i>Cyanolyca nanus</i> | |
| 1 | D Black-throated Jay | <i>Cyanolyca pumilo</i> | |
| 1 | C Beautiful Jay | <i>Cyanolyca pulchra</i> | |
| 2 | A Black-collared Jay | <i>Cyanolyca armillata</i> | |
| 2 | B Turquoise Jay | <i>Cyanolyca turcosa</i> | |
| 3 | A White-collared Jay | <i>Cyanolyca viridicyanus</i> | |
| 3 | B White-throated Magpie-Jay | <i>Cyanocorax formosus</i> | |
| 3 | B Brown Jay | <i>Cyanocorax morio</i> | |
| 2 | D Azure Jay | <i>Cyanocorax caeruleus</i> | |
| 1 | C Violaceous Jay | <i>Cyanocorax violaceus</i> | |
| 1 | B Purplish Jay | <i>Cyanocorax cyanomelas</i> | |
| 1 | C Curl-crested Jay | <i>Cyanocorax cristatellus</i> | |
| 3 | A Green Jay | <i>Cyanocorax yncas</i> | Inca Jay |
| 4 | B White-tailed Jay | <i>Cyanocorax mystacalis</i> | |
| 2 | B Yucatan Jay | <i>Cyanocorax yucatanicus</i> | |
| 1 | B Black-chested Jay | <i>Cyanocorax affinis</i> | |
| 1 | E Azure-naped Jay | <i>Cyanocorax heilprini</i> | |
| 2 | B Cayenne Jay | <i>Cyanocorax cayanus</i> | |
| 1 | B Plush-crested Jay | <i>Cyanocorax chrysops</i> | |
| 3 | B White-naped Jay | <i>Cyanocorax cyanoogon</i> | |
| 1 | A Pinyon Jay | <i>Gymnorhinus cyanocephalus</i> | |
| 2 | B Steller's Jay | <i>Cyanocitta stelleri</i> | |
| 1 | A California Scrub-Jay | <i>Aphelocoma californica</i> | |
| 7 | A Woodhouse's Scrub-Jay | <i>Aphelocoma woodhouseii</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|---|------------------------------------|-------------------------------|
| 5 | B Mexican Jay | <i>Aphelocoma wollweberi</i> | |
| 1 | C Unicolored Jay | <i>Aphelocoma unicolor</i> | |
| 1 | C Eurasian Jay | <i>Garrulus glandarius</i> | |
| 2 | B Sri Lanka Blue-Magpie | <i>Urocissa ornata</i> | |
| 4 | A Taiwan Blue-Magpie | <i>Urocissa caerulea</i> | |
| 1 | A Rufous Treepie | <i>Dendrocitta vagabunda</i> | |
| 1 | C Gray Treepie | <i>Dendrocitta formosae</i> | Grey Treepie |
| 2 | A White-bellied Treepie | <i>Dendrocitta leucogastra</i> | |
| 1 | D Hooded Treepie | <i>Crypsirina cucullata</i> | |
| 2 | A Maghreb Magpie | <i>Pica mauritanica</i> | |
| 1 | C Oriental Magpie | <i>Pica serica</i> | |
| 1 | B Black-billed Magpie | <i>Pica hudsonia</i> | |
| 1 | C Yellow-billed Magpie | <i>Pica nuttalli</i> | |
| 1 | B Clark's Nutcracker | <i>Nucifraga columbiana</i> | |
| 1 | B Southern Nutcracker | <i>Nucifraga hemispila</i> | Eurasian Nutcracker |
| 1 | C Red-billed Chough | <i>Pyrrhocorax pyrrhocorax</i> | |
| 2 | B Yellow-billed Chough | <i>Pyrrhocorax graculus</i> | Alpine Chough |
| 2 | B House Crow | <i>Corvus splendens</i> | |
| 1 | C New Caledonian Crow | <i>Corvus moneduloides</i> | |
| 1 | B Sulawesi Crow | <i>Corvus celebensis</i> | Slender-billed Crow |
| 1 | D Long-billed Crow | <i>Corvus validus</i> | |
| 1 | C Chihuahuan Raven | <i>Corvus cryptoleucus</i> | |
| 1 | B Large-billed Crow | <i>Corvus macrorhynchos</i> | |
| 2 | B Torresian Crow | <i>Corvus orru</i> | |
| 2 | B Pied Crow | <i>Corvus albus</i> | |
| 3 | B Brown-necked Raven | <i>Corvus ruficollis</i> | |
| 3 | B Common Raven | <i>Corvus corax</i> | Northern Raven |
| | SATINBIRDS | CNEMOPHILIDAE | |
| 1 | B Crested Satinbird | <i>Cnemophilus macgregorii</i> | Crested Bird-of-paradise |
| | WATTLEBIRDS | CALLAEIDAE | |
| 1 | C North Island Kokako | <i>Callaeas wilsoni</i> | |
| 1 | C North Island Saddleback | <i>Philesturnus rufusater</i> | |
| 2 | B South Island Saddleback | <i>Philesturnus carunculatus</i> | |
| | STITCHBIRD | NOTIOMYSTIDAE | |
| 1 | C Stitchbird | <i>Notiomystis cincta</i> | |
| | AUSTRALASIAN ROBINS | PETROICIDAE | |
| 4 | A Tomtit | <i>Petroica macrocephala</i> | |
| 1 | B North Island Robin | <i>Petroica longipes</i> | |
| 1 | A South Island Robin | <i>Petroica australis</i> | |
| 2 | A Red-capped Robin | <i>Petroica goodenovii</i> | |
| 1 | C Yellow-bellied Flyrobin | <i>Cryptomicroeca flaviventris</i> | Yellow-bellied Robin |
| 2 | A Jacky-winter | <i>Microeca fascinans</i> | |
| 2 | B Buff-sided Robin | <i>Poecilodryas cerviniventris</i> | |
| 1 | A Hooded Robin | <i>Melanodryas cucullata</i> | |
| 2 | B Mangrove Robin | <i>Melanodryas pulverulenta</i> | |
| 1 | B Eastern Yellow Robin | <i>Eopsaltria australis</i> | |
| 1 | D Pale-yellow Robin | <i>Eopsaltria capito</i> | |
| | FAIRY FLYCATCHERS | STENOSTIRIDAE | |
| 1 | C Gray-headed Canary-Flycatcher | <i>Culicicapa ceylonensis</i> | Grey-headed Canary-flycatcher |
| 1 | C Citrine Canary-Flycatcher | <i>Culicicapa helianthea</i> | |
| | TITS, CHICKADEES, AND TITMICE | PARIDAE | |
| 1 | B Coal Tit | <i>Periparus ater</i> | |
| 1 | C Crested Tit | <i>Lophophanes cristatus</i> | |
| 2 | B Chestnut-bellied Tit | <i>Sittiparus castaneoventris</i> | |
| 1 | C White-browed Tit | <i>Poecile superciliosus</i> | |
| 1 | C Marsh Tit | <i>Poecile palustris</i> | |
| 1 | B Willow Tit | <i>Poecile montanus</i> | |
| 1 | C Sichuan Tit | <i>Poecile weigoldicus</i> | |
| 2 | B Carolina Chickadee | <i>Poecile carolinensis</i> | |
| 1 | C Black-capped Chickadee | <i>Poecile atricapillus</i> | |
| 3 | B Mountain Chickadee | <i>Poecile gambeli</i> | |
| 2 | B Chestnut-backed Chickadee | <i>Poecile rufescens</i> | |
| 2 | B Boreal Chickadee | <i>Poecile hudsonicus</i> | |
| 2 | B African Blue Tit | <i>Cyanistes teneriffae</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|---|-----------------------------------|---------------------------------------|
| 1 | C Azure Tit | <i>Cyanistes cyanus</i> | |
| 3 | A Bridled Titmouse | <i>Baeolophus wollweberi</i> | |
| 1 | B Oak Titmouse | <i>Baeolophus inornatus</i> | |
| 2 | A Juniper Titmouse | <i>Baeolophus ridgwayi</i> | |
| 1 | B Tufted Titmouse | <i>Baeolophus bicolor</i> | |
| 1 | B Black-crested Titmouse | <i>Baeolophus atricristatus</i> | |
| 2 | B Ground Tit | <i>Pseudopodoces humilis</i> | Tibetan Ground Jay, Hume's Ground Tit |
| 1 | B Green-backed Tit | <i>Parus monticolus</i> | |
| 1 | C Taiwan Yellow Tit | <i>Machlolophus holsti</i> | Yellow Tit |
| 1 | C White-bellied Tit | <i>Melaniparus albiventris</i> | |
| 1 | C Southern Black-Tit | <i>Melaniparus niger</i> | |
| 1 | D Red-throated Tit | <i>Melaniparus fringillinus</i> | |
| | PENDULINE-TITS | REMIZIDAE | |
| 3 | B Verdin | <i>Auriparus flaviceps</i> | |
| 1 | C Eurasian Penduline-Tit | <i>Remiz pendulinus</i> | |
| 1 | B Mouse-colored Penduline-Tit | <i>Anthoscopus musculus</i> | |
| | LARKS | ALAUDIDAE | |
| 3 | B Greater Hoopoe-Lark | <i>Alaemon alaudipes</i> | |
| 1 | B Thick-billed Lark | <i>Ramphocoris clotbey</i> | |
| 1 | A Bar-tailed Lark | <i>Ammomanes cinctura</i> | |
| 1 | B Desert Lark | <i>Ammomanes deserti</i> | |
| 2 | B Madagascar Lark | <i>Eremopterix hova</i> | |
| 1 | B Black-crowned Sparrow-Lark | <i>Eremopterix nigriceps</i> | |
| 1 | C Ashy-crowned Sparrow-Lark | <i>Eremopterix griseus</i> | |
| 1 | C Sabota Lark | <i>Calendulauda sabota</i> | |
| 1 | A Pink-breasted Lark | <i>Calendulauda poecilosterna</i> | |
| 2 | B Burmese Bushlark | <i>Plocealauda microptera</i> | |
| 2 | B Rufous-naped Lark | <i>Corypha africana</i> | |
| 1 | B Thekla's Lark | <i>Galerida theklae</i> | |
| 1 | A Crested Lark | <i>Galerida cristata</i> | Maghreb Lark |
| 7 | A Horned Lark | <i>Eremophila alpestris</i> | Atlas Horned Lark |
| 2 | A Temminck's Lark | <i>Eremophila bilopha</i> | |
| 2 | B Greater Short-toed Lark | <i>Calandrella brachydactyla</i> | |
| 1 | B Red-capped Lark | <i>Calandrella cinerea</i> | |
| 2 | C Somali Short-toed Lark | <i>Alaudala somalica</i> | |
| 2 | A Sand Lark | <i>Alaudala raytal</i> | |
| | BEARDED REEDLING | PANURIDAE | |
| 1 | B Bearded Reedling | <i>Panurus biarmicus</i> | |
| | AFRICAN WARBLERS | MACROSPHENIDAE | |
| 1 | B White-browed Crombec | <i>Sylvietta leucophrys</i> | |
| 1 | B Northern Crombec | <i>Sylvietta brachyura</i> | |
| 1 | B Red-faced Crombec | <i>Sylvietta whytii</i> | |
| 1 | C Long-billed Crombec | <i>Sylvietta rufescens</i> | Cape Crombec |
| 1 | B Moustached Grass-Warbler | <i>Melocichla mentalis</i> | |
| | CISTICOLAS AND ALLIES | CISTICOLIDAE | |
| 3 | B Common Jery | <i>Neomixis tenella</i> | |
| 2 | B Green Jery | <i>Neomixis viridis</i> | |
| 2 | C Stripe-throated Jery | <i>Neomixis striatigula</i> | |
| 1 | B Senegal Eremomela | <i>Eremomela pusilla</i> | |
| 1 | D Turner's Eremomela | <i>Eremomela turneri</i> | |
| 1 | C White-chinned Prinia | <i>Schistolais leucopogon</i> | |
| 1 | B Black-collared Apalis | <i>Oreolais pulcher</i> | |
| 1 | B Gray Wren-Warbler | <i>Calamonastes simplex</i> | Grey Wren-Warbler |
| 1 | C Green-backed Camaroptera | <i>Camaroptera brachyura</i> | Bleating Camaroptera |
| 2 | C Cricket Longtail | <i>Spiloptila clamans</i> | Cricket Warbler |
| 1 | C Buff-bellied Warbler | <i>Phyllolais pulchella</i> | |
| 2 | B Black-throated Apalis | <i>Apalis jacksoni</i> | |
| 3 | B Yellow-breasted Apalis | <i>Apalis flavida</i> | |
| 2 | C Gray Apalis | <i>Apalis cinerea</i> | |
| 1 | A Common Tailorbird | <i>Orthotomus sutorius</i> | |
| 1 | C Striped Prinia | <i>Prinia striata</i> | Striated Prinia |
| 1 | B Hill Prinia | <i>Prinia superciliaris</i> | |
| 1 | B Rufescent Prinia | <i>Prinia rufescens</i> | |
| 2 | B Gray-breasted Prinia | <i>Prinia hodgsonii</i> | Grey-breasted Prinia |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|---|---------------------------------------|---------------------------------------|
| 2 | C Yellow-bellied Prinia | <i>Prinia flaviventris</i> | |
| 1 | C Plain Prinia | <i>Prinia inornata</i> | |
| 1 | B River Prinia | <i>Prinia fluviatilis</i> | |
| 1 | B Red-fronted Prinia | <i>Prinia rufifrons</i> | |
| 1 | C Gray-capped Warbler | <i>Eminia lepida</i> | Grey-capped Warbler |
| 2 | B Oriole Warbler | <i>Hypergerus atriceps</i> | |
| 1 | C Hunter's Cisticola | <i>Cisticola hunteri</i> | |
| 2 | C Rattling Cisticola | <i>Cisticola chiniana</i> | |
| 1 | C Ashy Cisticola | <i>Cisticola cinereolus</i> | |
| 1 | B Winding Cisticola | <i>Cisticola marginatus</i> | |
| 1 | B Stout Cisticola | <i>Cisticola robustus</i> | |
| 4 | A Zitting Cisticola | <i>Cisticola juncidis</i> | |
| 1 | B Madagascar Cisticola | <i>Cisticola cherina</i> | |
| 1 | D Pectoral-patch Cisticola | <i>Cisticola brunnescens</i> | |
| 3 | A Golden-headed Cisticola | <i>Cisticola exilis</i> | |
| | REED WARBLERS AND ALLIES | ACROCEPHALIDAE | |
| 3 | B Malagasy Brush-Warbler | <i>Nesillas typica</i> | Malagasy Brush-Warbler |
| 3 | B Subdesert Brush-Warbler | <i>Nesillas lantzii</i> | |
| 1 | D Eastern Olivaceous Warbler | <i>Iduna pallida</i> | |
| 2 | C Western Olivaceous Warbler | <i>Iduna opaca</i> | |
| 1 | C Mountain Yellow-Warbler | <i>Iduna similis</i> | |
| 1 | B Sedge Warbler | <i>Acrocephalus schoenobaenus</i> | |
| 1 | D Madagascar Swamp Warbler | <i>Acrocephalus newtoni</i> | |
| | GRASSBIRDS AND ALLIES | LOCUSTELLIDAE | |
| 1 | C Savi's Warbler | <i>Locustella luscinioides</i> | |
| 1 | C Sulawesi Bush Warbler | <i>Locustella castanea</i> | |
| 2 | B New Zealand Fernbird | <i>Poodytes punctatus</i> | |
| 1 | B Rufous Songlark | <i>Cincloramphus mathewsi</i> | |
| | DONACOBIOUS | DONACOBIIDAE | |
| 5 | A Black-capped Donacobius | <i>Donacobius atricapilla</i> | |
| | MALAGASY WARBLERS | BERNIERIDAE | |
| 2 | C White-throated Oxlabes | <i>Oxlabes madagascariensis</i> | |
| 1 | D Long-billed Bernieria | <i>Bernieria madagascariensis</i> | Long-billed Greenbul |
| 1 | D Cryptic Warbler | <i>Cryptosylvicola randrianasoloi</i> | |
| 1 | E Thamnornis | <i>Thamnornis chloropetoides</i> | Thamnornis Warbler |
| 1 | E Madagascar Yellowbrow | <i>Crossleyia xanthophrys</i> | Yellow-browed Oxlabes |
| 1 | D Spectacled Tetraka | <i>Xanthomixis zosterops</i> | Spectacled Greenbul |
| 1 | C Appert's Tetraka | <i>Xanthomixis apperti</i> | Appert's Greenbul |
| | CUPWINGS | PNOEPYGIDAE | |
| 1 | D Taiwan Cupwing | <i>Pnoepyga formosana</i> | |
| | SWALLOWS | HIRUNDINIDAE | |
| 1 | C Gray-throated Martin | <i>Riparia chinensis</i> | Grey-throated Martin |
| 3 | A Tree Swallow | <i>Tachycineta bicolor</i> | |
| 1 | C Tumbes Swallow | <i>Tachycineta stolzmanni</i> | |
| 3 | B White-winged Swallow | <i>Tachycineta albiventer</i> | |
| 2 | C White-rumped Swallow | <i>Tachycineta leucorrohoa</i> | |
| 1 | B Mangrove Swallow | <i>Tachycineta albilinea</i> | |
| 1 | C Violet-green Swallow | <i>Tachycineta thalassina</i> | |
| 2 | C Gray-breasted Martin | <i>Progne chalybea</i> | Grey-breasted Martin |
| 1 | D Southern Martin | <i>Progne elegans</i> | |
| 1 | A Brown-chested Martin | <i>Progne tapera</i> | |
| 3 | B Northern Rough-winged Swallow | <i>Stelgidopteryx serripennis</i> | |
| 3 | B Southern Rough-winged Swallow | <i>Stelgidopteryx ruficollis</i> | |
| 1 | C Black-capped Swallow | <i>Atticora pileata</i> | |
| 1 | C White-thighed Swallow | <i>Atticora tibialis</i> | |
| 2 | B White-banded Swallow | <i>Atticora fasciata</i> | |
| 4 | A Blue-and-white Swallow | <i>Pygochelidon cyanoleuca</i> | |
| 6 | A Black-collared Swallow | <i>Pygochelidon melanoleuca</i> | |
| 1 | B Tawny-headed Swallow | <i>Alopochelidon fucata</i> | |
| 1 | C Brown-bellied Swallow | <i>Orochelidon murina</i> | |
| 1 | B Red-throated Crag-Martin | <i>Ptyonoprogne rufigula</i> | Rock Martin, Red-throated Rock Martin |
| 3 | B Pacific Swallow | <i>Hirundo tahitica</i> | |
| 2 | B Welcome Swallow | <i>Hirundo neoxena</i> | |
| 5 | A Barn Swallow | <i>Hirundo rustica</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|--|------------------------------------|---|
| 2 | B Wire-tailed Swallow | <i>Hirundo smithii</i> | |
| 1 | B Eastern Red-rumped Swallow | <i>Cecropis daurica</i> | Striated Swallow |
| 1 | B Sri Lanka Swallow | <i>Cecropis hyperythra</i> | |
| 1 | B Lesser Striped Swallow | <i>Cecropis abyssinica</i> | |
| 1 | A Rufous-chested Swallow | <i>Cecropis semirufa</i> | Red-breasted Swallow |
| 2 | B Cliff Swallow | <i>Petrochelidon pyrrhonota</i> | American Cliff Swallow |
| 1 | B Chestnut-collared Swallow | <i>Petrochelidon rufocollaris</i> | |
| | BULBULS | PYCNONOTIDAE | |
| 1 | B Joyful Greenbul | <i>Chlorocichla laetissima</i> | |
| 1 | C Yellow-bellied Greenbul | <i>Chlorocichla flaviventris</i> | |
| 1 | D Black-headed Mountain Greenbul | <i>Arizelocichla nigriceps</i> | Eastern Mountain Greenbul |
| 1 | C Yellow-browed Bulbul | <i>Acritillas indica</i> | |
| 1 | C Mountain Bulbul | <i>Ixos mcclllandii</i> | |
| 1 | D Philippine Bulbul | <i>Hypsipetes philippinus</i> | |
| 1 | C Halmahera Golden-Bulbul | <i>Hypsipetes chloris</i> | |
| 1 | B Malagasy Bulbul | <i>Hypsipetes madagascariensis</i> | Madagascar Bulbul |
| 1 | D Black Bulbul | <i>Hypsipetes leucocephalus</i> | |
| 1 | B Square-tailed Bulbul | <i>Hypsipetes ganeesa</i> | |
| 1 | D Yellow-wattled Bulbul | <i>Microtarsus urostictus</i> | |
| 1 | D Spectacled Bulbul | <i>Rubigula erythrophthalmos</i> | |
| 2 | B Black-crested Bulbul | <i>Rubigula flaviventris</i> | |
| 1 | C Black-capped Bulbul | <i>Rubigula melanictera</i> | |
| 1 | D Crested Finchbill | <i>Spizixos canifrons</i> | |
| 2 | C Collared Finchbill | <i>Spizixos semitorques</i> | |
| 2 | C Ayeyarwady Bulbul | <i>Pycnonotus blanfordi</i> | Irrawaddy Bulbul |
| 1 | B Streak-eared Bulbul | <i>Pycnonotus conradi</i> | |
| 1 | D Stripe-throated Bulbul | <i>Pycnonotus finlaysoni</i> | |
| 2 | C Flavescent Bulbul | <i>Pycnonotus flavescens</i> | |
| 1 | B Yellow-eared Bulbul | <i>Pycnonotus penicillatus</i> | |
| 1 | C Light-vented Bulbul | <i>Pycnonotus sinensis</i> | |
| 2 | B Styan's Bulbul | <i>Pycnonotus taivanus</i> | |
| 3 | B Common Bulbul | <i>Pycnonotus barbatus</i> | |
| 2 | A Red-whiskered Bulbul | <i>Pycnonotus jocosus</i> | |
| 2 | B Red-vented Bulbul | <i>Pycnonotus cafer</i> | |
| 3 | A Sooty-headed Bulbul | <i>Pycnonotus aurigaster</i> | |
| | LEAF WARBLERS | PHYLLOSCOPIDAE | |
| 1 | B Wood Warbler | <i>Phylloscopus sibilatrix</i> | |
| 1 | C Western Bonelli's Warbler | <i>Phylloscopus bonelli</i> | |
| 1 | D Dusky Warbler | <i>Phylloscopus fuscatus</i> | |
| 1 | C Willow Warbler | <i>Phylloscopus trochilus</i> | |
| 1 | C Iberian Chiffchaff | <i>Phylloscopus ibericus</i> | |
| 1 | C Eastern Crowned Warbler | <i>Phylloscopus coronatus</i> | |
| 3 | C Arctic Warbler | <i>Phylloscopus borealis</i> | |
| 1 | B Negros Leaf Warbler | <i>Phylloscopus nigrorum</i> | Mountain Warbler, Mountain Leaf Warbler |
| 1 | B Sulawesi Leaf Warbler | <i>Phylloscopus nesophilus</i> | |
| 1 | C Lompobattang Leaf Warbler | <i>Phylloscopus sarasinorum</i> | |
| | BUSH WARBLERS AND ALLIES | CETTIIDAE | |
| 2 | A Scrub Warbler | <i>Scotocerca inquieta</i> | Streaked Scrub Warbler |
| 1 | C Rufous-faced Warbler | <i>Abroscopus albogularis</i> | |
| 1 | C Aberrant Bush Warbler | <i>Horornis flavolivaceus</i> | |
| | LONG-TAILED TITS | AEGITHALIDAE | |
| 1 | D White-browed Tit-Warbler | <i>Leptopoeile sophiae</i> | |
| 2 | C Black-throated Tit | <i>Aegithalos concinnus</i> | Black-throated Bushtit |
| 3 | B Bushtit | <i>Psaltriparus minimus</i> | American Bushtit |
| | SYLVIID WARBLERS AND ALLIES | SYLVIIDAE | |
| 2 | B Tristram's Warbler | <i>Curruca deserticola</i> | |
| 1 | C Sardinian Warbler | <i>Curruca melanocephala</i> | |
| 1 | B Western Subalpine Warbler | <i>Curruca iberiae</i> | |
| 1 | D Spectacled Warbler | <i>Curruca conspicillata</i> | |
| | PARROTBILLS | PARADOXORNITHIDAE | |
| 2 | B Yellow-eyed Babbler | <i>Chrysomma sinense</i> | |
| 2 | B White-browed Fulvetta | <i>Fulvetta vinipectus</i> | |
| 1 | A Taiwan Fulvetta | <i>Fulvetta formosana</i> | |
| 4 | A Wrentit | <i>Chamaea fasciata</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|--|-------------------------------------|--------------------------------|
| 3 | B Spot-breasted Parrotbill | <i>Paradoxornis guttaticollis</i> | |
| 1 | B Brown Parrotbill | <i>Paradoxornis unicolor</i> | |
| 2 | A Golden Parrotbill | <i>Suthora verreauxi</i> | |
| 2 | B Vinous-throated Parrotbill | <i>Suthora webbiana</i> | |
| | WHITE-EYES, YUHINAS, AND ALLIES | ZOSTEROPIDAE | |
| 1 | B White-collared Yuhina | <i>Parayuhina diademata</i> | |
| 3 | B Taiwan Yuhina | <i>Yuhina brunneiceps</i> | |
| 1 | C Burmese Yuhina | <i>Yuhina humilis</i> | |
| 1 | C Chestnut-faced Babbler | <i>Zosterornis whiteheadi</i> | |
| 1 | C Sulawesi Heleia | <i>Heleia squamiceps</i> | Streak-headed White-eye |
| 1 | C Sri Lanka White-eye | <i>Zosterops ceylonensis</i> | |
| 1 | C Chestnut-flanked White-eye | <i>Zosterops erythropleurus</i> | |
| 1 | C Warbling White-eye | <i>Zosterops japonicus</i> | Mountain White-eye |
| 1 | B Kikuyu White-eye | <i>Zosterops kikuyuensis</i> | Broad-ringed White-eye |
| 1 | B Northern Yellow White-eye | <i>Zosterops senegalensis</i> | |
| 1 | B Malagasy White-eye | <i>Zosterops maderaspatanus</i> | Madagascar White-eye |
| 1 | C Lemon-bellied White-eye | <i>Zosterops chloris</i> | |
| 2 | C Cream-throated White-eye | <i>Zosterops atriceps</i> | |
| 2 | A Silvereye | <i>Zosterops lateralis</i> | |
| 1 | D Green-backed White-eye | <i>Zosterops xanthochroa</i> | |
| | TREE-BABLERS, SCIMITAR-BABLERS, AND ALLIES | TIMALIIDAE | |
| 1 | C Tawny-bellied Babbler | <i>Dumetia hyperythra</i> | |
| 1 | C Golden Babbler | <i>Cyanoderma chrysaenum</i> | |
| 2 | C Taiwan Scimitar-Babbler | <i>Pomatorhinus musicus</i> | |
| 1 | B Indian Scimitar-Babbler | <i>Pomatorhinus horsfieldii</i> | |
| 3 | B Red-eyed Scimitar-Babbler | <i>Erythrognys imberbis</i> | Rusty-cheeked Scimitar-Babbler |
| 1 | D Black-necklaced Scimitar-Babbler | <i>Erythrognys erythrocnemis</i> | |
| | GROUND BABBLERS AND ALLIES | PELLORNEIDAE | |
| 1 | C Dusky Fulvetta | <i>Schoeniparus brunneus</i> | |
| 2 | C Puff-throated Babbler | <i>Pellorneum ruficeps</i> | |
| 1 | C Sulawesi Babbler | <i>Pellorneum celebense</i> | |
| 1 | C Striped Wren-Babbler | <i>Kenopia striata</i> | |
| 1 | C Abbott's Babbler | <i>Malacocincla abbotti</i> | |
| | LAUGHINGTHRUSHES AND ALLIES | LEIOTHRICHIDAE | |
| 1 | C Brown-cheeked Fulvetta | <i>Alcippe poiocephala</i> | |
| 1 | C Morrison's Fulvetta | <i>Alcippe morrisonia</i> | Grey-cheeked Fulvetta |
| 1 | D Brown-capped Laughingthrush | <i>Trochalopteron austeni</i> | |
| 4 | A White-whiskered Laughingthrush | <i>Trochalopteron morrisonianum</i> | |
| 2 | B Silver-eared Laughingthrush | <i>Trochalopteron melanostigma</i> | |
| 1 | C Nilgiri Laughingthrush | <i>Montecincla cachinnans</i> | |
| 1 | B Palani Laughingthrush | <i>Montecincla fairbanki</i> | |
| 1 | C White-eared Sibia | <i>Heterophasia auricularis</i> | |
| 2 | B Gray Sibia | <i>Heterophasia gracilis</i> | Grey Sibia |
| 1 | C Black-backed Sibia | <i>Heterophasia melanoleuca</i> | Dark-backed Sibia |
| 1 | C Taiwan Barwing | <i>Actinodura morrisoniana</i> | |
| 1 | C Chestnut-tailed Minla | <i>Actinodura strigula</i> | Bar-throated Minla |
| 1 | C Spectacled Barwing | <i>Actinodura ramsayi</i> | |
| 3 | B Taiwan Liocichla | <i>Liocichla steerii</i> | Steere's Liocichla |
| 1 | A Large Gray Babbler | <i>Argya malcolmi</i> | Large Grey Babbler |
| 2 | B Ashy-headed Laughingthrush | <i>Argya cinereifrons</i> | |
| 1 | B Orange-billed Babbler | <i>Argya rufescens</i> | |
| 1 | A Jungle Babbler | <i>Argya striata</i> | |
| 1 | A Yellow-billed Babbler | <i>Argya affinis</i> | |
| 1 | B Rufous Chatterer | <i>Argya rubiginosa</i> | |
| 1 | B Fulvous Chatterer | <i>Argya fulva</i> | Fulvous Babbler |
| 1 | B Common Babbler | <i>Argya caudata</i> | |
| 1 | C Striated Babbler | <i>Argya earlei</i> | |
| 4 | A White-throated Babbler | <i>Argya gularis</i> | |
| 1 | B Brown Babbler | <i>Turdoides plebejus</i> | |
| 2 | B Arrow-marked Babbler | <i>Turdoides jardineii</i> | |
| 1 | B Blackcap Babbler | <i>Turdoides reinwardtii</i> | |
| 1 | C Black-lored Babbler | <i>Turdoides sharpei</i> | |
| 1 | A Northern Pied-Babbler | <i>Turdoides hypoleuca</i> | |
| 1 | B Taiwan Hwamei | <i>Garrulax taewanus</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|--|--|--|
| 1 | B Lesser Necklaced Laughingthrush | <i>Garrulax monileger</i> | |
| 1 | C Giant Laughingthrush | <i>Ianthocincla maxima</i> | |
| 2 | C White-browed Laughingthrush | <i>Pterorhinus sannio</i> | |
| 2 | B Greater Necklaced Laughingthrush | <i>Pterorhinus pectoralis</i> | |
| 3 | B Mount Victoria Babax | <i>Pterorhinus woodi</i> | |
| 1 | C Rufous-crowned Laughingthrush | <i>Pterorhinus ruficeps</i> | |
| 1 | C Rusty Laughingthrush | <i>Pterorhinus poecilorhynchus</i> | |
| | KINGLETS | REGULIDAE | |
| 2 | B Ruby-crowned Kinglet | <i>Corthylia calendula</i> | |
| 3 | A Golden-crowned Kinglet | <i>Regulus satrapa</i> | |
| 1 | C Flamecrest | <i>Regulus goodfellowi</i> | |
| 1 | B Common Firecrest | <i>Regulus ignicapilla</i> | |
| | NUTHATCHES | SITTIDAE | |
| 2 | B White-breasted Nuthatch | <i>Sitta carolinensis</i> | |
| 3 | A Pygmy Nuthatch | <i>Sitta pygmaea</i> | |
| 3 | A Red-breasted Nuthatch | <i>Sitta canadensis</i> | |
| 3 | B White-browed Nuthatch | <i>Sitta victoriae</i> | |
| 1 | C Chestnut-vented Nuthatch | <i>Sitta nagaensis</i> | |
| | TREECREEPERS | CERTHIIDAE | |
| 3 | A Brown Creeper | <i>Certhia americana</i> | American Treecreeper |
| 1 | B Short-toed Treecreeper | <i>Certhia brachydactyla</i> | |
| 1 | D Hume's Treecreeper | <i>Certhia manipurensis</i> | |
| | GNATCATCHERS | POLIOPTILIDAE | |
| 1 | A Tawny-faced Gnatwren | <i>Microbatas cinereiventris</i> | Half-collared Gnatwren |
| 2 | C Long-billed Gnatwren | <i>Ramphocaenus melanurus</i> | Trilling Gnatwren |
| 1 | B Slate-throated Gnatcatcher | <i>Polioptila schistaceigula</i> | |
| 1 | C Klages's Gnatcatcher | <i>Polioptila paraensis</i> | Para Gnatcatcher, Guianan Gnatcatcher |
| 1 | B Masked Gnatcatcher | <i>Polioptila dumicola</i> | |
| 3 | B Marañon Gnatcatcher | <i>Polioptila maior</i> | Tropical Gnatcatcher |
| 3 | B White-browed Gnatcatcher | <i>Polioptila bilineata</i> | Tropical Gnatcatcher |
| 2 | B Blue-gray Gnatcatcher | <i>Polioptila caerulea</i> | Blue-grey Gnatcatcher |
| 1 | C Black-tailed Gnatcatcher | <i>Polioptila melanura</i> | |
| 2 | C White-lored Gnatcatcher | <i>Polioptila albiloris</i> | |
| | WRENS | TROGLODYTIDAE | |
| 6 | A Rock Wren | <i>Salpinctes obsoletus</i> | |
| 3 | A Scaly-breasted Wren | <i>Microcerculus marginatus</i> | Southern Nightingale-Wren |
| 1 | B Wing-banded Wren | <i>Microcerculus bamba</i> | |
| 3 | C Tooth-billed Wren | <i>Odontorchilus cinereus</i> | |
| 5 | A Canyon Wren | <i>Catherpes mexicanus</i> | |
| 1 | D Sumichrast's Wren | <i>Hylorchilus sumichrasti</i> | |
| 3 | A Nava's Wren | <i>Hylorchilus nava</i> | |
| 3 | A Northern House Wren | <i>Troglodytes aedon</i> | Brown-throated Wren, House Wren |
| 1 | B Cozumel Wren | <i>Troglodytes beani</i> | House Wren |
| 2 | A Southern House Wren | <i>Troglodytes musculus</i> | House Wren |
| 3 | B Cobb's Wren | <i>Troglodytes cobbi</i> | |
| 1 | C Ochraceous Wren | <i>Troglodytes ochraceus</i> | |
| 3 | B Mountain Wren | <i>Troglodytes solstitialis</i> | |
| 2 | C Eurasian Wren | <i>Troglodytes troglodytes</i> | |
| 1 | B Pacific Wren | <i>Troglodytes pacificus</i> | |
| 1 | C Timberline Wren | <i>Thryorchilus browni</i> | |
| 4 | B Grass Wren | <i>Cistothorus platensis</i> | Sedge Wren, Paramo Wren, Pampas Wren, Tucuman Wren, Austral Wren |
| 1 | C Apolinar's Wren | <i>Cistothorus apolinari</i> | |
| 6 | B Bewick's Wren | <i>Thryomanes bewickii</i> | |
| 2 | B White-headed Wren | <i>Campylorhynchus albobrunneus</i> | |
| 1 | B Band-backed Wren | <i>Campylorhynchus zonatus</i> | |
| 1 | C Gray-barred Wren | <i>Campylorhynchus megalopterus</i> | Grey-barred Wren |
| 2 | C Giant Wren | <i>Campylorhynchus chiapensis</i> | |
| 2 | B Russet-naped Wren | <i>Campylorhynchus humilis</i> | Rufous-naped Wren |
| 1 | B Rufous-backed Wren | <i>Campylorhynchus capistratus</i> | Rufous-naped Wren |
| 2 | A Boucard's Wren | <i>Campylorhynchus jocosus</i> | |
| 2 | B Yucatan Wren | <i>Campylorhynchus yucatanicus</i> | |
| 4 | A Cactus Wren | <i>Campylorhynchus brunneicapillus</i> | |
| 2 | B Fasciated Wren | <i>Campylorhynchus fasciatus</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|---|--|--|
| 2 | A Bicolored Wren | <i>Campylorhynchus griseus</i> | |
| 2 | A Thrush-like Wren | <i>Campylorhynchus turdinus</i> | |
| 1 | C Plain-tailed Wren | <i>Pheugopedius euophrys</i> | |
| 2 | A Gray-browed Wren | <i>Pheugopedius schulenbergi</i> | Plain-tailed Wren, Grey-browed Wren |
| 2 | A Mantaro Wren (undescribed form) | <i>Pheugopedius [undescribed form]</i> | |
| 1 | B Inca Wren | <i>Pheugopedius eisenmanni</i> | |
| 1 | A Moustached Wren | <i>Pheugopedius genibarbis</i> | |
| 1 | C Rufous-breasted Wren | <i>Pheugopedius rutilus</i> | |
| 1 | B Spot-breasted Wren | <i>Pheugopedius maculipectus</i> | |
| 5 | B Speckle-breasted Wren | <i>Pheugopedius sclateri</i> | Marañón Wren, Colombian Wren |
| 1 | C Banded Wren | <i>Thryophilus pleurostictus</i> | |
| 1 | D Antioquia Wren | <i>Thryophilus sernai</i> | |
| 3 | B Stripe-throated Wren | <i>Cantorchilus leucopogon</i> | |
| 5 | A Bay Wren | <i>Cantorchilus nigricapillus</i> | |
| 3 | B Superciliated Wren | <i>Cantorchilus superciliaris</i> | |
| 5 | A Long-billed Wren | <i>Cantorchilus longirostris</i> | |
| 1 | C Fawn-breasted Wren | <i>Cantorchilus guarayanus</i> | |
| 1 | B Rufous Wren | <i>Cinnycerthia unirufa</i> | |
| 1 | C Sharpe's Wren | <i>Cinnycerthia olivascens</i> | Sepia-brown Wren |
| 3 | B Peruvian Wren | <i>Cinnycerthia peruana</i> | |
| 1 | D White-bellied Wren | <i>Uropsila leucogastra</i> | |
| 2 | C White-breasted Wood-Wren | <i>Henicorhina leucosticta</i> | |
| 2 | A Gray-breasted Wood-Wren | <i>Henicorhina leucophrys</i> | |
| 2 | C Hermit Wood-Wren | <i>Henicorhina anachoreta</i> | Santa Marta Wood-Wren |
| 4 | A Munchique Wood-Wren | <i>Henicorhina negreti</i> | |
| 4 | B Song Wren | <i>Cyphorhinus phaeocephalus</i> | |
| 1 | D Musician Wren | <i>Cyphorhinus arada</i> | |
| | DIPPERS | CINCLIDAE | |
| 1 | C White-throated Dipper | <i>Cinclus cinclus</i> | |
| 2 | B American Dipper | <i>Cinclus mexicanus</i> | |
| 1 | C White-capped Dipper | <i>Cinclus leucocephalus</i> | |
| 2 | C Rufous-throated Dipper | <i>Cinclus schulzii</i> | |
| | OXPECKERS | BUPHAGIDAE | |
| 4 | B Red-billed Oxpecker | <i>Buphagus erythroryncha</i> | |
| | STARLINGS | STURNIDAE | |
| 1 | E Stripe-sided Rhabdornis | <i>Rhabdornis mystacalis</i> | Stripe-headed Rhabdornis |
| 1 | C Fiery-browed Myna | <i>Enodes erythrophrys</i> | Fiery-browed Starling |
| 3 | B Metallic Starling | <i>Aplonis metallica</i> | |
| 1 | D Striated Starling | <i>Aplonis striata</i> | |
| 1 | B Short-tailed Starling | <i>Aplonis minor</i> | |
| 1 | C Sulawesi Myna | <i>Basilornis celebensis</i> | |
| 1 | E Apo Myna | <i>Goodfellowia miranda</i> | |
| 1 | D Coledo | <i>Sarcops calvus</i> | |
| 1 | D Yellow-faced Myna | <i>Mino dumontii</i> | |
| 1 | C Wattled Starling | <i>Creatophora cinerea</i> | |
| 1 | B Black-collared Starling | <i>Gracupica nigricollis</i> | |
| 1 | D Siamese Pied Starling | <i>Gracupica floweri</i> | Asian Pied Starling, Siamese Pied Myna |
| 1 | C Chestnut-tailed Starling | <i>Sturnia malabarica</i> | |
| 2 | A Malabar Starling | <i>Sturnia blythii</i> | Chestnut-tailed Starling |
| 1 | B Common Myna | <i>Acridotheres tristis</i> | |
| 1 | C Bank Myna | <i>Acridotheres ginginianus</i> | |
| 1 | A Jungle Myna | <i>Acridotheres fuscus</i> | |
| 2 | B Javan Myna | <i>Acridotheres javanicus</i> | |
| 1 | C Collared Myna | <i>Acridotheres albocinctus</i> | |
| 1 | D Madagascar Starling | <i>Hartlaubius auratus</i> | |
| 3 | A Red-winged Starling | <i>Onychognathus morio</i> | |
| 1 | C Hildebrandt's Starling | <i>Lamprotornis hildebrandti</i> | |
| 1 | B Burchell's Starling | <i>Lamprotornis australis</i> | Burchell's Glossy-Starling |
| 1 | C Rüppell's Starling | <i>Lamprotornis purpuroptera</i> | Rueppell's Glossy-Starling |
| 1 | A Golden-breasted Starling | <i>Lamprotornis regius</i> | |
| 1 | B Superb Starling | <i>Lamprotornis superbus</i> | |
| 1 | D White-crowned Starling | <i>Lamprotornis albicapillus</i> | |
| 1 | C Fischer's Starling | <i>Lamprotornis fischeri</i> | |
| 2 | A Greater Blue-eared Starling | <i>Lamprotornis chalybaeus</i> | Greater Blue-eared Glossy-Starling |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|-----------------------------------|---|----------------------------------|----------------------------|
| 1 | B Cape Starling | <i>Lamprotornis nitens</i> | Cape Glossy-Starling |
| 1 | A Bronze-tailed Starling | <i>Lamprotornis chalcurus</i> | |
| MOCKINGBIRDS AND THRASHERS | | | |
| MIMIDAE | | | |
| 2 | B Blue-and-white Mockingbird | <i>Melanotis hypoleucus</i> | |
| 1 | C Black Catbird | <i>Melanoptila glabrirostris</i> | |
| 3 | B Gray Catbird | <i>Dumetella carolinensis</i> | Grey Catbird |
| 10 | A Curve-billed Thrasher | <i>Toxostoma curvirostre</i> | |
| 1 | E Ocellated Thrasher | <i>Toxostoma ocellatum</i> | |
| 1 | B Brown Thrasher | <i>Toxostoma rufum</i> | |
| 1 | C Bendire's Thrasher | <i>Toxostoma bendirei</i> | |
| 2 | B California Thrasher | <i>Toxostoma redivivum</i> | |
| 1 | C Crissal Thrasher | <i>Toxostoma crissale</i> | |
| 1 | C Sage Thrasher | <i>Oreoscoptes montanus</i> | |
| 1 | C Chilean Mockingbird | <i>Mimus thenca</i> | |
| 3 | B Patagonian Mockingbird | <i>Mimus patagonicus</i> | |
| 2 | B Chalk-browed Mockingbird | <i>Mimus saturninus</i> | |
| 1 | D White-banded Mockingbird | <i>Mimus triurus</i> | |
| 1 | C Brown-backed Mockingbird | <i>Mimus dorsalis</i> | |
| 1 | C Bahama Mockingbird | <i>Mimus gundlachi</i> | |
| 2 | B Galapagos Mockingbird | <i>Mimus parvulus</i> | |
| 2 | B Española Mockingbird | <i>Mimus macdonaldi</i> | Hood Mockingbird |
| 5 | B Long-tailed Mockingbird | <i>Mimus longicaudatus</i> | |
| 4 | A Tropical Mockingbird | <i>Mimus gilvus</i> | |
| 3 | B Northern Mockingbird | <i>Mimus polyglottos</i> | |
| THRUSHES AND ALLIES | | | |
| TURDIDAE | | | |
| 1 | D Grandala | <i>Grandala coelicolor</i> | |
| 1 | B Western Bluebird | <i>Sialia mexicana</i> | |
| 2 | B Mountain Bluebird | <i>Sialia currucoides</i> | |
| 1 | D Red-tailed Ant-Thrush | <i>Neocossyphus rufus</i> | |
| 2 | B Townsend's Solitaire | <i>Myadestes townsendi</i> | |
| 1 | C Brown-backed Solitaire | <i>Myadestes occidentalis</i> | |
| 1 | D Rufous-throated Solitaire | <i>Myadestes genibarbis</i> | |
| 1 | C Black-faced Solitaire | <i>Myadestes melanops</i> | |
| 1 | D Slate-colored Solitaire | <i>Myadestes unicolor</i> | |
| 1 | C Andean Solitaire | <i>Myadestes ralloides</i> | |
| 2 | B Geomalia | <i>Zoothera heinrichi</i> | |
| 1 | B Varied Thrush | <i>Ixoreus naevius</i> | |
| 1 | C Black-billed Nightingale-Thrush | <i>Catharus gracilirostris</i> | |
| 1 | B Slaty-backed Nightingale-Thrush | <i>Catharus fuscater</i> | |
| 1 | B Ruddy-capped Nightingale-Thrush | <i>Catharus frantzii</i> | |
| 1 | A Speckled Nightingale-Thrush | <i>Catharus maculatus</i> | Spotted Nightingale-Thrush |
| 1 | C Veery | <i>Catharus fuscescens</i> | |
| 2 | B Gray-cheeked Thrush | <i>Catharus minimus</i> | Grey-cheeked Thrush |
| 2 | B Swainson's Thrush | <i>Catharus ustulatus</i> | |
| 2 | B Hermit Thrush | <i>Catharus guttatus</i> | |
| 2 | B Wood Thrush | <i>Hylocichla mustelina</i> | |
| 2 | B White-eared Solitaire | <i>Entomodestes leucotis</i> | |
| 1 | B Rufous-brown Solitaire | <i>Cichlopsis leucogenys</i> | |
| 1 | C Pied Thrush | <i>Geokichla wardii</i> | |
| 1 | B Spot-winged Thrush | <i>Geokichla spiloptera</i> | |
| 1 | C Orange-headed Thrush | <i>Geokichla citrina</i> | |
| 1 | C Mistle Thrush | <i>Turdus viscivorus</i> | |
| 1 | C African Bare-eyed Thrush | <i>Turdus tephronotus</i> | Bare-eyed Thrush |
| 2 | A Kurrichane Thrush | <i>Turdus libonyana</i> | |
| 1 | B Abyssinian Thrush | <i>Turdus abyssinicus</i> | Olive Thrush |
| 1 | B Eurasian Blackbird | <i>Turdus merula</i> | Common Blackbird |
| 3 | B Black-breasted Thrush | <i>Turdus dissimilis</i> | |
| 2 | B Gray-sided Thrush | <i>Turdus feae</i> | Grey-sided Thrush |
| 1 | C White-chinned Thrush | <i>Turdus aurantius</i> | |
| 1 | C Sooty Thrush | <i>Turdus nigrescens</i> | |
| 1 | C Rufous-collared Robin | <i>Turdus rufitorques</i> | Rufous-collared Thrush |
| 3 | A American Robin | <i>Turdus migratorius</i> | |
| 1 | D Rufous-backed Robin | <i>Turdus rufopalliatus</i> | Rufous-backed Thrush |
| 1 | B Mountain Thrush | <i>Turdus plebejus</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|---|---------------------------------|------------------------------------|
| 1 | E Pale-eyed Thrush | <i>Turdus leucops</i> | |
| 1 | C Chestnut-bellied Thrush | <i>Turdus fulviventris</i> | |
| 5 | B Plumbeous-backed Thrush | <i>Turdus reevei</i> | |
| 2 | B Glossy-black Thrush | <i>Turdus serranus</i> | |
| 1 | C Black-hooded Thrush | <i>Turdus olivater</i> | |
| 1 | B Andean Slaty Thrush | <i>Turdus nigriceps</i> | Slaty Thrush |
| 3 | B Great Thrush | <i>Turdus fuscater</i> | |
| 1 | A Chiguanco Thrush | <i>Turdus chiguanco</i> | |
| 3 | B Austral Thrush | <i>Turdus falcklandii</i> | |
| 2 | B Creamy-bellied Thrush | <i>Turdus amaurochalinus</i> | |
| 3 | C Black-billed Thrush | <i>Turdus ignobilis</i> | |
| 1 | D Campina Thrush | <i>Turdus arthuri</i> | |
| 2 | C Marañon Thrush | <i>Turdus maranonicus</i> | |
| 1 | B Yellow-legged Thrush | <i>Turdus flavipes</i> | |
| 1 | D Blacksmith Thrush | <i>Turdus subalaris</i> | Slaty Thrush, Eastern Slaty Thrush |
| 1 | C Lawrence's Thrush | <i>Turdus lawrencii</i> | |
| 1 | C Pale-vented Thrush | <i>Turdus obsoletus</i> | |
| 2 | B White-throated Thrush | <i>Turdus assimilis</i> | Dagua Thrush |
| 1 | C White-necked Thrush | <i>Turdus albicollis</i> | |
| 4 | C Pale-breasted Thrush | <i>Turdus leucomelas</i> | |
| 1 | B Hauxwell's Thrush | <i>Turdus hauxwelli</i> | |
| 1 | B Cocoa Thrush | <i>Turdus fumigatus</i> | |
| 5 | A Rufous-bellied Thrush | <i>Turdus rufiventris</i> | |
| 1 | B Spectacled Thrush | <i>Turdus nudigenis</i> | |
| 2 | B Ecuadorian Thrush | <i>Turdus maculirostris</i> | |
| 1 | B Clay-colored Thrush | <i>Turdus grayi</i> | Clay-colored Robin |
| | OLD WORLD FLYCATCHERS | MUSCICAPIDAE | |
| 1 | C Ferruginous Flycatcher | <i>Muscicapa ferruginea</i> | |
| 1 | B Asian Brown Flycatcher | <i>Muscicapa dauurica</i> | |
| 1 | C Brown-breasted Flycatcher | <i>Muscicapa muttui</i> | |
| 1 | B African Dusky Flycatcher | <i>Muscicapa adusta</i> | |
| 1 | B Spotted Flycatcher | <i>Muscicapa striata</i> | |
| 1 | B African Gray Flycatcher | <i>Bradornis microrhynchus</i> | African Grey Flycatcher |
| 1 | B Silverbird | <i>Empidonis semipartitus</i> | |
| 1 | A Southern Black-Flycatcher | <i>Melaenornis pammelaina</i> | |
| 1 | A Black Scrub-Robin | <i>Cercotrichas podobe</i> | |
| 1 | B White-eyed Slaty-Flycatcher | <i>Melaenornis fischeri</i> | |
| 1 | B Rufous-tailed Scrub-Robin | <i>Cercotrichas galactotes</i> | |
| 2 | B White-browed Scrub-Robin | <i>Cercotrichas leucophrys</i> | Red-backed Scrub-Robin |
| 3 | B Oriental Magpie-Robin | <i>Copsychus saularis</i> | |
| 3 | B Madagascar Magpie-Robin | <i>Copsychus albospecularis</i> | |
| 2 | B White-rumped Shama | <i>Copsychus malabaricus</i> | |
| 1 | C Sri Lanka Shama | <i>Copsychus leggei</i> | Sri Lankan Shama |
| 1 | D White-vented Shama | <i>Copsychus niger</i> | |
| 1 | B Nilgiri Sholakili | <i>Sholicola major</i> | Nilgiri Blue Robin |
| 1 | B White-bellied Sholakili | <i>Sholicola albiventris</i> | White-bellied Blue Robin |
| 1 | C Large Niltava | <i>Niltava grandis</i> | |
| 1 | D Fujian Niltava | <i>Niltava davidi</i> | |
| 1 | B Taiwan Vivid Niltava | <i>Niltava vivida</i> | Small Vivid Niltava, Vivid Niltava |
| 1 | B Blue-fronted Flycatcher | <i>Eumyias hoevelli</i> | Blue-fronted Blue Flycatcher |
| 1 | B Dull-blue Flycatcher | <i>Eumyias sordidus</i> | |
| 1 | B Nilgiri Flycatcher | <i>Eumyias albicaudatus</i> | |
| 1 | B Verditer Flycatcher | <i>Eumyias thalassinus</i> | |
| 1 | D Turquoise Flycatcher | <i>Eumyias panayensis</i> | Island Flycatcher |
| 1 | B White-gorgeted Flycatcher | <i>Anthipes monileger</i> | |
| 1 | B White-bellied Blue Flycatcher | <i>Cyornis pallidipes</i> | |
| 2 | B Blue-throated Flycatcher | <i>Cyornis rubeculoides</i> | Blue-throated Blue Flycatcher |
| 1 | C Hill Blue Flycatcher | <i>Cyornis banyumas</i> | |
| 1 | D Palawan Blue Flycatcher | <i>Cyornis lemprieri</i> | |
| 1 | B Tickell's Blue Flycatcher | <i>Cyornis tickelliae</i> | |
| 1 | C Indochinese Blue Flycatcher | <i>Cyornis sumatrensis</i> | |
| 2 | A Sulawesi Blue Flycatcher | <i>Cyornis omissus</i> | |
| 1 | B Cape Robin-Chat | <i>Dessonornis caffer</i> | |
| 1 | A White-throated Robin-Chat | <i>Dessonornis humeralis</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|--|--------------------------------------|-----------------------------|
| 1 | B White-browed Robin-Chat | <i>Cossypha heuglini</i> | |
| 1 | C White-crowned Robin-Chat | <i>Cossypha albicapillus</i> | |
| 3 | A Spotted Morning-Thrush | <i>Cichladusa guttata</i> | Spotted Palm Thrush |
| 1 | B Gray-winged Robin-Chat | <i>Sheppardia polioptera</i> | Grey-winged Robin-Chat |
| 1 | D Equatorial Akalat | <i>Sheppardia aequatorialis</i> | |
| 1 | E East Coast Akalat | <i>Sheppardia gunningi</i> | |
| 1 | D Eyebrowed Jungle Flycatcher | <i>Vauriella gularis</i> | |
| 1 | A Indian Blue Robin | <i>Larivora brunnea</i> | |
| 1 | C Siberian Blue Robin | <i>Larivora cyane</i> | |
| 1 | B Sri Lanka Whistling-Thrush | <i>Myophonus blighi</i> | |
| 1 | C Malabar Whistling-Thrush | <i>Myophonus horsfieldii</i> | |
| 1 | C Taiwan Whistling-Thrush | <i>Myophonus insularis</i> | |
| 1 | B Blue Whistling-Thrush | <i>Myophonus caeruleus</i> | |
| 2 | C Little Forktail | <i>Enicurus scouleri</i> | |
| 1 | A Siberian Rubythroat | <i>Calliope calliope</i> | |
| 2 | B White-tailed Robin | <i>Myiomela leucura</i> | |
| 1 | C Red-flanked Bluetail | <i>Tarsiger cyanurus</i> | |
| 2 | B Collared Bush-Robin | <i>Tarsiger johnstoniae</i> | |
| 2 | B Narcissus Flycatcher | <i>Ficedula narcissina</i> | |
| 1 | A Black-and-orange Flycatcher | <i>Ficedula nigrorufa</i> | |
| 2 | A Slaty-blue Flycatcher | <i>Ficedula tricolor</i> | |
| 2 | C Snowy-browed Flycatcher | <i>Ficedula hyperythra</i> | |
| 3 | B Rufous-gorgeted Flycatcher | <i>Ficedula strophiate</i> | |
| 1 | C Little Pied Flycatcher | <i>Ficedula westermanni</i> | |
| 1 | B Ultramarine Flycatcher | <i>Ficedula supercilialis</i> | |
| 2 | A Taiga Flycatcher | <i>Ficedula albicilla</i> | |
| 1 | C Kashmir Flycatcher | <i>Ficedula subrubra</i> | |
| 2 | B Rufous-throated Flycatcher | <i>Ficedula rufigula</i> | |
| 1 | C Lompobattang Flycatcher | <i>Ficedula bonthaina</i> | |
| 2 | B Plumbeous Redstart | <i>Phoenicurus fuliginosus</i> | Plumbeous Water-redstart |
| 2 | A White-capped Redstart | <i>Phoenicurus leucocephalus</i> | White-capped Water-redstart |
| 3 | B Moussier's Redstart | <i>Phoenicurus moussieri</i> | |
| 1 | E White-throated Redstart | <i>Phoenicurus schisticeps</i> | |
| 1 | B Black Redstart | <i>Phoenicurus ochruros</i> | |
| 1 | B Daurian Redstart | <i>Phoenicurus aureus</i> | |
| 2 | C Littoral Rock-Thrush | <i>Monticola imerina</i> | |
| 1 | C Forest Rock-Thrush | <i>Monticola sharpei</i> | Benson's Rock-Thrush |
| 2 | B African Stonechat | <i>Saxicola torquatus</i> | Madagascar Stonechat |
| 3 | B White-tailed Stonechat | <i>Saxicola leucurus</i> | |
| 1 | B Pied Bushchat | <i>Saxicola caprata</i> | |
| 3 | B Jerdon's Bushchat | <i>Saxicola jerdoni</i> | |
| 4 | B Gray Bushchat | <i>Saxicola ferreus</i> | |
| 1 | B Moorland Chat | <i>Pinarochroa sordida</i> | |
| 1 | B Mocking Cliff-Chat | <i>Thamnotlaea cinnamomeiventris</i> | |
| 1 | B Sooty Chat | <i>Myrmecocichla nigra</i> | |
| 1 | B Northern Anteater-Chat | <i>Myrmecocichla aethiops</i> | Anteater Chat |
| 2 | B Northern Wheatear | <i>Oenanthe oenanthe</i> | |
| 3 | A Atlas Wheatear | <i>Oenanthe seebohmi</i> | Seebohm's Wheatear |
| 3 | B Desert Wheatear | <i>Oenanthe deserti</i> | |
| 2 | A Western Black-eared Wheatear | <i>Oenanthe hispanica</i> | |
| 4 | A Red-rumped Wheatear | <i>Oenanthe moesta</i> | |
| 1 | C Brown-tailed Chat | <i>Oenanthe scotocerca</i> | Brown-tailed Rock Chat |
| 3 | A Black Wheatear | <i>Oenanthe leucura</i> | |
| 1 | A White-crowned Wheatear | <i>Oenanthe leucopyga</i> | |
| 3 | B Abyssinian Wheatear | <i>Oenanthe lugubris</i> | |
| 1 | C Mourning Wheatear | <i>Oenanthe lugens</i> | Maghreb Wheatear |
| | WAXWINGS | BOMBYCILLIDAE | |
| 1 | D Bohemian Waxwing | <i>Bombycilla garrulus</i> | |
| 1 | A Cedar Waxwing | <i>Bombycilla cedrorum</i> | |
| | SILKY-FLYCATCHERS | PTILIOGONATIDAE | |
| 2 | B Gray Silky-flycatcher | <i>Ptiliogonys cinereus</i> | Grey Silky-flycatcher |
| 3 | B Long-tailed Silky-flycatcher | <i>Ptiliogonys caudatus</i> | |
| 3 | C Phainopepla | <i>Phainopepla nitens</i> | |
| | FLOWERPECKERS | DICAEIDAE | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|--|-----------------------------------|--|
| 2 | C Palawan Flowerpecker | <i>Prionochilus plateni</i> | |
| 1 | D Yellow-sided Flowerpecker | <i>Dicaeum aureolimbatum</i> | |
| 1 | D Flame-crowned Flowerpecker | <i>Dicaeum anthonyi</i> | |
| 1 | D Pale-billed Flowerpecker | <i>Dicaeum erythrorhynchos</i> | |
| 1 | B Nilgiri Flowerpecker | <i>Dicaeum concolor</i> | |
| 1 | B Plain Flowerpecker | <i>Dicaeum minullum</i> | |
| 1 | D Crimson-crowned Flowerpecker | <i>Dicaeum nehrkorni</i> | |
| 2 | C Fire-breasted Flowerpecker | <i>Dicaeum ignipectus</i> | |
| | SUNBIRDS AND SPIDERHUNTERS | NECTARINIIDAE | |
| 1 | C Pygmy Sunbird | <i>Hedydipna platura</i> | |
| 2 | C Amani Sunbird | <i>Hedydipna pallidigaster</i> | |
| 1 | B Olive Sunbird | <i>Cyanomitra olivacea</i> | Western Olive Sunbird |
| 2 | B Scarlet-chested Sunbird | <i>Chalcomitra senegalensis</i> | |
| 1 | B Hunter's Sunbird | <i>Chalcomitra hunteri</i> | |
| 2 | B Tacazze Sunbird | <i>Nectarinia tacazze</i> | |
| 2 | B Bronze Sunbird | <i>Nectarinia kilimensis</i> | |
| 1 | B Golden-winged Sunbird | <i>Drepanorhynchus reichenowi</i> | |
| 1 | C Northern Double-collared Sunbird | <i>Cinnyris reichenowi</i> | |
| 3 | B Beautiful Sunbird | <i>Cinnyris pulchellus</i> | |
| 1 | C Red-chested Sunbird | <i>Cinnyris erythrocerus</i> | |
| 2 | C Purple Sunbird | <i>Cinnyris asiaticus</i> | |
| 3 | A Sahul Sunbird | <i>Cinnyris frenatus</i> | Olive-backed Sunbird |
| 3 | B Souimanga Sunbird | <i>Cinnyris sovimanga</i> | |
| 1 | D Malagasy Sunbird | <i>Cinnyris notatus</i> | Madagascar Sunbird, Malagasy Green Sunbird |
| 1 | C Loten's Sunbird | <i>Cinnyris lotenius</i> | |
| 1 | C Green-tailed Sunbird | <i>Aethopyga nipalensis</i> | |
| 1 | E Lovely Sunbird | <i>Aethopyga shelleyi</i> | |
| 2 | B Crimson Sunbird | <i>Aethopyga siparaja</i> | |
| 1 | D Metallic-winged Sunbird | <i>Aethopyga pulcherrima</i> | Mountain Sunbird |
| | LEAFBIRDS | CHLOROPSEIDAE | |
| 1 | D Yellow-throated Leafbird | <i>Chloropsis palawanensis</i> | |
| 2 | A Orange-bellied Leafbird | <i>Chloropsis hardwickii</i> | |
| | OLIVE WARBLER | PEUCEDRAMIDAE | |
| 4 | B Olive Warbler | <i>Peucedramus taeniatus</i> | |
| | WEAVERS AND ALLIES | PLOCEIDAE | |
| 1 | C White-billed Buffalo-Weaver | <i>Bubalornis albirostris</i> | |
| 1 | B Red-billed Buffalo-Weaver | <i>Bubalornis niger</i> | |
| 1 | B White-headed Buffalo-Weaver | <i>Dinemellia dinemelli</i> | |
| 1 | C Speckle-fronted Weaver | <i>Sporopipes frontalis</i> | |
| 1 | B White-browed Sparrow-Weaver | <i>Plocepasser mahali</i> | |
| 1 | B Gray-capped Social-Weaver | <i>Pseudonigrita arnaudi</i> | Gray-headed Social-Weaver |
| 1 | B Red-headed Weaver | <i>Anaplectes rubriceps</i> | |
| 2 | B Baglafaecht Weaver | <i>Ploceus baglafaecht</i> | |
| 2 | B Little Weaver | <i>Ploceus luteolus</i> | |
| 1 | B Northern Masked-Weaver | <i>Ploceus taeniopterus</i> | |
| 1 | C Speke's Weaver | <i>Ploceus spekei</i> | |
| 1 | B Village Weaver | <i>Ploceus cucullatus</i> | |
| 1 | D Black-headed Weaver | <i>Ploceus melanocephalus</i> | |
| 2 | B Golden-backed Weaver | <i>Ploceus jacksoni</i> | |
| 1 | B Brown-capped Weaver | <i>Ploceus insignis</i> | |
| 2 | B Nelicourvi Weaver | <i>Ploceus nelicourvi</i> | |
| 3 | B Sakalava Weaver | <i>Ploceus sakalava</i> | |
| 5 | B Red Fody | <i>Foudia madagascariensis</i> | Madagascar Red Fody |
| | WAXBILLS AND ALLIES | ESTRILDIDAE | |
| 2 | B Crimson Finch | <i>Neochmia phaeton</i> | |
| 1 | B Red-browed Firetail | <i>Neochmia temporalis</i> | Red-browed Finch |
| 1 | C Star Finch | <i>Emblema ruficauda</i> | |
| 1 | B Double-barred Finch | <i>Stizoptera bichenovii</i> | |
| 1 | B Zebra Finch | <i>Taeniopygia guttata</i> | |
| 1 | C Masked Finch | <i>Poephila personata</i> | |
| 1 | C Long-tailed Finch | <i>Poephila acuticauda</i> | |
| 1 | B Black-throated Finch | <i>Poephila cincta</i> | |
| 1 | D Madagascar Munia | <i>Lepidopygia nana</i> | Madagascar Mannikin |
| 1 | C Indian Silverbill | <i>Eudice malabarica</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|--|-----------------------------------|------------------------------|
| 4 | A Scaly-breasted Munia | <i>Lonchura punctulata</i> | |
| 2 | B White-rumped Munia | <i>Lonchura striata</i> | |
| 1 | C Chestnut Munia | <i>Lonchura atricapilla</i> | |
| 1 | C Pale-headed Munia | <i>Lonchura pallida</i> | |
| 1 | B Chestnut-breasted Munia | <i>Lonchura castaneothorax</i> | Chestnut-breasted Mannikin |
| 1 | C Black-faced Waxbill | <i>Brunhilda erythronotos</i> | |
| 1 | C Lavender Waxbill | <i>Glaucostrelda caerulescens</i> | |
| 1 | D Black-crowned Waxbill | <i>Estrilda nonnula</i> | |
| 1 | B Crimson-rumped Waxbill | <i>Estrilda rhodopyga</i> | |
| 2 | B Green Avadavat | <i>Amandava formosa</i> | |
| 3 | B Red Avadavat | <i>Amandava amandava</i> | |
| 2 | B Purple Grenadier | <i>Granatina ianthinogaster</i> | |
| 1 | A Southern Cordonbleu | <i>Uraeginthus angolensis</i> | Blue Waxbill |
| 2 | C Red-cheeked Cordonbleu | <i>Uraeginthus bengalus</i> | |
| 1 | C Green-winged Pytilia | <i>Pytilia melba</i> | |
| 3 | A Red-billed Firefinch | <i>Lagonosticta senegala</i> | |
| | WHYDAHs AND INDIGOBIRDS | VIDUIDAE | |
| 1 | B Sahel Paradise-Whydah | <i>Vidua orientalis</i> | |
| | ACCENTORS | PRUNELLIDAE | |
| 1 | B Alpine Accentor | <i>Prunella collaris</i> | |
| 1 | B Robin Accentor | <i>Prunella rubeculoides</i> | |
| 1 | C Rufous-breasted Accentor | <i>Prunella strophiata</i> | |
| | OLD WORLD SPARROWS | PASSERIDAE | |
| 4 | B Plain-backed Sparrow | <i>Passer flaveolus</i> | |
| 1 | B Kenya Rufous Sparrow | <i>Passer rufocinctus</i> | Kenya Sparrow |
| 1 | B Northern Gray-headed Sparrow | <i>Passer griseus</i> | |
| 1 | C Parrot-billed Sparrow | <i>Passer gongonensis</i> | |
| 1 | B Southern Gray-headed Sparrow | <i>Passer diffusus</i> | Southern Grey-headed Sparrow |
| 3 | A Desert Sparrow | <i>Passer simplex</i> | |
| 1 | C Yellow-throated Bush Sparrow | <i>Gymnoris supercilialis</i> | |
| 1 | C Rock Sparrow | <i>Petronia petronia</i> | Rock Petronia |
| | WAGTAILS AND PIPITS | MOTACILLIDAE | |
| 1 | B Forest Wagtail | <i>Dendronanthus indicus</i> | |
| 1 | B Mountain Wagtail | <i>Motacilla clara</i> | |
| 2 | B Madagascar Wagtail | <i>Motacilla flaviventris</i> | |
| 1 | C Gray Wagtail | <i>Motacilla cinerea</i> | Grey Wagtail |
| 1 | C Eastern Yellow Wagtail | <i>Motacilla tschutschensis</i> | |
| 2 | B African Pied Wagtail | <i>Motacilla aguimp</i> | |
| 5 | B White Wagtail | <i>Motacilla alba</i> | |
| 1 | B Australian Pipit | <i>Anthus australis</i> | |
| 4 | A New Zealand Pipit | <i>Anthus novaeseelandiae</i> | |
| 1 | B Paddyfield Pipit | <i>Anthus rufulus</i> | |
| 1 | B African Pipit | <i>Anthus cinnamomeus</i> | Grassveld Pipit |
| 1 | B Plain-backed Pipit | <i>Anthus leucophrys</i> | |
| 1 | C Nilgiri Pipit | <i>Anthus nilghiriensis</i> | |
| 1 | D Striped Pipit | <i>Anthus lineiventris</i> | |
| 1 | D Tree Pipit | <i>Anthus trivialis</i> | |
| 2 | C Olive-backed Pipit | <i>Anthus hodgsoni</i> | |
| 2 | C Red-throated Pipit | <i>Anthus cervinus</i> | |
| 1 | B American Pipit | <i>Anthus rubescens</i> | |
| 5 | A Yellowish Pipit | <i>Anthus chii</i> | |
| 2 | C Peruvian Pipit | <i>Anthus peruvianus</i> | Yellowish Pipit |
| 1 | D Puna Pipit | <i>Anthus brevirostris</i> | Short-billed Pipit |
| 1 | C Short-billed Pipit | <i>Anthus furcatus</i> | |
| 2 | B Correndera Pipit | <i>Anthus correndera</i> | |
| 2 | B Ochre-breasted Pipit | <i>Anthus nattereri</i> | |
| 4 | B Hellmayr's Pipit | <i>Anthus hellmayri</i> | |
| 2 | B Paramo Pipit | <i>Anthus bogotensis</i> | |
| 1 | D Sokoike Pipit | <i>Anthus sokokensis</i> | |
| 2 | B Yellow-throated Longclaw | <i>Macronyx croceus</i> | |
| 1 | B Rosy-throated Longclaw | <i>Macronyx ameliae</i> | |
| | FINCHES, EUPHONIAS, AND ALLIES | FRINGILLIDAE | |
| 2 | B Common Chaffinch | <i>Fringilla coelebs</i> | Eurasian Chaffinch |
| 2 | B Golden-rumped Euphonia | <i>Chlorophonia cyanocephala</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|--|-----------------------------------|----------------------------|
| 3 | A Blue-naped Chlorophonia | <i>Chlorophonia cyanea</i> | |
| 4 | B Chestnut-breasted Chlorophonia | <i>Chlorophonia pyrrhophrys</i> | |
| 1 | C Yellow-collared Chlorophonia | <i>Chlorophonia flavirostris</i> | |
| 1 | C Orange-crowned Euphonia | <i>Euphonia saturata</i> | |
| 2 | C Plumbeous Euphonia | <i>Euphonia plumbea</i> | |
| 5 | A Purple-throated Euphonia | <i>Euphonia chlorotica</i> | |
| 1 | D Finsch's Euphonia | <i>Euphonia finschi</i> | |
| 1 | D Velvet-fronted Euphonia | <i>Euphonia concinna</i> | |
| 1 | C Scrub Euphonia | <i>Euphonia affinis</i> | |
| 4 | A Golden-bellied Euphonia | <i>Euphonia chrysopasta</i> | White-lored Euphonia |
| 3 | C Green-throated Euphonia | <i>Euphonia chalybea</i> | Green-chinned Euphonia |
| 7 | A Violaceous Euphonia | <i>Euphonia violacea</i> | |
| 1 | D Yellow-throated Euphonia | <i>Euphonia hirundinacea</i> | |
| 6 | A Thick-billed Euphonia | <i>Euphonia laniirostris</i> | |
| 3 | A Spot-crowned Euphonia | <i>Euphonia imitans</i> | |
| 2 | B Olive-backed Euphonia | <i>Euphonia gouldi</i> | |
| 2 | A Fulvous-vented Euphonia | <i>Euphonia fulvicrissa</i> | |
| 3 | B Tawny-capped Euphonia | <i>Euphonia anaeae</i> | |
| 5 | B Orange-bellied Euphonia | <i>Euphonia xanthogaster</i> | |
| 1 | B Golden-sided Euphonia | <i>Euphonia cayennensis</i> | |
| 1 | C Rufous-bellied Euphonia | <i>Euphonia rufiventris</i> | |
| 4 | B Chestnut-bellied Euphonia | <i>Euphonia pectoralis</i> | |
| 1 | C Evening Grosbeak | <i>Coccothraustes vespertinus</i> | |
| 1 | D Yellow-billed Grosbeak | <i>Eophona migratoria</i> | Chinese Grosbeak |
| 2 | B Taiwan Rosefinch | <i>Carpodacus formosanus</i> | |
| 3 | B Pine Grosbeak | <i>Pinicola enucleator</i> | |
| 1 | E Brown Bullfinch | <i>Pyrrhula nipalensis</i> | |
| 2 | B Gray-headed Bullfinch | <i>Pyrrhula erythaca</i> | |
| 1 | C Crimson-winged Finch | <i>Rhodopechys sanguineus</i> | |
| 1 | C Trumpeter Finch | <i>Bucanetes githagineus</i> | |
| 1 | D Dark-breasted Rosefinch | <i>Procarduelis nipalensis</i> | |
| 3 | B Gray-crowned Rosy-Finch | <i>Leucosticte tephrocotis</i> | Grey-crowned Rosy Finch |
| 2 | A Black Rosy-Finch | <i>Leucosticte atrata</i> | |
| 4 | A Brown-capped Rosy-Finch | <i>Leucosticte australis</i> | |
| 1 | A House Finch | <i>Haemorhous mexicanus</i> | |
| 2 | C Cassin's Finch | <i>Haemorhous cassinii</i> | |
| 1 | C European Greenfinch | <i>Chloris chloris</i> | |
| 1 | B Yellow-fronted Canary | <i>Crithagra mozambica</i> | |
| 1 | B African Citril | <i>Crithagra citrinelloides</i> | |
| 1 | C Southern Citril | <i>Crithagra hyposticta</i> | |
| 1 | C Papyrus Canary | <i>Crithagra koliensis</i> | |
| 1 | B Streaky Seedeater | <i>Crithagra striolata</i> | |
| 1 | D Redpoll | <i>Acanthis flammea</i> | |
| 2 | C Red Crossbill | <i>Loxia curvirostra</i> | |
| 1 | C White-winged Crossbill | <i>Loxia leucoptera</i> | Two-barred Crossbill |
| 1 | B European Serin | <i>Serinus serinus</i> | |
| 3 | C Pine Siskin | <i>Spinus pinus</i> | |
| 4 | A Lesser Goldfinch | <i>Spinus psaltria</i> | |
| 1 | B Lawrence's Goldfinch | <i>Spinus lawrencei</i> | |
| 3 | D Red Siskin | <i>Spinus cucullatus</i> | |
| 1 | B Thick-billed Siskin | <i>Spinus crassirostris</i> | |
| 2 | C Hooded Siskin | <i>Spinus magellanicus</i> | |
| 1 | D Olivaceous Siskin | <i>Spinus olivaceus</i> | |
| 1 | B Black Siskin | <i>Spinus atratus</i> | |
| 1 | B Black-chinned Siskin | <i>Spinus barbatus</i> | |
| | LONGSPURS AND SNOW BUNTINGS | CALCARIIDAE | |
| 3 | B Lapland Longspur | <i>Calcarius lapponicus</i> | |
| 1 | C Chestnut-collared Longspur | <i>Calcarius ornatus</i> | |
| 1 | C Smith's Longspur | <i>Calcarius pictus</i> | |
| 1 | B Snow Bunting | <i>Plectrophenax nivalis</i> | |
| | THRUSH-TANAGER | RHODINOCICHLIDAE | |
| 1 | C Rosy Thrush-Tanager | <i>Rhodinocichla rosea</i> | |
| | OLD WORLD BUNTINGS | EMBERIZIDAE | |
| 1 | C Rock Bunting | <i>Emberiza cia</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|---|-------------------------------------|------------------------------|
| 1 | C Godlewski's Bunting | <i>Emberiza godlewskii</i> | |
| 1 | C Yellowhammer | <i>Emberiza citrinella</i> | |
| 1 | D Cinnamon-breasted Bunting | <i>Emberiza tahapisi</i> | |
| 1 | D Yellow-breasted Bunting | <i>Emberiza aureola</i> | |
| 1 | B Little Bunting | <i>Emberiza pusilla</i> | |
| 1 | C Yellow Bunting | <i>Emberiza sulphurata</i> | |
| 1 | C Black-faced Bunting | <i>Emberiza spodocephala</i> | |
| | NEW WORLD SPARROWS | PASSERELLIDAE | |
| 3 | B Tanager Finch | <i>Oreothraupis arremonops</i> | |
| 1 | C Yellow-throated Chlorospingus | <i>Chlorospingus flavigularis</i> | Yellow-throated Bush Tanager |
| 4 | D Ashy-throated Chlorospingus | <i>Chlorospingus canigularis</i> | Ashy-throated Bush Tanager |
| 1 | A Sooty-capped Chlorospingus | <i>Chlorospingus pileatus</i> | Sooty-capped Bush Tanager |
| 6 | B Common Chlorospingus | <i>Chlorospingus flavopectus</i> | Common Bush Tanager |
| 2 | C Dusky Chlorospingus | <i>Chlorospingus semifuscus</i> | Dusky Bush Tanager |
| 4 | B Tumbes Sparrow | <i>Rhynchospiza stolzmanni</i> | |
| 1 | B Yungas Sparrow | <i>Rhynchospiza dabbenei</i> | Stripe-capped Sparrow |
| 5 | A Rufous-winged Sparrow | <i>Peucaea carpalis</i> | |
| 3 | B Cinnamon-tailed Sparrow | <i>Peucaea sumichrasti</i> | Sumichrast's Sparrow |
| 1 | C Stripe-headed Sparrow | <i>Peucaea ruficauda</i> | |
| 2 | A Bridled Sparrow | <i>Peucaea mystacalis</i> | |
| 7 | A Botteri's Sparrow | <i>Peucaea botterii</i> | |
| 9 | A Cassin's Sparrow | <i>Peucaea cassinii</i> | |
| 1 | A Grasshopper Sparrow | <i>Ammodramus savannarum</i> | |
| 3 | B Grassland Sparrow | <i>Ammodramus humeralis</i> | |
| 1 | B Yellow-browed Sparrow | <i>Ammodramus aurifrons</i> | |
| 2 | B Olive Sparrow | <i>Arremonops rufivirgatus</i> | |
| 2 | B Black-striped Sparrow | <i>Arremonops conirostris</i> | |
| 2 | B Tocuyo Sparrow | <i>Arremonops tocuyensis</i> | |
| 4 | B Chipping Sparrow | <i>Spizella passerina</i> | |
| 3 | B Black-chinned Sparrow | <i>Spizella atrogularis</i> | |
| 3 | B Field Sparrow | <i>Spizella pusilla</i> | |
| 5 | B Brewer's Sparrow | <i>Spizella breweri</i> | |
| 4 | A Five-striped Sparrow | <i>Amphispizopsis quinquestrata</i> | |
| 7 | A Black-throated Sparrow | <i>Amphispiza bilineata</i> | |
| 3 | B Lark Sparrow | <i>Chondestes grammacus</i> | |
| 1 | B Costa Rican Brushfinch | <i>Arremon costaricensis</i> | Stripe-headed Brush-Finch |
| 1 | D Sierra Nevada Brushfinch | <i>Arremon basilicus</i> | Stripe-headed Brush-Finch |
| 6 | A Gray-browed Brushfinch | <i>Arremon assimilis</i> | Stripe-headed Brush-Finch |
| 1 | B White-browed Brushfinch | <i>Arremon torquatus</i> | Stripe-headed Brush-Finch |
| 2 | A Orange-billed Sparrow | <i>Arremon aurantiostris</i> | |
| 2 | B Black-capped Sparrow | <i>Arremon abeillei</i> | Black-capped Sparrow |
| 1 | C Marañon Sparrow | <i>Arremon nigriceps</i> | |
| 2 | B Golden-winged Sparrow | <i>Arremon schlegeli</i> | |
| 2 | C Sao Francisco Sparrow | <i>Arremon franciscanus</i> | |
| 2 | B Half-collared Sparrow | <i>Arremon semitorquatus</i> | |
| 1 | C Saffron-billed Sparrow | <i>Arremon flavirostris</i> | |
| 3 | B Chestnut-capped Brushfinch | <i>Arremon brunneinucha</i> | Plain-breasted Brush-Finch |
| 3 | A Sooty-faced Finch | <i>Arremon crassirostris</i> | |
| 2 | B Olive Finch | <i>Arremon castaneiceps</i> | |
| 2 | B Fox Sparrow | <i>Passerella iliaca</i> | |
| 1 | B Dark-eyed Junco | <i>Junco hyemalis</i> | Gray-headed Junco |
| 7 | A Yellow-eyed Junco | <i>Junco phaeonotus</i> | Mexican Junco |
| 1 | B Volcano Junco | <i>Junco vulcani</i> | |
| 7 | A Rufous-collared Sparrow | <i>Zonotrichia capensis</i> | |
| 5 | B White-crowned Sparrow | <i>Zonotrichia leucophrys</i> | |
| 1 | C Golden-crowned Sparrow | <i>Zonotrichia atricapilla</i> | |
| 2 | A Sagebrush Sparrow | <i>Artemisospiza nevadensis</i> | Sage Sparrow |
| 1 | C Bell's Sparrow | <i>Artemisospiza belli</i> | |
| 3 | B Vesper Sparrow | <i>Pooecetes gramineus</i> | |
| 1 | B Seaside Sparrow | <i>Ammospiza maritima</i> | |
| 2 | B Savannah Sparrow | <i>Passerculus sandwichensis</i> | |
| 2 | B Henslow's Sparrow | <i>Centronyx henslowii</i> | |
| 4 | B Song Sparrow | <i>Melospiza melodia</i> | |
| 1 | C Lincoln's Sparrow | <i>Melospiza lincolni</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|--|--------------------------------------|---|
| 1 | C Large-footed Finch | <i>Pezopetes capitalis</i> | |
| 1 | C Rusty-crowned Ground-Sparrow | <i>Melospiza kieneri</i> | |
| 4 | A Canyon Towhee | <i>Melospiza fusca</i> | |
| 1 | C White-throated Towhee | <i>Melospiza albicollis</i> | |
| 3 | B Abert's Towhee | <i>Melospiza aberti</i> | |
| 3 | B California Towhee | <i>Melospiza crissalis</i> | |
| 1 | B White-faced Ground-Sparrow | <i>Melospiza biarcuata</i> | Prevost's Ground-Sparrow |
| 2 | C Rusty Sparrow | <i>Aimophila rufescens</i> | |
| 5 | B Rufous-crowned Sparrow | <i>Aimophila ruficeps</i> | |
| 2 | B Oaxaca Sparrow | <i>Aimophila notosticta</i> | |
| 2 | A Green-tailed Towhee | <i>Pipilo chlorurus</i> | |
| 5 | A Spotted Towhee | <i>Pipilo maculatus</i> | |
| 1 | B Eastern Towhee | <i>Pipilo erythrophthalmus</i> | |
| 2 | B Collared Towhee | <i>Pipilo ocai</i> | |
| 2 | B White-naped Brushfinch | <i>Atlapetes albinucha</i> | Yellow-throated Brushfinch |
| 1 | B Yellow-thighed Brushfinch | <i>Atlapetes tibialis</i> | |
| 2 | C Santa Marta Brushfinch | <i>Atlapetes melanocephalus</i> | |
| 1 | D Yellow-headed Brushfinch | <i>Atlapetes flaviceps</i> | Olive-headed Brush-Finch |
| 2 | B White-headed Brushfinch | <i>Atlapetes albiceps</i> | |
| 1 | B Rufous-eared Brushfinch | <i>Atlapetes rufigenis</i> | |
| 2 | B Choco Brushfinch | <i>Atlapetes crassus</i> | Choco Brush Finch |
| 1 | C Golden-crowned Brushfinch | <i>Atlapetes tricolor</i> | Tricolored Brushfinch |
| 3 | B Northern Slaty Brushfinch | <i>Atlapetes schistaceus</i> | Slaty Brushfinch |
| 1 | B Peruvian Slaty Brushfinch | <i>Atlapetes taczanowskii</i> | Taczanowski's Brushfinch |
| 4 | B Pale-naped Brushfinch | <i>Atlapetes pallidinucha</i> | |
| 3 | B Yellow-breasted Brushfinch | <i>Atlapetes latinucha</i> | Rufous-naped Brush-Finch |
| 4 | B White-winged Brushfinch | <i>Atlapetes leucopterus</i> | |
| 1 | C Pale-headed Brushfinch | <i>Atlapetes pallidiceps</i> | |
| 1 | B Bay-crowned Brushfinch | <i>Atlapetes seebohmi</i> | |
| 1 | B Rusty-bellied Brushfinch | <i>Atlapetes nationi</i> | |
| 1 | B Cuzco Brushfinch | <i>Atlapetes canigenis</i> | Slaty Brush-Finch |
| 1 | B Fulvous-headed Brushfinch | <i>Atlapetes fulviceps</i> | |
| 1 | A Yellow-striped Brushfinch | <i>Atlapetes citrinellus</i> | |
| | GREATER ANTILLEAN TANAGERS | PHAENICOPHILIDAE | |
| 2 | B Western Spindalis | <i>Spindalis zena</i> | |
| 1 | B Jamaican Spindalis | <i>Spindalis nigriceps</i> | |
| | WRENTHRUSH | ZELEDONIIDAE | |
| 2 | A Wrenthrush | <i>Zeledonia coronata</i> | Zeledonia |
| | YELLOW-BREASTED CHAT | ICTERIIDAE | |
| 3 | A Yellow-breasted Chat | <i>Icteria virens</i> | |
| | TROUPIALS AND ALLIES | ICTERIDAE | |
| 3 | B Yellow-headed Blackbird | <i>Xanthocephalus xanthocephalus</i> | |
| 4 | A Bobolink | <i>Dolichonyx oryzivorus</i> | |
| 1 | B Western Meadowlark | <i>Sturnella neglecta</i> | |
| 5 | B Chihuahuan Meadowlark | <i>Sturnella liliana</i> | Lilian's Meadowlark, Eastern Meadowlark |
| 2 | B White-browed Meadowlark | <i>Leistes superciliosus</i> | White-browed Blackbird |
| 3 | B Peruvian Meadowlark | <i>Leistes bellicosus</i> | |
| 3 | B Long-tailed Meadowlark | <i>Leistes loyca</i> | |
| 1 | C Yellow-billed Cacique | <i>Amblycercus holosericeus</i> | |
| 1 | C Yellow-winged Cacique | <i>Cassiculus melanicterus</i> | Mexican Cacique |
| 5 | B Russet-backed Oropendola | <i>Psarocolius angustifrons</i> | |
| 1 | C Dusky-green Oropendola | <i>Psarocolius atrovirens</i> | |
| 1 | D Green Oropendola | <i>Psarocolius viridis</i> | |
| 5 | B Crested Oropendola | <i>Psarocolius decumanus</i> | |
| 1 | B Chestnut-headed Oropendola | <i>Psarocolius wagleri</i> | |
| 2 | A Montezuma Oropendola | <i>Psarocolius montezuma</i> | |
| 1 | D Baudo Oropendola | <i>Psarocolius cassini</i> | |
| 2 | A Olive Oropendola | <i>Psarocolius bifasciatus</i> | Amazonian Oropendola |
| 1 | A Solitary Black Cacique | <i>Cacicus solitarius</i> | Solitary Cacique |
| 3 | B Golden-winged Cacique | <i>Cacicus chrysopterus</i> | |
| 4 | C Scarlet-rumped Cacique | <i>Cacicus uropygialis</i> | |
| 4 | B Yellow-rumped Cacique | <i>Cacicus cela</i> | |
| 1 | C Mountain Cacique | <i>Cacicus chrysonotus</i> | |
| 4 | B Red-rumped Cacique | <i>Cacicus haemorrhous</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|--|------------------------------------|-------------------------------------|
| 1 | D Casqued Cacique | <i>Cacicus oseryi</i> | Casqued Oropendola |
| 2 | B Yellow-backed Oriole | <i>Icterus chrysater</i> | |
| 1 | C Orange-crowned Oriole | <i>Icterus auricapillus</i> | |
| 2 | A White-edged Oriole | <i>Icterus graceannae</i> | |
| 5 | A Yellow-tailed Oriole | <i>Icterus mesomelas</i> | |
| 2 | B Epaulet Oriole | <i>Icterus cayanensis</i> | Moriche Oriole |
| 1 | C Variable Oriole | <i>Icterus pyrrhopterus</i> | |
| 1 | B Venezuelan Troupial | <i>Icterus icterus</i> | |
| 1 | C Campo Troupial | <i>Icterus jamacaii</i> | |
| 4 | B Orange-backed Troupial | <i>Icterus croconotus</i> | |
| 1 | D Streak-backed Oriole | <i>Icterus pustulatus</i> | |
| 1 | C Jamaican Oriole | <i>Icterus leucopteryx</i> | |
| 1 | B Yellow Oriole | <i>Icterus nigrogularis</i> | |
| 2 | B Baltimore Oriole | <i>Icterus galbula</i> | |
| 6 | A Scott's Oriole | <i>Icterus parisorum</i> | |
| 1 | B Jamaican Blackbird | <i>Nesopsar nigerrimus</i> | |
| 4 | B Red-winged Blackbird | <i>Agelaius phoeniceus</i> | |
| 1 | D Screaming Cowbird | <i>Molothrus rufoaxillaris</i> | |
| 5 | B Shiny Cowbird | <i>Molothrus bonariensis</i> | |
| 2 | C Bronzed Cowbird | <i>Molothrus aeneus</i> | |
| 2 | C Brown-headed Cowbird | <i>Molothrus ater</i> | |
| 6 | B Giant Cowbird | <i>Molothrus oryzivorus</i> | |
| 1 | D Melodious Blackbird | <i>Dives dives</i> | |
| 1 | B Scrub Blackbird | <i>Dives waczewiczi</i> | |
| 1 | C Rusty Blackbird | <i>Euphagus carolinus</i> | |
| 1 | B Brewer's Blackbird | <i>Euphagus cyanocephalus</i> | |
| 1 | C Common Grackle | <i>Quiscalus quiscula</i> | |
| 3 | C Great-tailed Grackle | <i>Quiscalus mexicanus</i> | |
| 2 | B Nicaraguan Grackle | <i>Quiscalus nicaraguensis</i> | |
| 1 | B Red-bellied Grackle | <i>Hypopyrrhus pyrohypogaster</i> | |
| 4 | B Oriole Blackbird | <i>Gymnomystax mexicanus</i> | |
| 1 | B Mountain Grackle | <i>Macroagelaius subalaris</i> | Colombian Mountain Grackle |
| 1 | C Austral Blackbird | <i>Curaeus curaeus</i> | |
| 3 | B Scarlet-headed Blackbird | <i>Amblyramphus holosericeus</i> | |
| 2 | A Chopi Blackbird | <i>Gnorimopsar chopi</i> | |
| 2 | B Grayish Baywing | <i>Agelaioides badius</i> | Greyish Baywing, Bay-winged Cowbird |
| 2 | C Pale Baywing | <i>Agelaioides fringillarius</i> | Bay-winged Cowbird |
| 1 | B Pale-eyed Blackbird | <i>Agelasticus xanthophthalmus</i> | |
| 3 | B Unicolored Blackbird | <i>Agelasticus cyanopus</i> | |
| 2 | B Yellow-winged Blackbird | <i>Agelasticus thilius</i> | |
| 1 | A Chestnut-capped Blackbird | <i>Chrysomus ruficapillus</i> | |
| 1 | D Yellow-hooded Blackbird | <i>Chrysomus icterocephalus</i> | |
| 1 | C Brown-and-yellow Marshbird | <i>Pseudoleistes virescens</i> | |
| | NEW WORLD WARBLERS | PARULIDAE | |
| 1 | B Ovenbird | <i>Seiurus aurocapilla</i> | |
| 2 | B Worm-eating Warbler | <i>Helmitheros vermivorum</i> | |
| 3 | B Louisiana Waterthrush | <i>Parkesia motacilla</i> | |
| 2 | A Northern Waterthrush | <i>Parkesia noveboracensis</i> | |
| 1 | C Golden-winged Warbler | <i>Vermivora chrysoptera</i> | |
| 1 | A Blue-winged Warbler | <i>Vermivora cyanoptera</i> | |
| 2 | A Black-and-white Warbler | <i>Mniotilta varia</i> | |
| 5 | A Prothonotary Warbler | <i>Protonotaria citrea</i> | |
| 1 | D Crescent-chested Warbler | <i>Oreothlypis superciliosa</i> | |
| 2 | B Flame-throated Warbler | <i>Oreothlypis gutturalis</i> | |
| 3 | B Tennessee Warbler | <i>Leiothlypis peregrina</i> | |
| 3 | B Orange-crowned Warbler | <i>Leiothlypis celata</i> | |
| 4 | A Lucy's Warbler | <i>Leiothlypis luciae</i> | |
| 1 | B Nashville Warbler | <i>Leiothlypis ruficapilla</i> | |
| 1 | C Virginia's Warbler | <i>Leiothlypis virginiae</i> | |
| 1 | B Black-lored Yellowthroat | <i>Geothlypis auricularis</i> | Masked Yellowthroat |
| 2 | B Southern Yellowthroat | <i>Geothlypis velata</i> | Masked Yellowthroat |
| 1 | D MacGillivray's Warbler | <i>Geothlypis tolmiei</i> | |
| 3 | A Kentucky Warbler | <i>Geothlypis formosa</i> | |
| 4 | B Olive-crowned Yellowthroat | <i>Geothlypis semiflava</i> | Chiriqui Yellowthroat |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|--|----------------------------------|--|
| 3 | B Common Yellowthroat | <i>Geothlypis trichas</i> | |
| 1 | D Hooded Yellowthroat | <i>Geothlypis nelsoni</i> | |
| 1 | B Arrowhead Warbler | <i>Setophaga pharetra</i> | |
| 4 | A Hooded Warbler | <i>Setophaga citrina</i> | |
| 7 | A American Redstart | <i>Setophaga ruticilla</i> | |
| 1 | C Kirtland's Warbler | <i>Setophaga kirtlandii</i> | |
| 2 | C Cape May Warbler | <i>Setophaga tigrina</i> | |
| 3 | A Cerulean Warbler | <i>Setophaga cerulea</i> | |
| 4 | A Northern Parula | <i>Setophaga americana</i> | |
| 1 | B Tropical Parula | <i>Setophaga pitiayumi</i> | |
| 3 | A Magnolia Warbler | <i>Setophaga magnolia</i> | |
| 2 | B Bay-breasted Warbler | <i>Setophaga castanea</i> | |
| 2 | B Northern Yellow Warbler | <i>Setophaga aestiva</i> | American Yellow Warbler, Yellow Warbler |
| 3 | B Mangrove Yellow Warbler | <i>Setophaga petechia</i> | Mangrove Warbler, Yellow Warbler, Golden Warbler |
| 4 | B Chestnut-sided Warbler | <i>Setophaga pensylvanica</i> | |
| 3 | B Blackpoll Warbler | <i>Setophaga striata</i> | |
| 1 | C Black-throated Blue Warbler | <i>Setophaga caerulescens</i> | |
| 2 | B Palm Warbler | <i>Setophaga palmarum</i> | |
| 1 | B Pine Warbler | <i>Setophaga pinus</i> | |
| 2 | C Yellow-rumped Warbler | <i>Setophaga coronata</i> | Audubon's Warbler |
| 1 | B Yellow-throated Warbler | <i>Setophaga dominica</i> | |
| 3 | A Prairie Warbler | <i>Setophaga discolor</i> | |
| 3 | A Grace's Warbler | <i>Setophaga graciae</i> | |
| 4 | A Black-throated Gray Warbler | <i>Setophaga nigrescens</i> | Black-throated Grey Warbler |
| 1 | A Townsend's Warbler | <i>Setophaga townsendi</i> | |
| 1 | D Hermit Warbler | <i>Setophaga occidentalis</i> | |
| 5 | B Black-throated Green Warbler | <i>Setophaga virens</i> | |
| 1 | B Rufous-capped Warbler | <i>Basileuterus rufifrons</i> | |
| 3 | B Chestnut-capped Warbler | <i>Basileuterus delatryi</i> | Rufous-capped Warbler |
| 1 | C Black-cheeked Warbler | <i>Basileuterus melanogenys</i> | |
| 2 | B Golden-browed Warbler | <i>Basileuterus belli</i> | |
| 3 | C Golden-crowned Warbler | <i>Basileuterus culicivorus</i> | White-bellied Warbler |
| 1 | B Three-striped Warbler | <i>Basileuterus tristriatus</i> | |
| 1 | A Three-banded Warbler | <i>Basileuterus trifasciatus</i> | |
| 1 | C Santa Marta Warbler | <i>Myiothlypis basilica</i> | |
| 1 | B Citrine Warbler | <i>Myiothlypis luteoviridis</i> | |
| 4 | A Flavescent Warbler | <i>Myiothlypis flaveola</i> | |
| 1 | A White-browed Warbler | <i>Myiothlypis leucoblephara</i> | White-rimmed Warbler |
| 1 | B Pale-legged Warbler | <i>Myiothlypis signata</i> | |
| 2 | B Black-crested Warbler | <i>Myiothlypis nigrocristata</i> | |
| 2 | B Buff-rumped Warbler | <i>Myiothlypis fulvicauda</i> | |
| 2 | B Riverbank Warbler | <i>Myiothlypis rivularis</i> | Neotropical River Warbler |
| 2 | B Choco Warbler | <i>Myiothlypis chlorophrys</i> | Golden-bellied Warbler |
| 1 | C White-lored Warbler | <i>Myiothlypis conspicillata</i> | |
| 2 | B Gray-and-gold Warbler | <i>Myiothlypis fraseri</i> | Grey-and-gold Warbler |
| 1 | B Russet-crowned Warbler | <i>Myiothlypis coronata</i> | |
| 3 | B Canada Warbler | <i>Cardellina canadensis</i> | |
| 3 | A Red-faced Warbler | <i>Cardellina rubrifrons</i> | |
| 2 | C Red Warbler | <i>Cardellina rubra</i> | |
| 1 | B Pink-headed Warbler | <i>Cardellina versicolor</i> | |
| 6 | B Painted Redstart | <i>Myioborus pictus</i> | Painted Whitestart |
| 3 | B Slate-throated Redstart | <i>Myioborus miniatus</i> | Slate-throated Whitestart |
| 2 | B Brown-capped Redstart | <i>Myioborus bruniceps</i> | Brown-capped Whitestart |
| 2 | C Collared Redstart | <i>Myioborus torquatus</i> | Collared Whitestart |
| 1 | D Yellow-crowned Redstart | <i>Myioborus flavivertex</i> | Yellow-crowned Whitestart |
| 2 | A Golden-fronted Redstart | <i>Myioborus ornatus</i> | Golden-fronted Whitestart |
| 2 | C Spectacled Redstart | <i>Myioborus melanocephalus</i> | Spectacled Whitestart |
| | MITROSPINGID TANAGERS | MITROSPINGIDAE | |
| 1 | B Dusky-faced Tanager | <i>Mitrospingus cassinii</i> | |
| 4 | B Olive-green Tanager | <i>Orthogonyx chloricterus</i> | |
| | CARDINALS AND ALLIES | CARDINALIDAE | |
| 3 | A Hepatic Tanager | <i>Piranga flava</i> | Tooth-billed Tanager |
| 4 | B Summer Tanager | <i>Piranga rubra</i> | |
| 1 | B Scarlet Tanager | <i>Piranga olivacea</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|----|--|------------------------------------|---|
| 4 | B Western Tanager | <i>Piranga ludoviciana</i> | |
| 1 | C Flame-colored Tanager | <i>Piranga bidentata</i> | |
| 2 | C White-winged Tanager | <i>Piranga leucoptera</i> | |
| 3 | B Red-headed Tanager | <i>Piranga erythrocephala</i> | |
| 2 | C Red-hooded Tanager | <i>Piranga rubriceps</i> | |
| 4 | B Red-crowned Ant-Tanager | <i>Habia rubica</i> | |
| 5 | B Red-throated Ant-Tanager | <i>Driophlox fuscicauda</i> | |
| 1 | B Sooty Ant-Tanager | <i>Driophlox gutturalis</i> | |
| 1 | D Black-cheeked Ant-Tanager | <i>Driophlox atrimaxillaris</i> | |
| 2 | C Crested Ant-Tanager | <i>Driophlox cristata</i> | |
| 1 | D Carmioli's Tanager | <i>Chlorothraupis carmioli</i> | |
| 1 | E Yellow-lored Tanager | <i>Chlorothraupis frenata</i> | Carmioli's Tanager |
| 2 | B Lemon-spectacled Tanager | <i>Chlorothraupis olivacea</i> | |
| 3 | B Ochre-breasted Tanager | <i>Chlorothraupis stolzmanni</i> | |
| 1 | C Red-and-black Grosbeak | <i>Periporphyrus erythromelas</i> | |
| 2 | B Black-faced Grosbeak | <i>Caryothraustes poliogaster</i> | |
| 1 | D Yellow-green Grosbeak | <i>Caryothraustes canadensis</i> | |
| 5 | A Vermilion Cardinal | <i>Cardinalis phoeniceus</i> | |
| 3 | B Northern Cardinal | <i>Cardinalis cardinalis</i> | Long-crested Cardinal |
| 6 | A Pyrrhuloxia | <i>Cardinalis sinuatus</i> | |
| 3 | B Golden Grosbeak | <i>Pheucticus chrysogaster</i> | Southern Yellow-Grosbeak, Golden-bellied Grosbeak |
| 3 | B Black-backed Grosbeak | <i>Pheucticus aureoventris</i> | |
| 1 | B Rose-breasted Grosbeak | <i>Pheucticus ludovicianus</i> | |
| 4 | C Black-headed Grosbeak | <i>Pheucticus melanocephalus</i> | |
| 3 | B Red-breasted Chat | <i>Granatellus venustus</i> | |
| 1 | C Gray-throated Chat | <i>Granatellus sallaei</i> | Grey-throated Chat |
| 1 | A Rose-breasted Chat | <i>Granatellus pelzelni</i> | |
| 2 | C Blue Seedeater | <i>Amaurospiza concolor</i> | |
| 1 | B Ecuadorian Seedeater | <i>Amaurospiza aequatorialis</i> | Blue Seedeater |
| 1 | B Glaucous-blue Grosbeak | <i>Cyanoloxia glaucocaerulea</i> | |
| 1 | C Blue-black Grosbeak | <i>Cyanoloxia cyanoides</i> | |
| 3 | A Ultramarine Grosbeak | <i>Cyanoloxia brissonii</i> | |
| 2 | C Blue Bunting | <i>Cyanocompsa parellina</i> | |
| 5 | B Blue Grosbeak | <i>Passerina caerulea</i> | |
| 1 | B Lazuli Bunting | <i>Passerina amoena</i> | |
| 3 | B Indigo Bunting | <i>Passerina cyanea</i> | |
| 11 | A Rose-bellied Bunting | <i>Passerina rositae</i> | Rosita's Bunting |
| 4 | B Orange-breasted Bunting | <i>Passerina leclancherii</i> | |
| 3 | B Varied Bunting | <i>Passerina versicolor</i> | |
| 1 | B Painted Bunting | <i>Passerina ciris</i> | |
| 1 | D Dickcissel | <i>Spiza americana</i> | |
| | TANAGERS AND ALLIES | THRAUPIDAE | |
| 1 | C Brown Tanager | <i>Orchesticus abeillei</i> | |
| 1 | B Red-crested Cardinal | <i>Paroaria coronata</i> | |
| 1 | C Red-cowled Cardinal | <i>Paroaria dominicana</i> | |
| 3 | A Masked Cardinal | <i>Paroaria nigrogenis</i> | |
| 1 | D Red-capped Cardinal | <i>Paroaria gularis</i> | |
| 2 | B Yellow-billed Cardinal | <i>Paroaria capitata</i> | |
| 1 | C Black-faced Tanager | <i>Schistochlamys melanopis</i> | |
| 2 | B Cinnamon Tanager | <i>Schistochlamys ruficapillus</i> | |
| 5 | B Magpie Tanager | <i>Cissopis leverianus</i> | |
| 1 | B White-banded Tanager | <i>Neothraupis fasciata</i> | Shrike-like Tanager |
| 3 | B Black-and-white Tanager | <i>Conothraupis speculigera</i> | |
| 1 | E Cone-billed Tanager | <i>Conothraupis mesoleuca</i> | |
| 3 | B Scarlet-throated Tanager | <i>Compsothraupis loricata</i> | |
| 3 | A White-capped Tanager | <i>Sericossypha albocristata</i> | |
| 3 | B Hooded Tanager | <i>Nemosia pileata</i> | |
| 2 | B Black-capped Hemispingus | <i>Kleinotheraupis atropileus</i> | White-browed Hemispingus |
| 3 | C Black-eared Hemispingus | <i>Sphenopsis melanotis</i> | Western Hemispingus, Piura Hemispingus |
| 2 | B Orange-headed Tanager | <i>Thlypopsis sordida</i> | |
| 2 | C Buff-bellied Tanager | <i>Thlypopsis inornata</i> | |
| 1 | D Chestnut-headed Tanager | <i>Thlypopsis pyrrhocomma</i> | |
| 1 | B Rust-and-yellow Tanager | <i>Thlypopsis ruficeps</i> | |
| 1 | B Superciliaried Hemispingus | <i>Thlypopsis superciliaris</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|--|--------------------------------------|---|
| 1 | B Rufous-chested Tanager | <i>Thlypopsis ornata</i> | |
| 2 | B Plain-tailed Warbling Finch | <i>Microspingus alticola</i> | |
| 2 | B Rusty-browed Warbling Finch | <i>Microspingus erythrophrys</i> | |
| 1 | C Buff-throated Warbling Finch | <i>Microspingus lateralis</i> | |
| 1 | C Gray-throated Warbling Finch | <i>Microspingus cabanisi</i> | Grey-throated Warbling Finch |
| 1 | C Ringed Warbling Finch | <i>Microspingus torquatus</i> | |
| 2 | A Cinereous Warbling Finch | <i>Microspingus cinereus</i> | |
| 1 | B Pardusco | <i>Nephelornis oneilli</i> | |
| 9 | A Black-goggled Tanager | <i>Trichothraupis melanops</i> | |
| 2 | C Gray-headed Tanager | <i>Eucometis penicillata</i> | Grey-headed Tanager |
| 3 | B Flame-crested Tanager | <i>Loriotus cristatus</i> | |
| 3 | B White-shouldered Tanager | <i>Loriotus luctuosus</i> | |
| 1 | C Fulvous-crested Tanager | <i>Tachyphonus surinamus</i> | |
| 2 | B Tawny-crested Tanager | <i>Tachyphonus delatrii</i> | |
| 8 | B Ruby-crowned Tanager | <i>Tachyphonus coronatus</i> | |
| 6 | A White-lined Tanager | <i>Tachyphonus rufus</i> | |
| 6 | B White-winged Shrike-Tanager | <i>Lanio versicolor</i> | |
| 1 | A Crimson-collared Tanager | <i>Ramphocelus sanguinolentus</i> | |
| 8 | B Flame-rumped Tanager | <i>Ramphocelus flammigerus</i> | Yellow-rumped Tanager, Lemon-rumped Tanager |
| 7 | A Scarlet-rumped Tanager | <i>Ramphocelus passerinii</i> | Passerini's Tanager, Cherrie's Tanager |
| 6 | A Brazilian Tanager | <i>Ramphocelus bresilius</i> | |
| 2 | B Black-bellied Tanager | <i>Ramphocelus melanogaster</i> | Huallaga Tanager |
| 3 | B Silver-beaked Tanager | <i>Ramphocelus carbo</i> | |
| 2 | A Masked Crimson Tanager | <i>Ramphocelus nigrogularis</i> | |
| 5 | A Crimson-backed Tanager | <i>Ramphocelus dimidiatus</i> | |
| 1 | B Vermilion Tanager | <i>Calochaetes coccineus</i> | |
| 2 | B Black-and-gold Tanager | <i>Bangsia melanochlamys</i> | |
| 1 | B Golden-chested Tanager | <i>Bangsia rothschildi</i> | |
| 2 | B Moss-backed Tanager | <i>Bangsia edwardsi</i> | |
| 6 | A Gold-ringed Tanager | <i>Bangsia aureocincta</i> | |
| 2 | B Yellow-green Tanager | <i>Bangsia flavovirens</i> | Yellow-green Bush-Tanager, Yellow-green Chlorospingus |
| 1 | E Orange-throated Tanager | <i>Wetmorethraupis sterrhopteron</i> | |
| 6 | A Hooded Mountain Tanager | <i>Buthraupis montana</i> | |
| 2 | B Blue-capped Tanager | <i>Sporathraupis cyanocephala</i> | |
| 2 | B Masked Mountain Tanager | <i>Tephrophilus wetmorei</i> | |
| 2 | B Grass-green Tanager | <i>Chlorornis riefferii</i> | |
| 1 | B Black-chested Mountain Tanager | <i>Cnemathraupis eximia</i> | |
| 2 | B Golden-backed Mountain Tanager | <i>Cnemathraupis aureodorialis</i> | |
| 1 | C Black-cheeked Mountain Tanager | <i>Anisognathus melanogenys</i> | Santa Marta Mountain Tanager |
| 5 | A Lacrimose Mountain Tanager | <i>Anisognathus lacrymosus</i> | |
| 5 | A Scarlet-bellied Mountain Tanager | <i>Anisognathus igniventris</i> | |
| 2 | A Blue-winged Mountain Tanager | <i>Anisognathus somptuosus</i> | |
| 3 | B Black-chinned Mountain Tanager | <i>Anisognathus notabilis</i> | |
| 2 | A Buff-banded Mountain Tanager | <i>Dubusia taeniata</i> | Buff-breasted Mountain Tanager |
| 1 | D Streak-crowned Mountain Tanager | <i>Dubusia stictocephala</i> | Buff-breasted Mountain Tanager |
| 2 | A Rufous-bellied Mountain Tanager | <i>Pseudosaltator rufiventris</i> | Rufous-bellied Saltator |
| 1 | B Diademed Tanager | <i>Stephanophorus diadematus</i> | |
| 1 | B Purplish-mantled Tanager | <i>Iridosornis porphyrocephalus</i> | |
| 2 | B Yellow-throated Tanager | <i>Iridosornis analis</i> | |
| 1 | A Golden-collared Tanager | <i>Iridosornis jelskii</i> | |
| 3 | A Golden-crowned Tanager | <i>Iridosornis rufivertex</i> | |
| 3 | A Yellow-scarfed Tanager | <i>Iridosornis reinhardti</i> | |
| 2 | B Fawn-breasted Tanager | <i>Pipraeidea melanonota</i> | |
| 3 | C Blue-and-yellow Tanager | <i>Raueia bonariensis</i> | |
| 2 | B Glistening-green Tanager | <i>Chlorochrysa phoenicotis</i> | |
| 6 | A Multicolored Tanager | <i>Chlorochrysa nitidissima</i> | |
| 7 | A Blue-gray Tanager | <i>Thraupis episcopus</i> | Blue-grey Tanager |
| 1 | C Sayaca Tanager | <i>Thraupis sayaca</i> | |
| 1 | B Glaucous Tanager | <i>Thraupis glaucocolpa</i> | |
| 7 | A Azure-shouldered Tanager | <i>Thraupis cyanoptera</i> | |
| 4 | B Golden-chevroned Tanager | <i>Thraupis ornata</i> | |
| 4 | A Palm Tanager | <i>Thraupis palmarum</i> | |
| 3 | B Rufous-throated Tanager | <i>Ixothraupis rufigula</i> | |
| 1 | B Speckled Tanager | <i>Ixothraupis guttata</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|--|-------------------------------------|----------------------------|
| 1 | B Yellow-bellied Tanager | <i>Ixothraupis xanthogastra</i> | |
| 5 | B Golden-naped Tanager | <i>Chalcothraupis ruficervix</i> | |
| 1 | B Gray-and-gold Tanager | <i>Poecilostreptus palmeri</i> | Grey-and-gold Tanager |
| 1 | C Black-headed Tanager | <i>Stilpnia cyanoptera</i> | |
| 2 | C Silvery Tanager | <i>Stilpnia viridicollis</i> | Silver-backed Tanager |
| 4 | B Black-capped Tanager | <i>Stilpnia heinei</i> | |
| 1 | B Chestnut-backed Tanager | <i>Stilpnia preciosa</i> | |
| 2 | B Burnished-buff Tanager | <i>Stilpnia cayana</i> | |
| 4 | B Scrub Tanager | <i>Stilpnia vitriolina</i> | |
| 2 | B Golden-hooded Tanager | <i>Stilpnia larvata</i> | |
| 2 | B Blue-necked Tanager | <i>Stilpnia cyanicollis</i> | |
| 2 | C Blue-and-black Tanager | <i>Tangara vassorii</i> | |
| 1 | C Beryl-spangled Tanager | <i>Tangara nigroviridis</i> | |
| 1 | D Metallic-green Tanager | <i>Tangara labradorides</i> | |
| 1 | C Blue-browed Tanager | <i>Tangara cyanotis</i> | |
| 2 | B Plain-colored Tanager | <i>Tangara inornata</i> | |
| 1 | D Turquoise Tanager | <i>Tangara mexicana</i> | |
| 1 | D White-bellied Tanager | <i>Tangara brasiliensis</i> | Turquoise Tanager |
| 1 | B Paradise Tanager | <i>Tangara chilensis</i> | |
| 2 | C Opal-rumped Tanager | <i>Tangara velia</i> | |
| 1 | B Opal-crowned Tanager | <i>Tangara callophrys</i> | |
| 5 | A Green-headed Tanager | <i>Tangara seledon</i> | |
| 4 | B Red-necked Tanager | <i>Tangara cyanocephala</i> | |
| 1 | B Brassy-breasted Tanager | <i>Tangara desmaresti</i> | |
| 2 | A Gilt-edged Tanager | <i>Tangara cyanoventris</i> | |
| 1 | B Rufous-winged Tanager | <i>Tangara lavinia</i> | |
| 4 | B Bay-headed Tanager | <i>Tangara gyrola</i> | |
| 3 | B Golden-eared Tanager | <i>Tangara chrysotis</i> | |
| 6 | A Saffron-crowned Tanager | <i>Tangara xanthocephala</i> | |
| 4 | B Flame-faced Tanager | <i>Tangara parzudakii</i> | |
| 2 | B Green-and-gold Tanager | <i>Tangara schrankii</i> | |
| 1 | C Blue-whiskered Tanager | <i>Tangara johannae</i> | |
| 9 | A Golden Tanager | <i>Tangara arthus</i> | |
| 2 | B Emerald Tanager | <i>Tangara florida</i> | |
| 6 | B Silver-throated Tanager | <i>Tangara icterocephala</i> | |
| 3 | B Swallow Tanager | <i>Tersina viridis</i> | |
| 3 | B Black-faced Dacnis | <i>Dacnis lineata</i> | |
| 4 | A Yellow-bellied Dacnis | <i>Dacnis flaviventer</i> | |
| 2 | A Turquoise Dacnis | <i>Dacnis hartlaubi</i> | Turquoise Dacnis-Tanager |
| 2 | D Scarlet-thighed Dacnis | <i>Dacnis venusta</i> | |
| 5 | A Blue Dacnis | <i>Dacnis cayana</i> | |
| 6 | B Shining Honeycreeper | <i>Cyanerpes lucidus</i> | |
| 4 | B Purple Honeycreeper | <i>Cyanerpes caeruleus</i> | |
| 3 | B Red-legged Honeycreeper | <i>Cyanerpes cyaneus</i> | |
| 5 | A Green Honeycreeper | <i>Chlorophanes spiza</i> | |
| 2 | B Sulphur-rumped Tanager | <i>Heterospingus rubrifrons</i> | |
| 1 | D Scarlet-browed Tanager | <i>Heterospingus xanthopygius</i> | |
| 1 | D Guira Tanager | <i>Hemithraupis guira</i> | |
| 2 | B Rufous-headed Tanager | <i>Hemithraupis ruficapilla</i> | |
| 2 | C Yellow-backed Tanager | <i>Hemithraupis flavicollis</i> | |
| 2 | B Black-and-yellow Tanager | <i>Chrysothlypis chrysomelas</i> | |
| 2 | A Scarlet-and-white Tanager | <i>Chrysothlypis salmoni</i> | |
| 2 | B Bicolored Conebill | <i>Conirostrum bicolor</i> | |
| 1 | C Chestnut-vented Conebill | <i>Conirostrum speciosum</i> | |
| 1 | D Giant Conebill | <i>Conirostrum binghami</i> | |
| 1 | D White-browed Conebill | <i>Conirostrum ferrugineiventre</i> | |
| 2 | B Blue-backed Conebill | <i>Conirostrum sitticolor</i> | |
| 2 | B Capped Conebill | <i>Conirostrum albifrons</i> | |
| 1 | D Tamarugo Conebill | <i>Conirostrum tamarugense</i> | |
| 1 | B Rufous-browed Conebill | <i>Conirostrum rufum</i> | |
| 1 | A Cinereous Conebill | <i>Conirostrum cinereum</i> | |
| 5 | B Chestnut-bellied Flowerpiercer | <i>Diglossa gloriosissima</i> | |
| 1 | A Glossy Flowerpiercer | <i>Diglossa lafresnayii</i> | |
| 2 | A Black Flowerpiercer | <i>Diglossa humeralis</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|---|--------------------------------------|---|
| 2 | B Black-throated Flowerpiercer | <i>Diglossa brunneiventris</i> | |
| 4 | B White-sided Flowerpiercer | <i>Diglossa albilatera</i> | |
| 1 | D Indigo Flowerpiercer | <i>Diglossa indigotica</i> | |
| 2 | B Cinnamon-bellied Flowerpiercer | <i>Diglossa baritula</i> | |
| 3 | B Slaty Flowerpiercer | <i>Diglossa plumbea</i> | |
| 3 | B Rusty Flowerpiercer | <i>Diglossa sittoides</i> | |
| 1 | C Bluish Flowerpiercer | <i>Diglossa caerulescens</i> | |
| 4 | B Masked Flowerpiercer | <i>Diglossa cyanea</i> | |
| 1 | A Plushcap | <i>Catamblyrhynchus diadema</i> | Plush-capped Finch |
| 3 | B Black-backed Bush Tanager | <i>Urothraupis stolzmanni</i> | |
| 1 | C Peruvian Sierra Finch | <i>Phrygilus punensis</i> | |
| 2 | A Gray-hooded Sierra Finch | <i>Phrygilus gayi</i> | Grey-hooded Sierra Finch |
| 2 | B Patagonian Sierra Finch | <i>Phrygilus patagonicus</i> | |
| 4 | B Diuca Finch | <i>Diuca diuca</i> | |
| 2 | B White-bridled Finch | <i>Melanodera melanodera</i> | Black-throated Finch, Canary-winged Finch |
| 1 | C Tit-like Dacnis | <i>Xenodacnis parina</i> | |
| 1 | B Red-backed Sierra Finch | <i>Idiopsar dorsalis</i> | |
| 1 | C White-throated Sierra Finch | <i>Idiopsar erythronotus</i> | |
| 2 | C Glacier Finch | <i>Idiopsar speculifer</i> | White-winged Diuca-Finch |
| 2 | A Plumbeous Sierra Finch | <i>Geospizopsis unicolor</i> | |
| 3 | B Ash-breasted Sierra Finch | <i>Geospizopsis plebejus</i> | |
| 4 | B Uniform Finch | <i>Haplospiza unicolor</i> | |
| 1 | C Slaty Finch | <i>Haplospiza rustica</i> | |
| 1 | B Black-crested Finch | <i>Lophospingus pusillus</i> | |
| 1 | C Cinereous Finch | <i>Piezorina cinerea</i> | |
| 2 | C Slender-billed Finch | <i>Xenospingus concolor</i> | |
| 2 | C Gray-winged Inca-Finch | <i>Incaspiza ortizi</i> | Grey-winged Inca Finch |
| 2 | B Buff-bridled Inca-Finch | <i>Incaspiza laeta</i> | |
| 2 | B Little Inca-Finch | <i>Incaspiza watkinsi</i> | |
| 5 | A Mourning Sierra Finch | <i>Rhopospina fruticeti</i> | |
| 5 | A Blue Finch | <i>Rhopospina caerulescens</i> | Yellow-billed Blue Finch |
| 3 | B Band-tailed Sierra Finch | <i>Rhopospina alaudina</i> | |
| 1 | C Carbonated Sierra Finch | <i>Rhopospina carbonaria</i> | |
| 1 | B Black-headed Hemispingus | <i>Pseudospingus verticalis</i> | |
| 1 | D Drab Hemispingus | <i>Pseudospingus xanthophthalmus</i> | |
| 1 | C Pink-billed Cnemoscopus | <i>Cnemoscopus rubrirostris</i> | Gray-hooded Bush Tanager |
| 1 | B White-rumped Tanager | <i>Cypsnagra hirundinacea</i> | |
| 1 | B Rufous-sided Warbling Finch | <i>Poospizopsis hypochondria</i> | |
| 2 | B Bay-chested Warbling Finch | <i>Castanozoster thoracicus</i> | |
| 2 | B Rufous-browed Hemispingus | <i>Poospiza rufosuperciliaris</i> | |
| 1 | D Black-and-rufous Warbling Finch | <i>Poospiza nigrorufa</i> | |
| 2 | B Collared Warbling Finch | <i>Poospiza hispaniolensis</i> | |
| 1 | B Tucuman Mountain Finch | <i>Poospiza baeri</i> | |
| 1 | D Puna Yellow-Finch | <i>Sicalis lutea</i> | |
| 2 | B Bright-rumped Yellow-Finch | <i>Sicalis uropygialis</i> | |
| 2 | A Citron-headed Yellow-Finch | <i>Sicalis luteocephala</i> | |
| 3 | B Greater Yellow-Finch | <i>Sicalis auriventris</i> | |
| 1 | D Greenish Yellow-Finch | <i>Sicalis olivascens</i> | |
| 1 | B Orange-fronted Yellow-Finch | <i>Sicalis columbiana</i> | |
| 6 | B Saffron Finch | <i>Sicalis flaveola</i> | |
| 4 | B Grassland Yellow-Finch | <i>Sicalis luteola</i> | |
| 5 | B Sulphur-throated Finch | <i>Sicalis taczanowskii</i> | |
| 4 | B Wedge-tailed Grass-Finch | <i>Emberizoides herbicola</i> | |
| 1 | B Great Pampa-Finch | <i>Embernagra platensis</i> | Pampa Finch |
| 3 | C Pale-throated Pampa-Finch | <i>Embernagra longicauda</i> | Pale-throated Serra-Finch, Serra Finch |
| 4 | B Blue-black Grassquit | <i>Volatinia jacarina</i> | |
| 1 | C Lined Seedeater | <i>Sporophila lineola</i> | |
| 1 | C White-bellied Seedeater | <i>Sporophila leucoptera</i> | |
| 2 | B Parrot-billed Seedeater | <i>Sporophila peruviana</i> | |
| 2 | B Chestnut-throated Seedeater | <i>Sporophila telasco</i> | |
| 1 | C Drab Seedeater | <i>Sporophila simplex</i> | |
| 3 | B Chestnut-bellied Seedeater | <i>Sporophila castaneiventris</i> | |
| 1 | C Pearly-bellied Seedeater | <i>Sporophila pileata</i> | Capped Seedeater |
| 1 | B Black-bellied Seedeater | <i>Sporophila melanogaster</i> | |

| # | <u>English name</u> | <u>Scientific name</u> | <u>Other English names</u> |
|---|---|----------------------------------|---|
| 4 | B Thick-billed Seed-Finch | <i>Sporophila funerea</i> | Lesser Seed-Finch |
| 2 | B Chestnut-bellied Seed-Finch | <i>Sporophila angolensis</i> | Lesser Seed-Finch |
| 1 | B Nicaraguan Seed-Finch | <i>Sporophila nuttingi</i> | Pink-billed Seed-Finch |
| 1 | D Large-billed Seed-Finch | <i>Sporophila crassirostris</i> | |
| 1 | A Black-billed Seed-Finch | <i>Sporophila atrirostris</i> | |
| 7 | B Variable Seedeater | <i>Sporophila corvina</i> | |
| 2 | B Gray Seedeater | <i>Sporophila intermedia</i> | Grey Seedeater |
| 1 | C Morelet's Seedeater | <i>Sporophila moreletii</i> | White-collared Seedeater |
| 3 | A White-naped Seedeater | <i>Sporophila fringilloides</i> | |
| 1 | B Black-and-white Seedeater | <i>Sporophila luctuosa</i> | |
| 3 | B Yellow-bellied Seedeater | <i>Sporophila nigricollis</i> | |
| 1 | C Dubois's Seedeater | <i>Sporophila ardesiaca</i> | |
| 3 | B Double-collared Seedeater | <i>Sporophila caerulescens</i> | |
| 2 | D Temminck's Seedeater | <i>Sporophila falcirostris</i> | |
| 1 | C Buffy-fronted Seedeater | <i>Sporophila frontalis</i> | |
| 1 | B Plumbeous Seedeater | <i>Sporophila plumbea</i> | |
| 3 | B Rusty-collared Seedeater | <i>Sporophila collaris</i> | |
| 2 | C White-throated Seedeater | <i>Sporophila albogularis</i> | |
| 1 | C Band-tailed Seedeater | <i>Catamenia analis</i> | |
| 1 | B Plain-colored Seedeater | <i>Catamenia inornata</i> | |
| 2 | B Paramo Seedeater | <i>Catamenia homochroa</i> | |
| 2 | B Coal-crested Finch | <i>Charitospiza eucosma</i> | |
| 2 | B Black-masked Finch | <i>Coryphaspiza melanotis</i> | |
| 2 | C Pileated Finch | <i>Coryphospingus pileatus</i> | Grey Pileated Finch |
| 1 | C Red-crested Finch | <i>Coryphospingus cucullatus</i> | Red Pileated Finch |
| 4 | B Crimson-breasted Finch | <i>Rhodospingus cruentus</i> | Crimson Finch-Tanager |
| 6 | B Bananaquit | <i>Coereba flaveola</i> | |
| 3 | A Yellow-faced Grassquit | <i>Tiaris olivaceus</i> | |
| 2 | B Orangequit | <i>Euneornis campestris</i> | |
| 1 | D Greater Antillean Bullfinch | <i>Melopyrrha violacea</i> | |
| 1 | B Black-faced Grassquit | <i>Melanospiza bicolor</i> | |
| 2 | B Dull-colored Grassquit | <i>Asemospiza obscura</i> | |
| 1 | C Sooty Grassquit | <i>Asemospiza fuliginosa</i> | |
| 1 | C Gray Warbler-Finch | <i>Certhidea fusca</i> | Grey Warbler-Finch |
| 2 | B Woodpecker Finch | <i>Camarhynchus pallidus</i> | |
| 2 | C Small Ground-Finch | <i>Geospiza fuliginosa</i> | |
| 1 | C Large Ground-Finch | <i>Geospiza magnirostris</i> | |
| 1 | C Genovesa Ground-Finch | <i>Geospiza acutirostris</i> | Sharp-beaked Ground-Finch |
| 2 | B Common Cactus-Finch | <i>Geospiza scandens</i> | |
| 1 | B Medium Ground-Finch | <i>Geospiza fortis</i> | |
| 3 | B Española Ground-Finch | <i>Geospiza conirostris</i> | Large Cactus-Finch, Española Cactus-Finch |
| 2 | B Yellow-shouldered Grosbeak | <i>Parkerthraustes humeralis</i> | |
| 1 | B Many-colored Chaco Finch | <i>Saltatricula multicolor</i> | |
| 2 | B Black-throated Saltator | <i>Saltatricula atricollis</i> | |
| 4 | A Buff-throated Saltator | <i>Saltator maximus</i> | |
| 2 | B Black-winged Saltator | <i>Saltator atripennis</i> | |
| 1 | C Black-headed Saltator | <i>Saltator atriceps</i> | |
| 1 | C Orinocan Saltator | <i>Saltator orinocensis</i> | Orinoco Saltator |
| 3 | B Olive-gray Saltator | <i>Saltator olivascens</i> | Grayish Saltator, Caribbean Grey Saltator, Olivaceous Saltator, Olive-grey Saltator |
| 4 | B Bluish-gray Saltator | <i>Saltator coerulescens</i> | Grayish Saltator, Amazonian Grey Saltator, Blue-gray Saltator, Bluish-grey Saltator |
| 2 | C Streaked Saltator | <i>Saltator striatipectus</i> | |
| 1 | C Green-winged Saltator | <i>Saltator similis</i> | |
| 2 | C Black-cowled Saltator | <i>Saltator nigriceps</i> | |
| 1 | C Thick-billed Saltator | <i>Saltator maxillosus</i> | |
| 3 | B Golden-billed Saltator | <i>Saltator aurantiirostris</i> | |
| 3 | B Slate-colored Grosbeak | <i>Saltator grossus</i> | |
| 7 | A Black-throated Grosbeak | <i>Saltator fuliginosus</i> | |